




PRODUCT GUIDE

Evaporator Coil // **Air Handler** // Unit Heater

Soffit Mount

Multi-family Air Handler



Bringing the ADP Experience to Multi-family

ADP soffit mount air handlers are the perfect replacement for multi-family applications, offering the premier ADP experience of custom solutions, availability and built-in quality.

With the development of our soffit mount air handlers, ADP brings an opportunity for distributors to meet the needs of the rapidly growing replacement market. ADP offers short lead times, delivers reliable ratings, as well as having a no hassle 5-year limited warranty with a 10-year limited warranty with registration.



10 | **LIMITED**
YEAR | **WARRANTY**
AVAILABLE
Online Registration Required
www.adpwarranty.com


FEATURE	BENEFIT
Copper or Aluminum Coil	Increased internal volume for more match-ups
1.5, 2, 2.5 Ton	Multiple sizes to meet replacement market needs
Factory Installed Heat	3, 5, 6, 8, 10 kW heat kits reduce complexity of installation
Factory Installed TXV	Factory installed TXV's with all threaded connections saves times in the field
PSC or ECM Motor	High efficiency ECM motor for enhanced performance



ADP soffit mount air handlers are made for seamless and simple installation, ensuring quality through proprietary testing technology and optimal performance.

Perfect Fit

- Fits industry standard footprint
- Shallow depth for easy installation
- Standard connection locations



Cased Options

- Optional factory installed case for new construction
- Knock-down case accessory saves storage space
- Both cased options return air capable



Quality Assurance

- Air under water leak test
- Secondary helium leak test
- 100% run test



THE ADP ADVANTAGE

- | | |
|----------------|--|
| FLEXIBILITY | ADP tailors custom solutions to meet your unique market needs. |
| QUALITY | ADP proprietary testing technology ensures leak-free performance at the higher operating pressures of R-410A systems. |
| SERVICE | Healthy Solutions® coils are made for seamless installation and easy access. |
| ENERGY SAVINGS | Many models are available to achieve higher SEER levels for ENERGY STAR compliance, utility rebates, and federal tax credits. |
| WARRANTY | Soffit mount multi-family air handlers feature an available 10-year limited warranty. Simply register online at www.ADPwarranty.com . |

Soffit Mount Multi-family Air Handler



Made in the USA
from US and imported parts

NOMENCLATURE

C	P	18	01C	H	H	P	03	1	-C	
Series	Blower Motor	Unit Size (MBTUH)	Slab Number	Metering Device	Airflow Config.	Line Connection	Electric Heat	Voltage	Option	
C: Ceiling mount	P: PSC motor	18	01C	A: Piston (R-410A)	H: Horiz. only	S: Stripped wire (no heat models only)	00: No heat	1: 208/240 V, 60 Hz, 1ph.	Blank: Uncased C: Factory installed case	
		19	02C	w/Access Port			03: 3 kW (18-24)			
	E: ECM constant torque	23	03C	P: Piston (R-410A)	T: Non-bleed A/C TXV (R-410A)	P: Pull disconnect	05: 5 kW (all sizes)			
		24	04C	etc. = CU slab			06: 6 kW (all sizes)			
	25	01A	H: Non-bleed HP-A/C TXV (R-410A)	B: Bleed A/C TXV (R-410A) ^[1]	C: Bleed HP TXV (R-410A) ^[1]	08: 8 kW (all sizes)				
	29	02A	HP-A/C TXV (R-410A)			10: 10 kW (24-30)				
	30	03A	B: Bleed A/C TXV (R-410A) ^[1]							
				04A	C: Bleed HP TXV (R-410A) ^[1]					
				etc. = AL slab						

NOTES:

[1] B and C valve options only for York family products

Uncased Size	18, 23	19, 24, 29	25, 30
Height (in)	10.5	10.5	10.5
Depth (in)	19.5	20.5	20.5
Width (in)	37	43	49
Cased Size	18, 23	19, 24, 29	25, 30
Height (in)	11	11	11
Depth (in)	24	24	24
Width (in)	39.7	45.7	51.7


AVAILABLE ACCESSORIES




Field Assembled Case




Louvered or Non-louvered Panel



Float Switch



Heat Kit



Heat Pump Relay

Proudly distributed by:

2175 West Park Place Boulevard
Stone Mountain, Georgia 30087
www.adpnow.com

