

PRODUCT GUIDE

Dedicated Horizontal

Side Connections

Premier Evaporator Coil



The Premier Upgrade for Any System

ADP premier evaporator coils match perfectly with your system, providing an upgrade over standard matched coils. ADP coils are thoroughly tested to ensure quality and deliver reliable ratings, as well as designed to save customers time on installation while ensuring a leak-free system. ADP evaporator coils are the perfect solution for your application.



oility
cutting
out the
ithout



Improved Air Quality

Microbes can double every 20 minutes on an untreated surface!



Standard plastic pan with visible mold




Plastic pan with Microban[®] antimicrobial additive

Mold is part of our environment and there are no practical ways to completely eliminate mold spores.

The best defense against mold in a home is to prevent it from taking hold through moisture control and the use of mold resistant building materials.

Crawl Space Solutions

Dedicated horizontal with side refrigerant connections are perfect for crawl space application!



Low Height

Perfect for crawl space under houses

Side Refrigerant Connections

Easy to access coil

THE ADP ADVANTAGE

PROTECTION ADP is the exclusive provider of coils featuring antimicrobial product protection by Microban®,

a recognized consumer brand.

QUALITY ADP proprietary testing technology ensures leak-free performance at the higher operating

pressures of R-410A systems.

SERVICE ADP coils are made for seamless installation and easy access.

ENERGY SAVINGS Many models are available to achieve higher SEER levels for ENERGY STAR compliance, utility

rebates, and federal tax credits.

WARRANTY ADP coils come with a no hassle 5-year warranty and feature an available 10-year limited

warranty. Simply register online at www.ADPwarranty.com.



NOMENCLATURE

Н	D02	1	24	Е	145	В	21	47	AP
Cabinet Color	Slab No.	Metering Device	Nominal MBTUH	Cabinet Width	Cabinet Height	Duct Flange	Cabinet Length	Product Code	Access Port
H: Embossed A: Armstrong C: Carrier/Bryant/ Payne D: Ducane/Aire-Flo G: ICP J: Goodman/ Amana L: Lennox N: Nordyne R: Rheem/Ruud T: Trane/ American Standard Y: York/Luxaire/ Coleman	D: CU slab P: AL slab	1: Piston (R-410A) 6: Non-bleed A/C	12 18 24 30 36 42 48 60	E: 21.5"	145: 14.5" 175: 17.5" 210: 21.0" 245: 24.5"	B: 0.75"	21: 21.5" 26: 26.5" 31: 31.5"	47: Refrigerant connection on side of cabinet	AP: TXV Access Port

^{*} See Spec Guide for additional nomenclature details.

ADDITIONAL FEATURES



Green & red plugs to identify primary vs. secondary drain connections



TXV with all threaded connections saves time in the field

No brazing required



Bi-directional airflow for installation flexibility

Proudly distributed by:

2175 West Park Place Boulevard Stone Mountain, Georgia 30087 www.adpnow.com

