

WHAT'S INSIDE MATTERS®



COMFORT, QUALITY

AND WORRY-FREE PERFORMANCE



SPLIT SYSTEM AIR CONDITIONER AND
HEAT PUMP PRODUCTS
M120 AND M1200 SERIES



WHAT'S INSIDE MATTERS®

Your home is the center of your universe. Your air conditioner or heat pump plays an important role in keeping your home comfortable. Maytag® understands how valuable your home is, and therefore offers you high quality products.

DELIVERING PEACE OF MIND UNIT AFTER UNIT

Every unit is triple checked at each manufacturing stage, for an average of 144 quality checks as your unit is built. In addition, all electrical and mechanical components are 100% fired and tested on the manufacturing line.

EXTENDING THE LIFE OF YOUR UNIT

All Maytag® systems are designed with proven components for maximum comfort, performance and longevity. Your unit will provide years of troublefree and reliable service.

AESTHETICALLY PLEASING AND DESIGNED FOR EASY CARE

Smooth and practical lines make your Maytag® system eye-appealing. All outdoor units are finished with a Silicone protective polyurethane finish that passed a 950-hour salt spray test. This step protects your unit from corrosion 50% more than standard outdoor finishes.



MSA1BD - UP TO 14 SEER

AIR CONDITIONER M120 Serie

- Durable: Galvanized steel with a polyester urethane finish. The 950-hour salt spray finish is 1.5 mil thick and resists corrosion 50% better than standard finishes.
- Dependable micro-channel coil: All-aluminium micro-channel coil resists corrosion.
- Extra efficiency boost: This unit gets up to a 1 SEER boost when paired with an appropriate Maytag® variable-speed air handler or an iSEER® gas furnace.



PSA1BE - UP TO 15 SEER

AIR CONDITIONER M120 Serie

- Stainless steel jacket: High degree of corrosion resistance.
- Durable: Galvanized steel with a polyester urethane finish. The 950-hour salt spray finish is 1.5 mil thick and resists corrosion 50% better than standard finishes.
- Dependable micro-channel coil: All-aluminium micro-channel coil resists corrosion.
- Intelligent controls: CoreSense™ technology senses potential conditions that could harm the compressor. When the compressor could be harmed, it shuts the unit off until a contractor can come fix the problem.
- Very quiet: Compressor sound blanket and swept-wing fan blade significantly reduce unwanted noise.



PSA1BF - UP TO 16 SEER

AIR CONDITIONER M120 Serie

- Two stages of comfort: Two-stage cooling provides more consistent temperatures throughout the home and increased dehumidification.
- Stainless steel jacket: High degree of corrosion resistance.
- Durable: Galvanized steel with a polyester urethane finish. The 950-hour salt spray finish is 1.5 mil thick and resists corrosion 50% better than standard finishes.
- Dependable micro-channel coil: All-aluminium micro-channel coil resists corrosion and combat.
- Intelligent controls: CoreSense™ technology senses potential conditions that could harm the compressor. When the compressor could be harmed, it shuts the unit off until a contractor can come fix the problem.
- Very quiet: Compressor sound blanket and swept-wing fan blade significantly reduce unwanted noise.



MSH1BE - UP TO 15 SEER 8.5 HSPF

HEAT PUMP

M120 Serie

Maytag MSH1BE air-source heat pumps offer exceptional energy-efficient performance.

- Micro-channel coil technology: All-aluminium micro-channel coils combat coil leaks by fighting corrosion.
- Durable: Galvanized steel with a polyester urethane finish. The 950-hour salt spray finish is 1.5 mil thick and resists corrosion 50% better than standard finishes.
- Extra efficiency boost: This unit gets up to a 1 SEER boost when paired with an appropriate Maytag® variable-speed air handler or an iSEER® gas furnace.



PSH1BF - UP TO 16 SEER 9.0 HSPF

HEAT PUMP

M1200 Serie

- Two stages of comfort: Two-stage cooling provides more consistent temperatures throughout the home and increased dehumidification.
- Stainless steel jacket: High degree of corrosion and damage resistance.
- Durable: Galvanized steel with a polyester urethane finish. The 950-hour salt spray finish is 1.5 mil thick and resists corrosion 50% better than standard finishes.

- Dependable 2 stages micro-channel coil: All-aluminium micro-channel coil resists corrosion.
- Intelligent controls: CoreSense™ technology senses potential conditions that could harm the compressor. When the compressor could be harmed, it shuts the unit off until a contractor can come fix the problem.
- Very quiet: Compressor sound blanket and swept-wing fan blade significantly reduce unwanted noise.



MSH1BF - UP TO 16 SEER 9.0 HSPF

HEAT PUMP

M120 Serie

- Micro-channel coil technology: All-aluminium micro-channel coils combat coil leaks by fighting corrosion.
- Durable: Galvanized steel with a polyester urethane finish. The 950-hour salt spray finish is 1.5 mil thick and resists corrosion 50% better than standard finishes.
- Extra efficiency boost: This unit gets up to a 1 SEER boost when paired with an appropriate Maytag® variable-speed air handler or an iSEER® gas furnace.
- Available in 2 to 4 tons.



PSH1BG - UP TO 19 SEER 10.0 HSPF

HEAT PUMP

M1200 Serie

- Two stages of comfort: Two-stage cooling provides more consistent temperatures throughout the home and increased dehumidification.
- Unique technology: The Maytag® iQ Drive heat pump uses inverter-rotary technology to exactly offset the cooling and heating demands on the home. This unit modulates from 49% to 118% of capacity, making constant and small adjustments.

- Exceptionally quiet: Maytag iQ Drive heat pumps operate at exceptionally low sound levels: down to 59 decibels.
- Dehumidification mode: Because the iQ Drive heat pump runs longer at very low levels, it provides superior dehumidification for a more comfortable home.
- Stainless steel jacket: High degree of corrosion and damage resistance.



PSH1BE - UP TO 15 SEER 8.5 HSPF

HEAT PUMP


M1200 Serie

- Micro-channel coil technology: All-aluminium micro-channel coils combat coil leaks by fighting corrosion.
- Stainless steel jacket: High degree of corrosion and damage resistance.
- Durable: Galvanized steel with a polyester urethane finish. The 950-hour salt spray finish is 1.5 mil thick and resists corrosion 50% better than standard finishes.

- Intelligent controls: CoreSense™ technology senses potential conditions that could harm the compressor. When the compressor could be harmed, it shuts the unit off until a contractor can come fix the problem.
- Very quiet: Compressor sound blanket and swept-wing fan blade significantly reduce unwanted noise.

A heating and cooling system isn't just about compressors, heat exchangers and valves. It's about the upstairs bedrooms being the same temperature as the downstairs family room, fresh air in every room and not having to turn up the television when the air conditioning kicks on.

What we put inside our Maytag® heating and air systems is what puts the ideal indoor environment inside your home.



Annual costs based on 36,000 BTU unit, 1,500 cooling load hours and \$0.08/kWh. Actual costs may vary depending on climate conditions, energy rates and patterns of usage.

SPECIFICATIONS



MSA1BD - UP TO 14 SEER

AIR CONDITIONER

M120 Serie

Model	T	Dimensions (")			Refrigerant piping (")			dB	Net weight (lb)
		W	D	H	Liquid	Gas			
						0-24'	25-75'		
MSA1BD4M1SN18K	1.5	23 3/4	23 3/4	24 1/2	3/8	3/4	3/4	71	141
MSA1BD4M1SN24K	2	23 3/4	23 3/4	24 1/2	3/8	3/4	3/4	70	126
MSA1BD4M1SN30K	2.5	23 3/4	23 3/4	28 1/2	3/8	3/4	3/4	70	146
MSA1BD4M1SN36K	3	23 3/4	23 3/4	28 1/2	3/8	3/4	7/8	76	137
MSA1BD4M1SN42K	3.5	31 3/4	31 3/4	29 1/4	3/8	7/8	7/8	77	210
MSA1BD4M1SN48K	4	31 3/4	31 3/4	29 1/4	3/8	7/8	7/8	77	210
MSA1BD4M1SN60K	5	31 3/4	31 3/4	33 1/4	3/8	7/8	1-1/8	77	217

12-year Worry-Free limited warranty on parts. **Dependability Promise:** 1 year.



PSA1BE - UP TO 15 SEER

AIR CONDITIONER

M1200 Serie

Model	T	Dimensions (")			Refrigerant piping (")			dB	Net weight (lb)
		W	D	H	Liquid	Gas			
						0-24'	25-75'		
PSA1BE4M1SN18K	1.5	23 3/4	23 3/4	28 1/2	3/8	3/4	3/4	72	143
PSA1BE4M1SN24K	2	23 3/4	23 3/4	32 1/2	3/8	3/4	3/4	72	151
PSA1BE4M1SN30K	2.5	31 3/4	31 3/4	29 1/4	3/8	3/4	3/4	71	180
PSA1BE4M1SN36K	3	31 3/4	31 3/4	37 1/4	3/8	3/4	7/8	74	201
PSA1BE4M1SN42K	3.5	31 3/4	31 3/4	41 1/4	3/8	7/8	7/8	74	231
PSA1BE4M1SN48K	4	31 3/4	31 3/4	41 1/4	3/8	7/8	7/8	74	232
PSA1BE4M1SN60K	5	31 3/4	31 3/4	45 1/4	3/8	7/8	1-1/8	74	251

12-year Worry-Free limited warranty on parts. **Dependability Promise:** 12 years.



PSA1BF - UP TO 16 SEER

AIR CONDITIONER

M1200 Serie

Model	T	Dimensions (")			Refrigerant piping (")			dB	Net weight (lb)
		W	D	H	Liquid	Gas			
						0-24'	25-75'		
PSA1BF4M2SN24K	2	23 3/4	23 3/4	36 1/2	3/8	3/4	7/8	73	133
PSA1BF4M2SN36K	3	31 3/4	31 3/4	37 1/4	3/8	7/8	1-1/8	75	205
PSA1BF4M2SN48K	4	31 3/4	31 3/4	41 1/4	3/8	7/8	1-1/8	76	232
PSA1BF4M2SN60K	5	31 3/4	31 3/4	45 1/4	3/8	7/8	1-1/8	77	251

12-year Worry-Free limited warranty on parts. **Dependability Promise:** 12 years.



MSH1BE - UP TO 15 SEER 8.5 HSPF

HEAT PUMP

M120 Serie

Model	T	Dimensions (")			Refrigerant piping (")			dB	Net weight (lb)
		W	D	H	Liquid	Gas			
						0-24'	25-75'		
MSH1BE4M1SP18K	1.5	31 3/4	31 3/4	33 1/4	3/8	3/4	3/4	75	186
MSH1BE4M1SP24K	2	31 3/4	31 3/4	33 1/4	3/8	3/4	3/4	75	192
MSH1BE4M1SP30K	2.5	31 3/4	31 3/4	41 1/4	3/8	3/4	3/4	75	208
MSH1BE4M1SP36K	3	31 3/4	31 3/4	45 1/4	3/8	7/8	7/8	76	204
MSH1BE4M1SP42K	3.5	31 3/4	31 3/4	45 1/4	3/8	7/8	7/8	79	232
MSH1BE4M1SP48K	4	31 3/4	31 3/4	45 1/4	3/8	7/8	7/8	79	256
MSH1BE4M1SP60K	5	31 3/4	31 3/4	45 1/4	3/8	7/8	1-1/8	79	236

12-year Worry-Free limited warranty on parts. **Dependability Promise:** 1 year.

SPECIFICATIONS



MSH1BF - UP TO 16 SEER 9.0 HSPF

HEAT PUMP

M120 Serie

Model	T	Dimensions (")			Refrigerant piping (")			dB	Net weight (lb)
		W	D	H	Liquid	Gas			
MSH1BF4M1SP24K	2	31 3/4	31 3/4	37 1/4	3/8	3/4	3/4	71	201
MSH1BF4M1SP30K	2.5	31 3/4	31 3/4	37 1/4	3/8	3/4	3/4	71	201
MSH1BF4M1SP36K	3	31 3/4	31 3/4	45 1/4	3/8	7/8	7/8	73	212
MSH1BF4M1SP42K	3.5	31 3/4	31 3/4	45 1/4	3/8	7/8	7/8	74	232
MSH1BF4M1SP48K	4	31 3/4	31 3/4	45 1/4	3/8	7/8	7/8	74	234

12-year Worry-Free limited warranty on parts. **Dependability Promise:** 1 year.




PSH1BE - UP TO 15 SEER 8.5 HSPF

HEAT PUMP

M1200 Serie

Model	T	Dimensions (")			Refrigerant piping (")			dB	Net weight (lb)
		W	D	H	Liquid	Gas			
						0-24'	25-75'		
PSH1BE4M1SP18K	1.5	31 3/4	31 3/4	33 1/4	3/8	3/4	3/4	71	201
PSH1BE4M1SP24K	2	31 3/4	31 3/4	33 1/4	3/8	3/4	3/4	71	199
PSH1BE4M1SP30K	2.5	31 3/4	31 3/4	41 1/4	3/8	3/4	3/4	71	222
PSH1BE4M1SP36K	3	31 3/4	31 3/4	45 1/4	3/8	7/8	7/8	73	227
PSH1BE4M1SP42K	3.5	31 3/4	31 3/4	45 1/4	3/8	7/8	7/8	74	160
PSH1BE4M1SP48K	4	31 3/4	31 3/4	45 1/4	3/8	7/8	7/8	74	261
PSH1BE4M1SP60K	5	31 3/4	31 3/4	45 1/4	3/8	7/8	1-1/8	74	266

12-year Worry-Free limited warranty on parts. **Dependability Promise:** 12 years.



PSH1BF - UP TO 16 SEER 9.0 HSPF

HEAT PUMP

M1200 Serie

Model	T	Dimensions (")			Refrigerant piping (")			dB	Net weight (lb)
		W	D	H	Liquid	Gas			
						0-24'	25-75'		
PSH1BF4M2SX24K	2	31 3/4	31 3/4	37 1/4	3/8	3/4	7/8	75	211
PSH1BF4M2SX36K	3	31 3/4	31 3/4	45 1/4	3/8	7/8	1-1/8	75	227
PSH1BF4M2SX48K	4	31 3/4	31 3/4	45 1/4	3/8	7/8	1-1/8	76	261
PSH1BF4M2SX60K	5	31 3/4	31 3/4	45 1/4	3/8	7/8	1-1/8	78	266

12-year Worry-Free limited warranty on parts. **Dependability Promise:** 12 years.



PSH1BG - UP TO 16 SEER 10.0 HSPF

HEAT PUMP

M1200 Serie

Model	T	Dimensions (")			Refrigerant piping (")					dB		Net weight (lb)
		W	D	H	Liquid	Gas				Min.	Max.	
						0-24'	25-39'	40-75'	75-100'			
PSH1BG4CVRX24K	2	31 3/4	31 3/4	37 1/4	3/8	3/4	3/4	7/8	1-1/8	60	71	234
PSH1BG4CVRX36K	3	31 3/4	31 3/4	41 1/4	3/8	7/8	7/8	1-1/8	1-1/8	58	71	246
PSH1BG4CVRX48K	4	31 3/4	31 3/4	41 1/4	3/8	7/8	1-1/8	1-1/8	1-1/8	63	73	296
PSH1BG4CVRX60K	5	31 3/4	31 3/4	45 1/4	3/8	7/8	1-1/8	1-1/8	1-1/8	63	72	321

12-year Worry-Free limited warranty on parts. **Dependability Promise:** 12 years.

WHAT'S INSIDE MATTERS®



BUILT FOR EFFICIENCY. BUILT TO LAST.



Maytag® M1200 & M120 series of products offer a 12-Year Worry-Free limited warranty on parts when the product is registered.* Also, when registered, a limited lifetime heat exchanger warranty is available on furnaces. Air handlers carry a 5-year all parts limited warranty and when installed with a matched outdoor unit, will carry the 12-year limited outdoor system warranty.



Plus, our Dependability Promise on M1200 products states that your entire unit will be replaced if the compressor or furnace heat exchanger fails within the first 12 years of purchase, and on M120 products within the first year of purchase. Split systems must be installed with a Maytag® matched indoor coil or air handler.*

*Applicable to the original owner. Product registration is recommended.

Ask your select Maytag® heating and cooling contractor or visit us at maytagvac.com for warranty details.



WHAT'S INSIDE MATTERS®

Canada **ENERGUIDE**

Seasonal Energy Efficiency Ratio (SEER)
Central Air Conditioner

THESE MODELS
13.0 | 14.0 | 15.0 | 16.0

13.0 — Uses least energy → 24.5

Canada **ENERGUIDE**

Seasonal Energy Efficiency Ratio (SEER)
Air source heat pump

THESE MODELS
14.0 | 15.0 | 16.0 | 19.0

13.0 — Uses least energy → 24.5

Exclusive distributor in Quebec



Your authorized Maytag dealer



*Registered Trademark/™Trademark of Maytag Properties, LLC or its related companies. ©Nortek Global HVAC, LLC 2017. All rights reserved. Manufactured under license by Nortek Global HVAC, LLC, O'Fallon, MO. Technical specifications and illustrations are et illustrations are subject to change without notice and without incurring any obligations.

Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit www.energystar.gov.