

Totaline® Thermostats

Three Series To Meet Any Specification

Performance Series

Signature Series

Premier Series



Exceptional
WARRANTY

Application
VERSATILITY

Optimum
SIMPLICITY

Totaline® thermostats are designed to make your install simple and keep your customers comfortable! And best of all, all Totaline thermostats are designed and assembled in the USA and carry a 5 year warranty.

TOTALINE



Totaline® Thermostats Table of Contents

7 Day Programmable Thermostats

	Page
Heat Pump and A/C with Humidity Control	
Universal Application (up to 4H/2C), Touch Screen Model P740-42PRH	10
Universal Application (up to 3H/2C), 2 Wire Installation, Model P730-32PRH	9
Heat Pump and A/C	
Universal Application (up to 3H/2C), 2 Wire Installation, Model P730-32PHP	8
Single Stage A/C	
Single Stage (1H/1C), 2 Wire Installation, Model P730-11PAC	8


5 + 2 Day Programmable Thermostats

	Page
Heat Pump and A/C	
Universal Application (up to 3H/2C), Model P720-32PHP	6
Universal Application (up to 2H/1C), Model P710U-21PHP	4
Universal Application (up to 2H/1C), Construction Model P700U-21PHP	11
Single Stage A/C	
Single Stage (1H/1C), Model P720-11PAC.....	6

Non-Programmable Thermostats

	Page
Heat Pump and A/C with Humidity Control	
Universal Application (up to 3H/2C), Model P730-32NRH	9
Heat Pump and A/C	
Universal Application (up to 3H/2C), 2 Wire Installation, Model P730-32NHP	7
Universal Application (up to 3H/2C), Model P720-32NHP	5
Universal Application (up to 2H/1C), Model P710U-21NHP	4
Universal Application (up to 2H/1C), Construction Model P700U-21NHP	11
Single Stage A/C	
Single Stage (1H/1C), 2 Wire Installation, Model P730-11NAC.....	7
Single Stage (1H/1C), Model P720-11NAC.....	5

Totaline Thermostat Part Numbering Sequence



Totaline® Thermostats/Unmatched Versatility

Three Series To Meet Any Specification

Performance Series

**5 Year
Warranty**



Model P710U-21PHP

Programmable Thermostat Heat Pump and A/C
Universal Application (up to 2H/1C)



Model P710U-21NHP

Non-Programmable Thermostat Heat Pump and A/C
Universal Application (up to 2H/1C)

Signature Series

**5 Year
Warranty**



Model P720-11NAC

Non-Programmable Thermostat Single Stage A/C
Single Stage (1H/1C)



Model P720-32NHP

Non-Programmable Thermostat Heat Pump and A/C
Universal Application (up to 3H/2C)



Model P720-11PAC

Programmable Thermostat Single Stage A/C
Single Stage (1H/1C)



Model P720-32PHP

Programmable Thermostat Heat Pump and A/C
Universal Application (up to 3H/2C)

Premier Series

**5 Year
Warranty**



Model P730-11NAC

Non-Programmable Thermostat Single Stage A/C
Single Stage (1H/1C)



Model P730-32NHP

Non-Programmable Thermostat Heat Pump and A/C
Universal Application (up to 3H/2C)



Model P730-11PAC

Programmable Thermostat Single Stage A/C
Single Stage (1H/1C)



Model P730-32PHP

Programmable Thermostat Heat Pump and A/C
Universal Application (up to H/2C)



Model P730-32NRH

Non-Programmable Thermostat
Heat Pump and A/C with Humidity Control
Universal Application (up to 3H/2C)



Model P730-32PRH

Programmable Thermostat
Heat Pump and A/C with Humidity Control
Universal Application (up to 3H/2C)



Model P740-42PRH

Programmable Touch Screen Thermostat
Heat Pump and A/C with Humidity Control
Universal Application (up to 4H/2C)



Totaline® Thermostats

The new P710U performance series thermostats give you an affordable thermostat for homeowners that includes auto changeover functionality and an easy to read screen. Available in programmable and non-programmable models that each handle both HP and AC applications. And best of all, these thermostats are designed and assembled in the USA!



Model P710U-21PHP Programmable Thermostat Heat Pump and A/C

Features:

- Universal Application Up To 2 Heat/1 Cool HP
- Auto Changeover
- 5 + 2 Day Programmable
- 4 Square Inch Display
- Designed and Assembled in the USA
- 5 Year Warranty



Model P710U-21NHP Non-Programmable Thermostat Heat Pump and A/C

Features:

- Universal Application Up To 2 Heat/1 Cool HP
- Auto Changeover
- 4 Square Inch Display
- Designed and Assembled in the USA
- 5 Year Warranty


Additional Common Features:

- Front Load Battery
- Configurable Backlighting
- Heating/Cooling Indicator
- Keypad Lockout
- Compressor Protection
- Hardwire or Battery



Totaline® Thermostats


The P720 Premier Series Non-Programmable thermostats offer Universal application, Auto changeover, keypad lockout, and many other features while maintaining a competitive price.



Model P720-11NAC Non-Programmable Thermostat Single Stage A/C

Features:

- Single Stage (1H/1C)
- Auto Changeover
- Cool On/Heat On Indication
- Keypad Lockout
- Designed and Assembled in the USA
- 5 Year Warranty



Model P720-32NHP Non-Programmable Thermostat Heat Pump and A/C

Features:

- Universal Application (up to 3H/2C)
- Auto Changeover
- Cool On/Heat On Indication
- Keypad Lockout
- Designed and Assembled in the USA
- 5 Year Warranty

Additional Common Features:

- Configurable Backlighting
- Adjustable Temperature Limits
- Setting memory retention during power outage
- Optional Battery Operation
- English/Metric Units Selection
- Zoning Switch
- RC/RH Power Compatible
- Configurable Set Point Limits
- Compressor Time Guard
- Min Run Time



Totaline® Thermostats

The P720 Premier Series Programmable Thermostats are first class for the money. The slim and elegant look with Touch and Go programmability make these thermostats above the competition.



Model P720-11PAC Programmable Thermostat Single Stage A/C

Features:

- Single Stage (1H/1C)
- Auto Changeover
- **Touch and Go Programmability**
- 5-2 Day Programming
- 4 or 2 Periods Per Day Selectable
- 4.76 Square Inch Display
- Designed and Assembled in the USA
- 5 Year Warranty



Model P720-32PHP Programmable Thermostat Heat Pump and A/C

Features:

- Universal Application (up to 3H/2C)
- Auto Changeover
- **Touch and Go Programmability**
- 5-2 Day Programming
- 4 or 2 Periods Per Day Selectable
- 4.76 Square Inch Display
- Designed and Assembled in the USA
- 5 Year Warranty

Additional Common Features:

- Configurable Backlighting
- Adjustable Temperature Limits
- Smart Recovery
- Keypad Lockout
- Optional Battery Operation
- Setting memory retention during power outage
- English/Metric Units Selection
- Zoning Switch
- RC/RH Power Compatible
- Configurable Set Point Limits
- Compressor Time Guard
- Min Run Time
- Cool On/Heat On Indication



Totaline® Thermostats

The P730 Premier Series Non-Programmable thermostats offer a top tier thermostat at a mid tier price. A low profile, two wire install and Touch and Go programmability make this thermostat hard to beat.



Model P730-11NAC Non-Programmable Thermostat Single Stage A/C

Features:

- Single Stage (1H/1C)
- **Touch and Go Programmability**
- **2 Wire Install**
- Auto Changeover
- Low Profile Install
- Dual Fuel Compatible
- 5 Square Inch Display
- Designed and Assembled in the USA
- 5 Year Warranty



Model P730-32NHP Non-Programmable Thermostat Heat Pump and A/C

Features:

- Universal Application (Up To 3H/2C)
- **Touch and Go Programmability**
- **2 Wire Install**
- Auto Changeover
- Low Profile Install
- Dual Fuel Compatible
- 5 Square Inch Display
- Designed and Assembled in the USA
- 5 Year Warranty

Additional Common Features:

- Continuous and Configurable back lighting
- Adjustable Temperature Limits
- Keypad Lockout
- Setting memory retention during power outage
- Battery Free
- English/Metric Units Selection
- Filter/UV Light/Humidifier Pad Replacement Indicators
- RC/RH Power Compatible
- Configurable Set Point Limits
- Compressor Time Guard
- Min Run Time
- Cool On/Heat On Indication
- Outdoor Air Temperature Sensor Option
- Diagnostic Codes
- Dry Contacts



Totaline® Thermostats

The P730 Premier Series Programmable thermostats have it all. The low profile, two wire install coupled with programmable fan and an easy to read 9 sq. inch display make this hard to beat.



Model P730-11PAC Programmable Thermostat Single Stage A/C

Features:

- Single Stage (1H/1C)
- 9 Square Inch Display
- 7 Day Programmable
- **2 Wire Install**
- Auto Changeover
- Low Profile Install
- Programmable Fan Option
- Dual Fuel Compatible
- Designed and Assembled in the USA
- 5 Year Warranty



Model P730-32PHP Programmable Thermostat Heat Pump and A/C

Features:

- Universal Application (up to 3H/2C)
- 9 Square Inch Display
- 7 Day Programmable
- Programmable with PC
- **2 Wire Install**
- Auto Changeover
- Low Profile Install
- Programmable Fan Option
- Dual Fuel Compatible
- Designed and Assembled in the USA
- 5 Year Warranty

Additional Common Features:

- Continuous and Configurable Backlighting
- Adjustable Temperature Limits
- Keypad Lockout
- Setting memory retention during power outage
- Battery Free
- English/Metric Units Selection
- Filter/UV Light/Humidifier Pad Replacement Indicators
- RC/RH Power Compatible
- Configurable Set Point Limits
- Compressor Time Guard
- Min Run Time
- Cool On/Heat On Indication
- Outdoor Air Temperature Sensor Option
- 4 or 2 Periods Per Day Programmability
- Remote Room Sensor Option
- Vacation Mode Controls Temperature and Humidity
- Adjusts Automatically for Daylight Savings
- Diagnostic Codes
- Dry Contacts



Totaline® Thermostats

The P730 Premier Series Thermostats with humidity control is one of the top thermostats in the industry. Offered in both programmable and Non-Programmable versions, the features on this thermostat are unprecedented.



Model P730-32NRH Non-Programmable Thermostat Heat Pump and A/C with Humidity Control

Features:

- Universal Application (up to 3H/2C)
- 9 Square Inch Display
- **Humidification Control**
- **Touch and Go Programmability**
- **2 Wire Install**
- Auto Changeover
- Dual Fuel Compatible
- Low Profile Install
- Designed and Assembled in the USA
- 5 Year Warranty



Model P730-32PRH Programmable Thermostat Heat Pump and A/C with Humidity Control

Features:

- Universal Application (up to 3H/2C)
- 9 Square Inch Display
- 7 Day Programming
- **Humidification Control**
- **Outside Air Sensor Included**
- **2 Wire Install**
- Auto Changeover
- Dual Fuel Compatible
- Low Profile Install
- Programmable Fan Option
- 4 or 2 Periods Per Day Programmability
- Remote Room Sensor Option
- Vacation Mode Controls Temperature and Humidity
- Adjusts Automatically for Daylight Savings
- Designed and Assembled in the USA
- 5 Year Warranty

Additional Common Features:

- Continuous and Configurable Backlighting
- Adjustable Temperature Limits
- Keypad Lockout
- Setting memory retention during power outage
- Battery Free
- English/Metric Units Selection
- Filter/UV Light/Humidifier Pad Replacement Indicators
- RC/RH Power Compatible
- Configurable Set Point Limits
- Compressor Time Guard
- Min Run Time
- Cool On/Heat On Indication
- Dry Contacts
- Diagnostic Codes



Totaline® Thermostats

The Totaline P740 Premier Series color touch has all the bells and whistles in the industry. An easy to use high definition touch screen with humidity control and dual fuel capability make this a winner.




Model P740-42PRH Programmable Touch Screen Thermostat Heat Pump and A/C with Humidity Control

*With Enter Your Name and Contact Information
In The Display Option*

Features:

- Universal Application (up to 4H/2C)
- 7 Day Programmable
- Full Humidity Control
- Dual Fuel Compatible
- Outdoor Air Temperature Compatible
- Remote Room Sensor Compatible
- Maintenance Reminders
- Error Codes
- Full QWERTY Keyboard for Data Entry
- High Definition Full Color Touch Screen Display
- Simplified programming with options for 4 daily periods
- Touch Screen Lockout Option
- Adjustable/resettable Filter and Service Reminders
- Multiple hold options, including indefinite hold and timed override hold.
- Screen Cleaning Function (disables touch-screen for 30 seconds)
- Non-volatile Memory (except clock) holds program settings indefinitely without power.
- 24 hr Clock
- Diagnostics Codes
- Designed and Assembled in the USA
- 5 Year Warranty






P700U-21PHP Totaline® Programmable Construction Thermostat

Features:

- 5 + 2 Day Programmable
- **Universal Application (up to 2H/1C)**
- Adjustable Temperature Limits
- Heating/Cooling Indicator
- Compressor Protection
- Hardwire or Battery
- Designed and Assembled in the USA
- 5 Year Warranty



P700U-21NHP Totaline® Non-Programmable Construction Thermostat

Features:

- **Universal Application (up to 2H/1C)**
- Adjustable Temperature Limits
- Heating/Cooling Indicator
- Compressor Protection
- Hardwire Only
- Designed and Assembled in the USA
- 5 Year Warranty



