



EDUS122206

R-410A

Engineering Data

Multi-Split Type Air Conditioners - Heat Pump -

2/3/4/5MXS-W Series



INVERTER

Multi-Split Type Air Conditioners

2/3/4/5MXS-W Series

1. Lineup	2
2. Specifications.....	3
2.1 Outdoor Unit	3
2.2 Combination Capacity: 2MXS18WMVJU9.....	5
2.3 Combination Capacity: 3MXS24WMVJU9.....	9
2.4 Combination Capacity: 4MXS36WMVJU9.....	21
2.5 Combination Capacity: 5MXS48WVJU9.....	61
3. Capacity Tables	126
3.1 2MXS18WMVJU9 Cooling.....	126
3.2 2MXS18WMVJU9 Heating	130
3.3 3MXS24WMVJU9 Cooling.....	133
3.4 3MXS24WMVJU9 Heating	157
3.5 4MXS36WMVJU9 Cooling.....	175
3.6 4MXS36WMVJU9 Heating	257

1. Lineup

Indoor Unit		Outdoor Unit	Power Supply
Wall Mounted Type CTXS, FTXS, FTXR Series	CTXS07WVJU9	Standard Type 2MXS18WMVJU9 3MXS24WMVJU9 4MXS36WMVJU9 5MXS48WMVJU9	1 phase, 208 - 230 V, 60 Hz
	FTXS09WVJU9		
	FTXS12WVJU9		
	FTXS15WVJU9		
	FTXS18WVJU9		
	FTXS24WVJU9		
	FTXR09WVJUW9		
	FTXR09WVJUS9		
	FTXR12WVJUW9		
	FTXR12WVJUS9		
	FTXR18WVJUW9		
	FTXR18WVJUS9		
Floor Standing Type FVXS Series	FVXS09WVJU9		
	FVXS12WVJU9		
	FVXS15WVJU9		
	FVXS18WVJU9		
Duct Connected Type CDMQ, FDMQ Series	CDMQ07WVJU9		
	FDMQ09WVJU9		
	FDMQ12WVJU9		
	FDMQ15WVJU9		
	FDMQ18WVJU9		
	FDMQ24WVJU9		
Ceiling-mounted Cassette Type FFQ Series	FFQ09W2VJU9		
	FFQ12W2VJU9		
	FFQ15W2VJU9		
	FFQ18W2VJU9		

Note: Power Supply Intake ; Outdoor Unit



Cautions

1. Air conditioners should not be installed in areas where corrosive gasses, such as acid gas or alkaline gas, are produced.
2. If the outdoor unit is to be installed close to the sea shore, direct exposure to the sea breeze should be avoided and choose an outdoor unit with anti-corrosion treatment.

2. Specifications

2.1 Outdoor Unit

Model			2MXS18WMVJU9		3MXS24WMVJU9	
			Cooling	Heating	Cooling	Heating
Power Supply			1 ϕ 60 Hz, 208 - 230 V		1 ϕ 60 Hz, 208 - 230 V	
COP2			—	4.00 (Non-Ducted) 3.10 (Ducted)	—	4.40 (Non-Ducted) 3.00 (Ducted)
EER2			11.8 (Non-Ducted) 8.8 (Ducted)	—	11.7 (Non-Ducted) 8.5 (Ducted)	—
SEER2 / HSPF2			16.0 (Non-Ducted) 14.3 (Ducted)	8.7 (Non-Ducted) 7.7 (Ducted)	18.0 (Non-Ducted) 14.9 (Ducted)	9.7 (Non-Ducted) 7.8 (Ducted)
Casing Color			Ivory White		Ivory White	
Compressor	Type		Hermetically Sealed Swing Type		Hermetically Sealed Swing Type	
	Model		2YC36PXD		2YC63AAXD	
	Motor Output	W	1,100		1,920	
Refrigerant Oil	Model		FVC50K		FVC50K	
	Charge	fl oz (L)	22.0 (0.65)		30.4 (0.9)	
Refrigerant	Type		R410A		R410A	
	Charge	lbs (kg)	3.86 (1.75)		6.17 (2.8)	
Airflow Rates	H	cfm	2,151	2,180	2,094	2,094
	M		2,151	2,180	2,094	1,979
	L		1,950	1,118	1,979	1,118
	H	m ³ /min	60.9	61.7	59.3	59.3
	M		60.9	61.7	59.3	56.0
	L		55.2	31.6	56.0	31.6
Fan	Type		Propeller		Propeller	
	Motor Output	W	55		50	
	Running Current (H / M / L)	A	0.37 / 0.37 / 0.28	0.38 / 0.38 / 0.06	0.34 / 0.34 / 0.29	0.34 / 0.29 / 0.06
	Power Consumption (H / M / L)	W	75.9 / 75.9 / 57.2	78.9 / 78.9 / 12.6	70.2 / 70.2 / 59.7	70.2 / 59.7 / 12.6
Starting Current			A 14.0		15.5	
Dimensions (H × W × D)			in. (mm) 28-15/16 × 34-1/4 × 12-5/8 (735 × 870 × 320)		28-15/16 × 34-1/4 × 12-5/8 (735 × 870 × 320)	
Packaged Dimensions (H × W × D)			in. (mm) 31-7/8 × 41-3/8 × 17-1/2 (810 × 1,050 × 444)		31-7/8 × 41-3/8 × 17-1/2 (810 × 1,050 × 444)	
Weight (Mass)			lbs (kg) 126 (57)		140 (63)	
Gross Weight (Gross Mass)			lbs (kg) 136 (62)		150 (68)	
Sound Pressure Level			dB(A) 50		52	54
Piping Connection	Liquid	in. (mm)	ϕ 1/4 × 2 (ϕ 6.4 × 2)		ϕ 1/4 × 3 (ϕ 6.4 × 3)	
	Gas	in. (mm)	ϕ 3/8 × 1, ϕ 1/2 × 1 (ϕ 9.5 × 1, ϕ 12.7 × 1)		ϕ 3/8 × 1, ϕ 1/2 × 2 (ϕ 9.5 × 1, ϕ 12.7 × 2)	
	Drain	in. (mm)	I.D. ϕ 5/8 (ϕ 15.9)		I.D. ϕ 5/8 (ϕ 15.9)	
Heat Insulation			Both Liquid and Gas Pipes		Both Liquid and Gas Pipes	
No. of Wiring Connections			3 for Power Supply, 4 for Interunit Wiring (Including Ground Wiring)		3 for Power Supply, 4 for Interunit Wiring (Including Ground Wiring)	
Max. Interunit Piping Length	ft (m)		164 (50) (for Total of Each Room)		230 (70) (for Total of Each Room)	
	ft (m)		82 (25) (for One Room)		82 (25) (for One Room)	
Amount of Additional Charge			oz/ft (g/m) 0.21 (20) (98-3/8 ft (30 m) or more)		0.21 (20) (131-1/4 ft (40 m) or more)	
Max. Installation Height Difference	ft (m)		49-1/4 (15) (Between Indoor Unit and Outdoor Unit)		49-1/4 (15) (Between Indoor Unit and Outdoor Unit)	
	ft (m)		24-5/8 (7.5) (Between Indoor Units)		24-5/8 (7.5) (Between Indoor Units)	
Conditions Based on			Indoor ; 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB)	Indoor ; 70°FDB (21°CDB) / 60°FWB (15.6°CWB)	Indoor ; 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB)	Indoor ; 70°FDB (21°CDB) / 60°FWB (15.6°CWB)
			Outdoor ; 95°FDB (35°CDB) / 75°FWB (24°CWB)	Outdoor ; 47°FDB (8.3°CDB) / 43°FWB (6°CWB)	Outdoor ; 95°FDB (35°CDB) / 75°FWB (24°CWB)	Outdoor ; 47°FDB (8.3°CDB) / 43°FWB (6°CWB)
			Piping length: 25 ft (7.5 m)		Piping length: 25 ft (7.5 m)	
Drawing No.			C: 3D141372		C: 3D141373	

Conversion Formulae

kcal/h = kW × 860
 Btu/h = kW × 3412
 cfm = m³/min × 35.3

Model			4MXS36WMVJU9		5MXS48WVJU9	
			Cooling	Heating	Cooling	Heating
Power Supply		Phase	1 ϕ		1 ϕ	
		Hz, V	60 Hz, 208 - 230 V		60 Hz, 208 - 230 V	
COP2		W/W	—	4.50 (Non-Ducted) 3.10 (Ducted)	—	3.90 (Non-Ducted) 3.00 (Ducted)
EER2		Btu/W-h	9.2 (Non-Ducted) 8.0 (Ducted)	—	10.5 (Non-Ducted) 8.2 (Ducted)	—
SEER2 / HSPF2			18.1 (Non-Ducted) 14.9 (Ducted)	9.4 (Non-Ducted) 7.8 (Ducted)	20.6 (Non-Ducted) 14.5 (Ducted)	9.3 (Non-Ducted) 7.8 (Ducted)
Casing Color			Ivory White		Ivory White	
Compressor	Type		Hermetically Sealed Swing Type		Hermetically Sealed Swing Type	
	Model		2YC63AAXD		2YC90KXD	
	Motor Output	W	1,920		3,000	
Refrigerant Oil	Model		FVC50K		FVC50K	
	Charge	fl oz (L)	30.4 (0.9)		51.4 (1.52)	
Refrigerant	Type		R410A		R410A	
	Charge	lbs (kg)	6.17 (2.8)		8.60 (3.9)	
Airflow Rates	H	cfm	2,611	2,352	3,684	3,356
	M		2,438	2,209	3,029	3,138
	L		2,094	1,118	2,756	1,500
	H	m ³ /min	73.9	66.6	104.3	95.0
	M		69.0	62.5	85.8	88.9
	L		59.3	31.6	78.0	42.5
Fan	Type		Propeller		Propeller	
	Motor Output	W	89		126	
	Running Current (H / M / L)	A	0.49 / 0.41 / 0.27	0.37 / 0.31 / 0.05	0.76 / 0.45 / 0.35	0.59 / 0.49 / 0.17
	Power Consumption (H / M / L)	W	102.1 / 84.6 / 55.8	76.7 / 64.6 / 11.1	158.5 / 93.3 / 73.2	122.9 / 102.5 / 34.9
Starting Current		A	17.5		27.0	
Dimensions (H × W × D)		in. (mm)	28-15/16 × 34-1/4 × 12-5/8 (735 × 870 × 320)		34-1/4 × 43-5/16 × 18-1/8 (870 × 1,100 × 460)	
Packaged Dimensions (H × W × D)		in. (mm)	31-7/8 × 41-3/8 × 17-1/2 (810 × 1,050 × 444)		39-15/16 × 46-7/8 × 21-15/16 (1,014 × 1,190 × 558)	
Weight (Mass)		lbs (kg)	144 (65)		216 (98)	
Gross Weight (Gross Mass)		lbs (kg)	154 (70)		231 (105)	
Sound Pressure Level		dB(A)	54	56	53	55
Piping Connection	Liquid	in. (mm)	ϕ 1/4 × 4 (ϕ 6.4 × 4)		ϕ 1/4 × 5 (ϕ 6.4 × 5)	
	Gas	in. (mm)	ϕ 3/8 × 1, ϕ 1/2 × 2, ϕ 5/8 × 1 (ϕ 9.5 × 1, ϕ 12.7 × 2, ϕ 15.9 × 1)		ϕ 3/8 × 1, ϕ 1/2 × 2, ϕ 5/8 × 2 (ϕ 9.5 × 1, ϕ 12.7 × 2, ϕ 15.9 × 2)	
	Drain	in. (mm)	I.D. ϕ 5/8 (ϕ 15.9)		I.D. ϕ 1 (ϕ 25)	
Heat Insulation			Both Liquid and Gas Pipes		Both Liquid and Gas Pipes	
No. of Wiring Connections			3 for Power Supply, 4 for Interunit Wiring (Including Ground Wiring)		3 for Power Supply, 4 for Interunit Wiring (Including Ground Wiring)	
Max. Interunit Piping Length	ft (m)		230 (70) (for Total of Each Room)		262 (80) (for Total of Each Room)	
	ft (m)		82 (25) (for One Room)		98 (30) (for One Room)	
Amount of Additional Charge		oz/ft (g/m)	0.21 (20) (131-1/4 ft (40 m) or more)		0.21 (20) (131-1/4 ft (40 m) or more)	
Max. Installation Height Difference	ft (m)		49-1/4 (15) (Between Indoor Unit and Outdoor Unit)		49-1/4 (15) (Between Indoor Unit and Outdoor Unit)	
	ft (m)		24-5/8 (7.5) (Between Indoor Units)		24-5/8 (7.5) (Between Indoor Units)	
Conditions Based on			Indoor ; 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) Outdoor ; 95°FDB (35°CDB) / 75°FWB (24°CWB)	Indoor ; 70°FDB (21°CDB) / 60°FWB (15.6°CWB) Outdoor ; 47°FDB (8.3°CDB) / 43°FWB (6°CWB)	Indoor ; 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) Outdoor ; 95°FDB (35°CDB) / 75°FWB (24°CWB)	Indoor ; 70°FDB (21°CDB) / 60°FWB (15.6°CWB) Outdoor ; 47°FDB (8.3°CDB) / 43°FWB (6°CWB)
			Piping length: 25 ft (7.5 m)		Piping length: 25 ft (7.5 m)	
Drawing No.			C: 3D141377		C: 3D141409	

Conversion Formulae

kcal/h = kW × 860
 Btu/h = kW × 3412
 cfm = m³/min × 35.3

2.2 Combination Capacity: 2MXS18WMVJU9

Cooling [60 Hz, 208 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	—	—	—	A room	B room	—	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	Rating
07	Wall	—	—	—	—	7.00	—	—	—	—	7.00	4.50 - 8.20	500	350 - 590	2.5	1.7 - 2.9	98
09	Wall	—	—	—	—	9.00	—	—	—	—	9.00	4.50 - 10.50	660	350 - 800	3.2	1.7 - 3.9	98
09	Duct	—	—	—	—	9.00	—	—	—	—	9.00	4.50 - 9.00	740	390 - 740	3.6	1.9 - 3.6	98
12	Wall	—	—	—	—	12.00	—	—	—	—	12.00	4.50 - 14.00	940	350 - 1,220	4.6	1.7 - 6.0	98
12	Duct	—	—	—	—	12.00	—	—	—	—	12.00	4.50 - 12.00	1,050	390 - 1,050	5.2	1.9 - 5.2	98
15	Wall	—	—	—	—	15.00	—	—	—	—	15.00	4.80 - 17.50	1,090	330 - 1,410	5.3	1.6 - 6.9	98
15	Duct	—	—	—	—	15.00	—	—	—	—	15.00	4.50 - 15.60	1,440	390 - 1,520	7.1	1.9 - 7.5	98
07 + 07	Wall	Wall	—	—	—	7.00	7.00	—	—	—	14.00	4.80 - 16.30	990	330 - 1,240	4.9	1.6 - 6.1	98
07 + 09	Wall	Wall	—	—	—	6.91	8.89	—	—	—	15.80	4.80 - 18.70	1,230	330 - 1,600	6.0	1.6 - 7.8	98
07 + 09	Wall	Duct	—	—	—	6.91	8.89	—	—	—	15.80	4.70 - 17.70	1,410	380 - 1,700	6.9	1.9 - 8.3	98
07 + 12	Wall	Wall	—	—	—	6.45	11.05	—	—	—	17.50	4.90 - 21.00	1,480	330 - 1,990	7.3	1.6 - 9.8	98
07 + 12	Wall	Duct	—	—	—	6.45	11.05	—	—	—	17.50	4.80 - 20.10	1,620	380 - 2,080	7.9	1.9 - 10.2	98
07 + 15	Wall	Wall	—	—	—	5.57	11.93	—	—	—	17.50	5.50 - 21.00	1,220	320 - 1,580	6.0	1.6 - 7.8	98
07 + 15	Wall	Duct	—	—	—	5.57	11.93	—	—	—	17.50	4.90 - 20.10	1,500	370 - 1,890	7.4	1.8 - 9.3	98
09 + 09	Wall	Wall	—	—	—	8.75	8.75	—	—	—	17.50	4.90 - 21.00	1,480	330 - 1,990	7.3	1.6 - 9.8	98
09 + 09	Wall	Duct	—	—	—	8.75	8.75	—	—	—	17.50	4.70 - 20.10	1,640	380 - 2,100	8.0	1.9 - 10.3	98
09 + 09	Duct	Duct	—	—	—	8.75	8.75	—	—	—	17.50	4.60 - 19.10	1,980	420 - 2,220	9.7	2.1 - 10.9	98
09 + 12	Wall	Wall	—	—	—	7.50	10.00	—	—	—	17.50	4.90 - 21.00	1,460	330 - 1,930	7.2	1.6 - 9.5	98
09 + 12	Wall	Duct	—	—	—	7.50	10.00	—	—	—	17.50	4.80 - 20.10	1,590	380 - 2,010	7.8	1.9 - 9.9	98
09 + 12	Duct	Wall	—	—	—	7.50	10.00	—	—	—	17.50	4.70 - 20.10	1,620	380 - 2,070	7.9	1.9 - 10.2	98
09 + 12	Duct	Duct	—	—	—	7.50	10.00	—	—	—	17.50	4.70 - 19.10	1,900	420 - 2,170	9.3	2.1 - 10.6	98
09 + 15	Wall	Wall	—	—	—	6.56	10.94	—	—	—	17.50	5.60 - 21.00	1,220	320 - 1,550	6.0	1.6 - 7.6	98
09 + 15	Wall	Duct	—	—	—	6.56	10.94	—	—	—	17.50	4.90 - 20.10	1,480	370 - 1,860	7.3	1.8 - 9.1	98
09 + 15	Duct	Wall	—	—	—	6.56	10.94	—	—	—	17.50	5.30 - 20.10	1,340	360 - 1,650	6.6	1.8 - 8.1	98
09 + 15	Duct	Duct	—	—	—	6.56	10.94	—	—	—	17.50	4.80 - 19.10	1,740	410 - 1,970	8.5	2.0 - 9.7	98
12 + 12	Wall	Wall	—	—	—	8.75	8.75	—	—	—	17.50	4.90 - 21.00	1,430	330 - 1,900	7.0	1.6 - 9.3	98
12 + 12	Wall	Duct	—	—	—	8.75	8.75	—	—	—	17.50	4.80 - 20.10	1,560	380 - 1,980	7.7	1.9 - 9.7	98
12 + 12	Duct	Duct	—	—	—	8.75	8.75	—	—	—	17.50	4.70 - 19.10	1,810	420 - 2,040	8.9	2.1 - 10.0	98

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 - The total capacity of connected indoor units is up to 24.0 kBtu/h.
 - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 - The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type W series
9.0 kBtu/h class; wall mount type W series or Duct type W series
12.0 kBtu/h class; wall mount type W series or Duct type W series
15.0 kBtu/h class; wall mount type W series or Duct type W series

Heating [60 Hz, 208 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											Power factor (%)
						Each capacity (kBTU/h)					Total capacity (kBTu/h)		Total input (W)		Total current (A)		
	A room	B room	—	—	—	A room	B room	—	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
07	Wall	—	—	—	—	8.80	—	—	—	—	8.80	3.50 - 9.70	630	300 - 710	3.1	1.5 - 3.5	98
09	Wall	—	—	—	—	11.30	—	—	—	—	11.30	3.60 - 12.50	800	300 - 920	3.9	1.5 - 4.5	98
09	Duct	—	—	—	—	10.70	—	—	—	—	10.70	3.10 - 12.50	920	340 - 1,110	4.5	1.7 - 5.4	98
12	Wall	—	—	—	—	15.00	—	—	—	—	15.00	3.80 - 16.70	1,090	300 - 1,270	5.3	1.5 - 6.2	98
12	Duct	—	—	—	—	14.30	—	—	—	—	14.30	3.40 - 16.70	1,190	340 - 1,460	5.8	1.7 - 7.2	98
15	Wall	—	—	—	—	17.80	—	—	—	—	17.80	4.50 - 20.80	1,210	300 - 1,540	5.9	1.5 - 7.6	98
15	Duct	—	—	—	—	16.40	—	—	—	—	16.40	3.60 - 20.80	1,520	340 - 2,140	7.5	1.7 - 10.5	98
07 + 07	Wall	Wall	—	—	—	8.75	8.75	—	—	—	17.50	4.70 - 19.40	1,050	300 - 1,210	5.2	1.5 - 5.9	98
07 + 09	Wall	Wall	—	—	—	7.88	10.13	—	—	—	18.00	4.80 - 22.20	1,120	300 - 1,550	5.5	1.5 - 7.6	98
07 + 09	Wall	Duct	—	—	—	7.70	9.90	—	—	—	17.60	4.50 - 22.20	1,310	340 - 1,830	6.4	1.7 - 9.0	98
07 + 12	Wall	Wall	—	—	—	6.82	11.68	—	—	—	18.50	4.90 - 25.00	1,380	300 - 2,020	6.8	1.5 - 9.9	98
07 + 12	Wall	Duct	—	—	—	6.82	11.68	—	—	—	18.50	4.70 - 25.00	1,530	340 - 2,270	7.5	1.7 - 11.1	98
07 + 15	Wall	Wall	—	—	—	5.89	12.61	—	—	—	18.50	5.20 - 25.00	1,200	300 - 1,710	5.9	1.5 - 8.4	98
07 + 15	Wall	Duct	—	—	—	5.89	12.61	—	—	—	18.50	4.80 - 25.00	1,480	340 - 2,210	7.3	1.7 - 10.8	98
09 + 09	Wall	Wall	—	—	—	9.25	9.25	—	—	—	18.50	4.90 - 25.00	1,350	300 - 2,020	6.6	1.5 - 9.9	98
09 + 09	Wall	Duct	—	—	—	9.25	9.25	—	—	—	18.50	4.70 - 25.00	1,540	330 - 2,330	7.6	1.6 - 11.4	98
09 + 09	Duct	Duct	—	—	—	9.25	9.25	—	—	—	18.50	4.30 - 25.00	1,750	370 - 2,680	8.6	1.8 - 13.1	98
09 + 12	Wall	Wall	—	—	—	7.93	10.57	—	—	—	18.50	5.00 - 25.00	1,340	300 - 1,960	6.6	1.5 - 9.6	98
09 + 12	Wall	Duct	—	—	—	7.93	10.57	—	—	—	18.50	4.80 - 25.00	1,480	340 - 2,200	7.3	1.7 - 10.8	98
09 + 12	Duct	Wall	—	—	—	7.93	10.57	—	—	—	18.50	4.70 - 25.00	1,490	330 - 2,260	7.3	1.6 - 11.1	98
09 + 12	Duct	Duct	—	—	—	7.93	10.57	—	—	—	18.50	4.50 - 25.00	1,650	380 - 2,540	8.1	1.9 - 12.5	98
09 + 15	Wall	Wall	—	—	—	6.94	11.56	—	—	—	18.50	5.20 - 25.00	1,180	300 - 1,690	5.8	1.5 - 8.3	98
09 + 15	Wall	Duct	—	—	—	6.94	11.56	—	—	—	18.50	4.90 - 25.00	1,440	340 - 2,140	7.1	1.7 - 10.5	98
09 + 15	Duct	Wall	—	—	—	6.94	11.56	—	—	—	18.50	5.10 - 25.00	1,300	330 - 1,890	6.4	1.6 - 9.3	98
09 + 15	Duct	Duct	—	—	—	6.94	11.56	—	—	—	18.50	4.60 - 25.00	1,640	370 - 2,460	8.0	1.8 - 12.1	98
12 + 12	Wall	Wall	—	—	—	9.25	9.25	—	—	—	18.50	5.00 - 25.00	1,300	300 - 1,900	6.4	1.5 - 9.3	98
12 + 12	Wall	Duct	—	—	—	9.25	9.25	—	—	—	18.50	4.90 - 25.00	1,440	340 - 2,140	7.1	1.7 - 10.5	98
12 + 12	Duct	Duct	—	—	—	9.25	9.25	—	—	—	18.50	4.70 - 25.00	1,600	380 - 2,440	7.8	1.9 - 12.0	98

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 2. The total capacity of connected indoor units is up to 24.0 kBtu/h.
 3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 4. The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type W series
9.0 kBtu/h class; wall mount type W series or Duct type W series
12.0 kBtu/h class; wall mount type W series or Duct type W series
15.0 kBtu/h class; wall mount type W series or Duct type W series

Cooling [60 Hz, 230 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											Power factor (%)
						Each capacity (kBTU/h)					Total capacity (kBTu/h)		Total input (W)		Total current (A)		
	A room	B room	—	—	—	A room	B room	—	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
07	Wall	—	—	—	—	7.00	—	—	—	—	7.00	4.50 - 8.20	500	350 - 590	2.2	1.6 - 2.6	98
09	Wall	—	—	—	—	9.00	—	—	—	—	9.00	4.50 - 10.50	660	350 - 800	2.9	1.6 - 3.5	98
09	Duct	—	—	—	—	9.00	—	—	—	—	9.00	4.50 - 9.00	740	390 - 740	3.3	1.7 - 3.3	98
12	Wall	—	—	—	—	12.00	—	—	—	—	12.00	4.50 - 14.00	940	350 - 1,220	4.2	1.6 - 5.4	98
12	Duct	—	—	—	—	12.00	—	—	—	—	12.00	4.50 - 12.00	1,050	390 - 1,050	4.7	1.7 - 4.7	98
15	Wall	—	—	—	—	15.00	—	—	—	—	15.00	4.80 - 17.50	1,090	330 - 1,410	4.8	1.5 - 6.3	98
15	Duct	—	—	—	—	15.00	—	—	—	—	15.00	4.50 - 15.60	1,440	390 - 1,520	6.4	1.7 - 6.7	98
07 + 07	Wall	Wall	—	—	—	7.00	7.00	—	—	—	14.00	4.80 - 16.30	990	330 - 1,240	4.4	1.5 - 5.5	98
07 + 09	Wall	Wall	—	—	—	6.91	8.89	—	—	—	15.80	4.80 - 18.70	1,230	330 - 1,600	5.5	1.5 - 7.1	98
07 + 09	Wall	Duct	—	—	—	6.91	8.89	—	—	—	15.80	4.70 - 17.70	1,410	380 - 1,700	6.3	1.7 - 7.5	98
07 + 12	Wall	Wall	—	—	—	6.45	11.05	—	—	—	17.50	4.90 - 21.00	1,480	330 - 1,990	6.6	1.5 - 8.8	98
07 + 12	Wall	Duct	—	—	—	6.45	11.05	—	—	—	17.50	4.80 - 20.10	1,620	380 - 2,080	7.2	1.7 - 9.2	98
07 + 15	Wall	Wall	—	—	—	5.57	11.93	—	—	—	17.50	5.50 - 21.00	1,220	320 - 1,580	5.4	1.4 - 7.0	98
07 + 15	Wall	Duct	—	—	—	5.57	11.93	—	—	—	17.50	4.90 - 20.10	1,500	370 - 1,890	6.7	1.6 - 8.4	98
09 + 09	Wall	Wall	—	—	—	8.75	8.75	—	—	—	17.50	4.90 - 21.00	1,480	330 - 1,990	6.6	1.5 - 8.8	98
09 + 09	Wall	Duct	—	—	—	8.75	8.75	—	—	—	17.50	4.70 - 20.10	1,640	380 - 2,100	7.3	1.7 - 9.3	98
09 + 09	Duct	Duct	—	—	—	8.75	8.75	—	—	—	17.50	4.60 - 19.10	1,980	420 - 2,220	8.8	1.9 - 9.8	98
09 + 12	Wall	Wall	—	—	—	7.50	10.00	—	—	—	17.50	4.90 - 21.00	1,460	330 - 1,930	6.5	1.5 - 8.6	98
09 + 12	Wall	Duct	—	—	—	7.50	10.00	—	—	—	17.50	4.80 - 20.10	1,590	380 - 2,010	7.1	1.7 - 8.9	98
09 + 12	Duct	Wall	—	—	—	7.50	10.00	—	—	—	17.50	4.70 - 20.10	1,620	380 - 2,070	7.2	1.7 - 9.2	98
09 + 12	Duct	Duct	—	—	—	7.50	10.00	—	—	—	17.50	4.70 - 19.10	1,900	420 - 2,170	8.4	1.9 - 9.6	98
09 + 15	Wall	Wall	—	—	—	6.56	10.94	—	—	—	17.50	5.60 - 21.00	1,220	320 - 1,550	5.4	1.4 - 6.9	98
09 + 15	Wall	Duct	—	—	—	6.56	10.94	—	—	—	17.50	4.90 - 20.10	1,480	370 - 1,860	6.6	1.6 - 8.3	98
09 + 15	Duct	Wall	—	—	—	6.56	10.94	—	—	—	17.50	5.30 - 20.10	1,340	360 - 1,650	5.9	1.6 - 7.3	98
09 + 15	Duct	Duct	—	—	—	6.56	10.94	—	—	—	17.50	4.80 - 19.10	1,740	410 - 1,970	7.7	1.8 - 8.7	98
12 + 12	Wall	Wall	—	—	—	8.75	8.75	—	—	—	17.50	4.90 - 21.00	1,430	330 - 1,900	6.3	1.5 - 8.4	98
12 + 12	Wall	Duct	—	—	—	8.75	8.75	—	—	—	17.50	4.80 - 20.10	1,560	380 - 1,980	6.9	1.7 - 8.8	98
12 + 12	Duct	Duct	—	—	—	8.75	8.75	—	—	—	17.50	4.70 - 19.10	1,810	420 - 2,040	8.0	1.9 - 9.1	98

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 - The total capacity of connected indoor units is up to 24.0 kBtu/h.
 - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 - The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type W series
9.0 kBtu/h class; wall mount type W series or Duct type W series
12.0 kBtu/h class; wall mount type W series or Duct type W series
15.0 kBtu/h class; wall mount type W series or Duct type W series

Heating [60 Hz, 230 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTu/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	—	—	—	A room	B room	—	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	Rating
07	Wall	—	—	—	—	8.80	—	—	—	—	8.80	3.50 - 9.70	630	300 - 710	2.8	1.3 - 3.1	98
09	Wall	—	—	—	—	11.30	—	—	—	—	11.30	3.60 - 12.50	800	300 - 920	3.5	1.3 - 4.1	98
09	Duct	—	—	—	—	10.70	—	—	—	—	10.70	3.10 - 12.50	920	340 - 1,110	4.1	1.5 - 4.9	98
12	Wall	—	—	—	—	15.00	—	—	—	—	15.00	3.80 - 16.70	1,090	300 - 1,270	4.8	1.3 - 5.6	98
12	Duct	—	—	—	—	14.30	—	—	—	—	14.30	3.40 - 16.70	1,190	340 - 1,460	5.3	1.5 - 6.5	98
15	Wall	—	—	—	—	17.80	—	—	—	—	17.80	4.50 - 20.80	1,210	300 - 1,540	5.4	1.3 - 6.8	98
15	Duct	—	—	—	—	16.40	—	—	—	—	16.40	3.60 - 20.80	1,520	340 - 2,140	6.7	1.5 - 9.5	98
07 + 07	Wall	Wall	—	—	—	8.75	8.75	—	—	—	17.50	4.70 - 19.40	1,050	300 - 1,210	4.7	1.3 - 5.4	98
07 + 09	Wall	Wall	—	—	—	7.88	10.13	—	—	—	18.00	4.80 - 22.20	1,120	300 - 1,550	5.0	1.3 - 6.9	98
07 + 09	Wall	Duct	—	—	—	7.70	9.90	—	—	—	17.60	4.50 - 22.20	1,310	340 - 1,830	5.8	1.5 - 8.1	98
07 + 12	Wall	Wall	—	—	—	6.82	11.68	—	—	—	18.50	4.90 - 25.00	1,380	300 - 2,020	6.1	1.3 - 9.0	98
07 + 12	Wall	Duct	—	—	—	6.82	11.68	—	—	—	18.50	4.70 - 25.00	1,530	340 - 2,270	6.8	1.5 - 10.1	98
07 + 15	Wall	Wall	—	—	—	5.89	12.61	—	—	—	18.50	5.20 - 25.00	1,200	300 - 1,710	5.3	1.3 - 7.6	98
07 + 15	Wall	Duct	—	—	—	5.89	12.61	—	—	—	18.50	4.80 - 25.00	1,480	340 - 2,210	6.6	1.5 - 9.8	98
09 + 09	Wall	Wall	—	—	—	9.25	9.25	—	—	—	18.50	4.90 - 25.00	1,350	300 - 2,020	6.0	1.3 - 9.0	98
09 + 09	Wall	Duct	—	—	—	9.25	9.25	—	—	—	18.50	4.70 - 25.00	1,540	330 - 2,330	6.8	1.5 - 10.3	98
09 + 09	Duct	Duct	—	—	—	9.25	9.25	—	—	—	18.50	4.30 - 25.00	1,750	370 - 2,680	7.8	1.6 - 11.9	98
09 + 12	Wall	Wall	—	—	—	7.93	10.57	—	—	—	18.50	5.00 - 25.00	1,340	300 - 1,960	5.9	1.3 - 8.7	98
09 + 12	Wall	Duct	—	—	—	7.93	10.57	—	—	—	18.50	4.80 - 25.00	1,480	340 - 2,200	6.6	1.5 - 9.8	98
09 + 12	Duct	Wall	—	—	—	7.93	10.57	—	—	—	18.50	4.70 - 25.00	1,490	330 - 2,260	6.6	1.5 - 10.0	98
09 + 12	Duct	Duct	—	—	—	7.93	10.57	—	—	—	18.50	4.50 - 25.00	1,650	380 - 2,540	7.3	1.7 - 11.3	98
09 + 15	Wall	Wall	—	—	—	6.94	11.56	—	—	—	18.50	5.20 - 25.00	1,180	300 - 1,690	5.2	1.3 - 7.5	98
09 + 15	Wall	Duct	—	—	—	6.94	11.56	—	—	—	18.50	4.90 - 25.00	1,440	340 - 2,140	6.4	1.5 - 9.5	98
09 + 15	Duct	Wall	—	—	—	6.94	11.56	—	—	—	18.50	5.10 - 25.00	1,300	330 - 1,890	5.8	1.5 - 8.4	98
09 + 15	Duct	Duct	—	—	—	6.94	11.56	—	—	—	18.50	4.60 - 25.00	1,640	370 - 2,460	7.3	1.6 - 10.9	98
12 + 12	Wall	Wall	—	—	—	9.25	9.25	—	—	—	18.50	5.00 - 25.00	1,300	300 - 1,900	5.8	1.3 - 8.4	98
12 + 12	Wall	Duct	—	—	—	9.25	9.25	—	—	—	18.50	4.90 - 25.00	1,440	340 - 2,140	6.4	1.5 - 9.5	98
12 + 12	Duct	Duct	—	—	—	9.25	9.25	—	—	—	18.50	4.70 - 25.00	1,600	380 - 2,440	7.1	1.7 - 10.8	98

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 2. The total capacity of connected indoor units is up to 24.0 kBtu/h.
 3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 4. The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type W series
9.0 kBtu/h class; wall mount type W series or Duct type W series
12.0 kBtu/h class; wall mount type W series or Duct type W series
15.0 kBtu/h class; wall mount type W series or Duct type W series

2.3 Combination Capacity: 3MXS24WMVJU9

Cooling [60 Hz, 208 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit												Power factor (%)
						Each capacity (kBTU/h)					Total capacity (kBTu/h)		Total input (W)		Total current (A)			
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	Rating	
07	Wall	—	—	—	—	7.60	—	—	—	—	7.60	7.30 - 8.40	580	480 - 680	2.8	2.4 - 3.3	98	
07	Duct	—	—	—	—	7.10	—	—	—	—	7.10	6.70 - 7.10	620	510 - 620	3.0	2.5 - 3.0	98	
09	Wall	—	—	—	—	9.80	—	—	—	—	9.80	7.40 - 10.80	720	480 - 840	3.5	2.4 - 4.1	98	
09	Duct	—	—	—	—	9.10	—	—	—	—	9.10	6.90 - 9.10	820	510 - 820	4.0	2.5 - 4.0	98	
12	Wall	—	—	—	—	13.00	—	—	—	—	13.00	7.50 - 14.40	1,040	480 - 1,220	5.1	2.4 - 6.0	98	
12	Duct	—	—	—	—	12.10	—	—	—	—	12.10	7.20 - 12.10	1,170	520 - 1,170	5.7	2.6 - 5.7	98	
15	Wall	—	—	—	—	16.30	—	—	—	—	16.30	8.90 - 18.00	1,220	510 - 1,460	6.0	2.5 - 7.2	98	
15	Duct	—	—	—	—	14.80	—	—	—	—	14.80	7.60 - 15.40	1,470	530 - 1,580	7.2	2.6 - 7.8	98	
18	Wall	—	—	—	—	19.50	—	—	—	—	19.50	8.90 - 21.60	1,560	510 - 1,880	7.7	2.5 - 9.2	98	
18	Duct	—	—	—	—	17.60	—	—	—	—	17.60	7.80 - 18.80	1,880	550 - 2,110	9.2	2.7 - 10.4	98	
07 + 07	Wall	Wall	—	—	—	7.60	7.60	—	—	—	15.20	8.90 - 16.80	1,080	510 - 1,270	5.3	2.5 - 6.2	98	
07 + 07	Wall	Duct	—	—	—	7.30	7.30	—	—	—	14.60	8.40 - 15.60	1,310	540 - 1,450	6.4	2.6 - 7.1	98	
07 + 07	Duct	Duct	—	—	—	6.95	6.95	—	—	—	13.90	7.90 - 14.30	1,390	580 - 1,440	6.8	2.8 - 7.1	98	
07 + 09	Wall	Wall	—	—	—	7.57	9.73	—	—	—	17.30	8.90 - 19.20	1,320	510 - 1,560	6.5	2.5 - 7.7	98	
07 + 09	Wall	Duct	—	—	—	7.26	9.34	—	—	—	16.60	8.60 - 17.90	1,560	550 - 1,730	7.7	2.7 - 8.5	98	
07 + 09	Duct	Wall	—	—	—	7.26	9.34	—	—	—	16.60	8.50 - 17.90	1,560	550 - 1,720	7.7	2.7 - 8.4	98	
07 + 09	Duct	Duct	—	—	—	6.91	8.89	—	—	—	15.80	8.10 - 16.60	1,650	580 - 1,750	8.1	2.8 - 8.6	98	
07 + 12	Wall	Wall	—	—	—	7.41	12.69	—	—	—	20.10	9.00 - 22.80	1,620	510 - 2,000	7.9	2.5 - 9.8	98	
07 + 12	Wall	Duct	—	—	—	7.11	12.19	—	—	—	19.30	8.80 - 21.40	1,910	550 - 2,210	9.4	2.7 - 10.8	98	
07 + 12	Duct	Wall	—	—	—	7.11	12.19	—	—	—	19.30	8.60 - 21.40	1,950	550 - 2,320	9.6	2.7 - 11.4	98	
07 + 12	Duct	Duct	—	—	—	6.82	11.68	—	—	—	18.50	8.30 - 19.90	1,990	590 - 2,280	9.8	2.9 - 11.2	98	
07 + 15	Wall	Wall	—	—	—	7.03	15.07	—	—	—	22.10	10.00 - 26.40	1,610	520 - 2,170	7.9	2.6 - 10.6	98	
07 + 15	Wall	Duct	—	—	—	6.90	14.80	—	—	—	21.70	9.10 - 24.90	2,160	550 - 2,750	10.6	2.7 - 13.5	98	
07 + 15	Duct	Wall	—	—	—	6.90	14.80	—	—	—	21.70	9.70 - 24.90	1,950	560 - 2,450	9.6	2.7 - 12.0	98	
07 + 15	Duct	Duct	—	—	—	6.78	14.52	—	—	—	21.30	8.70 - 23.30	2,360	590 - 2,750	11.6	2.9 - 13.5	98	
07 + 18	Wall	Wall	—	—	—	6.72	17.28	—	—	—	24.00	10.10 - 30.00	2,040	520 - 3,080	10.0	2.6 - 15.1	98	
07 + 18	Wall	Duct	—	—	—	6.72	17.28	—	—	—	24.00	9.20 - 28.30	2,510	580 - 3,360	12.3	2.8 - 16.5	98	
07 + 18	Duct	Wall	—	—	—	6.72	17.28	—	—	—	24.00	9.70 - 28.30	2,320	560 - 3,080	11.4	2.7 - 15.1	98	
07 + 18	Duct	Duct	—	—	—	6.72	17.28	—	—	—	24.00	8.80 - 26.60	2,850	610 - 3,420	14.0	3.0 - 16.8	98	
09 + 09	Wall	Wall	—	—	—	9.75	9.75	—	—	—	19.50	9.00 - 21.60	1,570	510 - 1,890	7.7	2.5 - 9.3	98	
09 + 09	Wall	Duct	—	—	—	9.30	9.30	—	—	—	18.60	8.60 - 20.20	1,780	550 - 2,070	8.7	2.7 - 10.2	98	
09 + 09	Duct	Duct	—	—	—	8.80	8.80	—	—	—	17.60	8.20 - 18.80	1,870	580 - 2,100	9.2	2.8 - 10.3	98	
09 + 12	Wall	Wall	—	—	—	9.17	12.23	—	—	—	21.40	9.10 - 25.20	1,780	510 - 2,360	8.7	2.5 - 11.6	98	
09 + 12	Wall	Duct	—	—	—	8.96	11.94	—	—	—	20.90	8.80 - 23.70	2,090	550 - 2,600	10.3	2.7 - 12.8	98	
09 + 12	Duct	Wall	—	—	—	8.96	11.94	—	—	—	20.90	8.70 - 23.70	2,140	550 - 2,650	10.5	2.7 - 13.0	98	
09 + 12	Duct	Duct	—	—	—	8.70	11.60	—	—	—	20.30	8.40 - 22.10	2,290	590 - 2,610	11.2	2.9 - 12.8	98	
09 + 15	Wall	Wall	—	—	—	8.78	14.63	—	—	—	23.40	10.10 - 28.80	1,770	520 - 2,560	8.7	2.6 - 12.6	98	
09 + 15	Wall	Duct	—	—	—	8.74	14.56	—	—	—	23.30	9.20 - 27.20	2,420	550 - 3,110	11.9	2.7 - 15.3	98	
09 + 15	Duct	Wall	—	—	—	8.74	14.56	—	—	—	23.30	9.80 - 27.20	2,200	560 - 2,800	10.8	2.7 - 13.7	98	
09 + 15	Duct	Duct	—	—	—	8.66	14.44	—	—	—	23.10	8.80 - 25.50	2,630	590 - 3,110	12.9	2.9 - 15.3	98	
09 + 18	Wall	Wall	—	—	—	8.00	16.00	—	—	—	24.00	10.10 - 30.00	2,050	520 - 3,090	10.1	2.6 - 15.2	98	
09 + 18	Wall	Duct	—	—	—	8.00	16.00	—	—	—	24.00	9.30 - 28.40	2,520	580 - 3,370	12.4	2.8 - 16.5	98	
09 + 18	Duct	Wall	—	—	—	8.00	16.00	—	—	—	24.00	9.80 - 28.40	2,270	560 - 3,020	11.1	2.7 - 14.8	98	
09 + 18	Duct	Duct	—	—	—	8.00	16.00	—	—	—	24.00	9.00 - 26.70	2,790	610 - 3,360	13.7	3.0 - 16.5	98	
12 + 12	Wall	Wall	—	—	—	11.70	11.70	—	—	—	23.40	9.20 - 28.80	2,010	510 - 2,960	9.9	2.5 - 14.5	98	
12 + 12	Duct	Wall	—	—	—	11.65	11.65	—	—	—	23.30	8.90 - 27.20	2,470	550 - 3,310	12.1	2.7 - 16.2	98	
12 + 12	Duct	Duct	—	—	—	11.55	11.55	—	—	—	23.10	8.70 - 25.50	2,690	590 - 3,240	13.2	2.9 - 15.9	98	
12 + 15	Wall	Wall	—	—	—	10.67	13.33	—	—	—	24.00	10.20 - 30.00	2,050	520 - 3,090	10.1	2.6 - 15.2	98	
12 + 15	Wall	Duct	—	—	—	10.67	13.33	—	—	—	24.00	9.30 - 28.40	2,490	550 - 3,340	12.2	2.7 - 16.4	98	
12 + 15	Duct	Wall	—	—	—	10.67	13.33	—	—	—	24.00	10.00 - 28.40	2,210	560 - 2,960	10.8	2.7 - 14.5	98	
12 + 15	Duct	Duct	—	—	—	10.67	13.33	—	—	—	24.00	9.00 - 26.70	2,710	590 - 3,270	13.3	2.9 - 16.0	98	
12 + 18	Wall	Wall	—	—	—	9.60	14.40	—	—	—	24.00	10.20 - 30.00	2,050	520 - 3,090	10.1	2.6 - 15.2	98	
12 + 18	Wall	Duct	—	—	—	9.60	14.40	—	—	—	24.00	9.40 - 28.40	2,450	580 - 3,300	12.0	2.8 - 16.2	98	
12 + 18	Duct	Wall	—	—	—	9.60	14.40	—	—	—	24.00	10.00 - 28.40	2,210	560 - 2,960	10.8	2.7 - 14.5	98	
12 + 18	Duct	Duct	—	—	—	9.60	14.40	—	—	—	24.00	9.20 - 26.80	2,680	620 - 3,230	13.1	3.0 - 15.8	98	
15 + 15	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	10.80 - 30.00	1,770	500 - 2,700	8.7	2.5 - 13.2	98	
15 + 15	Duct	Wall	—	—	—	12.00	12.00	—	—	—	24.00	10.20 - 28.40	2,160	560 - 2,830	10.6	2.7 - 13.9	98	
15 + 15	Duct	Duct	—	—	—	12.00	12.00	—	—	—	24.00	9.30 - 26.80	2,600	590 - 3,150	12.8	2.9 - 15.5	98	
15 + 18	Wall	Wall	—	—	—	10.91	13.09	—	—	—	24.00	10.80 - 30.00	1,770	500 - 2,710	8.7	2.5 - 13.3	98	
15 + 18	Wall	Duct	—	—	—	10.91	13.09	—	—	—	24.00	10.30 - 28.50	2,130	580 - 2,860	10.4	2.8 - 14.0	98	
15 + 18	Duct	Wall	—	—	—	10.91	13.09	—	—	—	24.00	10.20 - 28.50	2,100					

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	Rating
07 + 07 + 12	Duct	Wall	Duct	—	—	6.46	6.46	11.08	—	—	24.00	9.60 - 27.70	2,490	600 - 3,180	12.2	2.9 - 15.6	98
07 + 07 + 12	Duct	Duct	Wall	—	—	6.46	6.46	11.08	—	—	24.00	9.40 - 27.70	2,540	600 - 3,310	12.5	2.9 - 16.2	98
07 + 07 + 12	Duct	Duct	Duct	—	—	6.46	6.46	11.08	—	—	24.00	9.20 - 26.60	2,830	640 - 3,320	13.9	3.1 - 16.3	98
07 + 07 + 15	Wall	Wall	Wall	—	—	5.79	5.79	12.41	—	—	24.00	10.80 - 30.00	1,770	500 - 2,630	8.7	2.5 - 12.9	98
07 + 07 + 15	Wall	Wall	Duct	—	—	5.79	5.79	12.41	—	—	24.00	10.20 - 28.90	2,160	560 - 2,980	10.6	2.7 - 14.6	98
07 + 07 + 15	Wall	Duct	Wall	—	—	5.79	5.79	12.41	—	—	24.00	10.60 - 28.90	2,000	550 - 2,800	9.8	2.7 - 13.7	98
07 + 07 + 15	Duct	Wall	Duct	—	—	5.79	5.79	12.41	—	—	24.00	9.90 - 27.80	2,380	600 - 3,050	11.7	2.9 - 15.0	98
07 + 07 + 15	Duct	Duct	Wall	—	—	5.79	5.79	12.41	—	—	24.00	10.30 - 27.80	2,220	600 - 2,880	10.9	2.9 - 14.1	98
07 + 07 + 15	Duct	Duct	Duct	—	—	5.79	5.79	12.41	—	—	24.00	9.50 - 26.70	2,650	640 - 3,200	13.0	3.1 - 15.7	98
07 + 07 + 18	Wall	Wall	Wall	—	—	5.25	5.25	13.50	—	—	24.00	10.80 - 30.00	1,770	500 - 2,630	8.7	2.5 - 12.9	98
07 + 07 + 18	Wall	Wall	Duct	—	—	5.25	5.25	13.50	—	—	24.00	10.30 - 29.00	2,130	580 - 2,930	10.4	2.8 - 14.4	98
07 + 07 + 18	Wall	Duct	Wall	—	—	5.25	5.25	13.50	—	—	24.00	10.60 - 29.00	2,000	550 - 2,800	9.8	2.7 - 13.7	98
07 + 07 + 18	Duct	Wall	Duct	—	—	5.25	5.25	13.50	—	—	24.00	10.00 - 27.90	2,340	620 - 3,090	11.5	3.0 - 15.2	98
07 + 07 + 18	Duct	Duct	Wall	—	—	5.25	5.25	13.50	—	—	24.00	10.40 - 27.90	2,220	600 - 2,880	10.9	2.9 - 14.1	98
07 + 07 + 18	Duct	Duct	Duct	—	—	5.25	5.25	13.50	—	—	24.00	9.60 - 26.90	2,620	660 - 3,230	12.9	3.2 - 15.8	98
07 + 09 + 09	Wall	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	10.10 - 30.00	2,050	550 - 3,010	10.1	2.7 - 14.8	98
07 + 09 + 09	Wall	Wall	Duct	—	—	6.72	8.64	8.64	—	—	24.00	9.90 - 28.90	2,270	560 - 3,170	11.1	2.7 - 15.6	98
07 + 09 + 09	Wall	Duct	Duct	—	—	6.72	8.64	8.64	—	—	24.00	9.60 - 27.70	2,480	630 - 3,240	12.2	3.1 - 15.9	98
07 + 09 + 09	Duct	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	9.80 - 28.90	2,270	590 - 3,170	11.1	2.9 - 15.6	98
07 + 09 + 09	Duct	Wall	Duct	—	—	6.72	8.64	8.64	—	—	24.00	9.50 - 27.70	2,550	630 - 3,240	12.5	3.1 - 15.9	98
07 + 09 + 09	Duct	Duct	Duct	—	—	6.72	8.64	8.64	—	—	24.00	9.20 - 26.60	2,820	670 - 3,380	13.8	3.3 - 16.6	98
07 + 09 + 12	Wall	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	10.20 - 30.00	1,990	520 - 3,020	9.8	2.6 - 14.8	98
07 + 09 + 12	Wall	Wall	Duct	—	—	6.00	7.71	10.29	—	—	24.00	10.00 - 28.90	2,220	560 - 3,040	10.9	2.7 - 14.9	98
07 + 09 + 12	Wall	Duct	Wall	—	—	6.00	7.71	10.29	—	—	24.00	9.90 - 28.90	2,210	560 - 3,100	10.8	2.7 - 15.2	98
07 + 09 + 12	Wall	Duct	Duct	—	—	6.00	7.71	10.29	—	—	24.00	9.70 - 27.80	2,430	600 - 3,190	11.9	2.9 - 15.6	98
07 + 09 + 12	Duct	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	9.90 - 28.90	2,270	560 - 3,100	11.1	2.7 - 15.2	98
07 + 09 + 12	Duct	Wall	Duct	—	—	6.00	7.71	10.29	—	—	24.00	9.70 - 27.80	2,500	600 - 3,180	12.3	2.9 - 15.6	98
07 + 09 + 12	Duct	Duct	Wall	—	—	6.00	7.71	10.29	—	—	24.00	9.60 - 27.80	2,490	600 - 3,250	12.2	2.9 - 15.9	98
07 + 09 + 12	Duct	Duct	Duct	—	—	6.00	7.71	10.29	—	—	24.00	9.30 - 26.70	2,710	640 - 3,330	13.3	3.1 - 16.3	98
07 + 09 + 15	Wall	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	10.90 - 30.00	1,770	500 - 2,630	8.7	2.5 - 12.9	98
07 + 09 + 15	Wall	Wall	Duct	—	—	5.42	6.97	11.61	—	—	24.00	10.30 - 28.90	2,100	550 - 2,910	10.3	2.7 - 14.3	98
07 + 09 + 15	Wall	Duct	Wall	—	—	5.42	6.97	11.61	—	—	24.00	10.70 - 28.90	1,940	550 - 2,730	9.5	2.7 - 13.4	98
07 + 09 + 15	Wall	Duct	Duct	—	—	5.42	6.97	11.61	—	—	24.00	10.00 - 27.90	2,320	600 - 3,060	11.4	2.9 - 15.0	98
07 + 09 + 15	Duct	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	10.60 - 28.90	2,000	550 - 2,730	9.8	2.7 - 13.4	98
07 + 09 + 15	Duct	Wall	Duct	—	—	5.42	6.97	11.61	—	—	24.00	9.90 - 27.90	2,380	600 - 3,060	11.7	2.9 - 15.0	98
07 + 09 + 15	Duct	Duct	Wall	—	—	5.42	6.97	11.61	—	—	24.00	10.40 - 27.90	2,160	600 - 2,820	10.6	2.9 - 13.8	98
07 + 09 + 15	Duct	Duct	Duct	—	—	5.42	6.97	11.61	—	—	24.00	9.60 - 26.80	2,590	640 - 3,130	12.7	3.1 - 15.4	98
07 + 09 + 18	Wall	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	10.90 - 30.00	1,770	500 - 2,640	8.7	2.5 - 13.0	98
07 + 09 + 18	Wall	Wall	Duct	—	—	4.94	6.35	12.71	—	—	24.00	10.40 - 29.00	2,130	570 - 2,940	10.4	2.8 - 14.4	98
07 + 09 + 18	Wall	Duct	Wall	—	—	4.94	6.35	12.71	—	—	24.00	10.70 - 29.00	1,940	550 - 2,730	9.5	2.7 - 13.4	98
07 + 09 + 18	Wall	Duct	Duct	—	—	4.94	6.35	12.71	—	—	24.00	10.10 - 27.90	2,350	620 - 3,020	11.5	3.0 - 14.8	98
07 + 09 + 18	Duct	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	10.70 - 29.00	2,000	550 - 2,730	9.8	2.7 - 13.4	98
07 + 09 + 18	Duct	Wall	Duct	—	—	4.94	6.35	12.71	—	—	24.00	10.10 - 27.90	2,350	620 - 3,020	11.5	3.0 - 14.8	98
07 + 09 + 18	Duct	Duct	Wall	—	—	4.94	6.35	12.71	—	—	24.00	10.50 - 27.90	2,160	600 - 2,820	10.6	2.9 - 13.8	98
07 + 09 + 18	Duct	Duct	Duct	—	—	4.94	6.35	12.71	—	—	24.00	9.80 - 26.90	2,560	660 - 3,170	12.6	3.2 - 15.6	98
07 + 12 + 12	Wall	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	10.30 - 30.00	1,990	520 - 2,950	9.8	2.6 - 14.5	98
07 + 12 + 12	Wall	Wall	Duct	—	—	5.42	9.29	9.29	—	—	24.00	10.10 - 28.90	2,220	560 - 3,040	10.9	2.7 - 14.9	98
07 + 12 + 12	Wall	Duct	Duct	—	—	5.42	9.29	9.29	—	—	24.00	9.90 - 27.90	2,380	610 - 3,130	11.7	3.0 - 15.4	98
07 + 12 + 12	Duct	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	9.90 - 28.90	2,210	560 - 3,100	10.8	2.7 - 15.2	98
07 + 12 + 12	Duct	Wall	Duct	—	—	5.42	9.29	9.29	—	—	24.00	9.70 - 27.90	2,440	600 - 3,190	12.0	2.9 - 15.6	98
07 + 12 + 12	Duct	Duct	Duct	—	—	5.42	9.29	9.29	—	—	24.00	9.50 - 26.80	2,660	650 - 3,200	13.0	3.2 - 15.7	98
07 + 12 + 15	Wall	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	10.90 - 30.00	1,770	500 - 2,640	8.7	2.5 - 13.0	98
07 + 12 + 15	Wall	Wall	Duct	—	—	4.94	8.47	10.59	—	—	24.00	10.30 - 29.00	2,100	550 - 2,910	10.3	2.7 - 14.3	98
07 + 12 + 15	Wall	Duct	Wall	—	—	4.94	8.47	10.59	—	—	24.00	10.80 - 29.00	1,950	550 - 2,670	9.6	2.7 - 13.1	98
07 + 12 + 15	Wall	Duct	Duct	—	—	4.94	8.47	10.59	—	—	24.00	10.10 - 27.90	2,270	600 - 3,010	11.1	2.9 - 14.8	98
07 + 12 + 15	Duct	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	10.70 - 29.00	1,940	550 - 2,730	9.5	2.7 - 13.4	98
07 + 12 + 15	Duct	Wall															

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBtu/h)					Total capacity (kBtu/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	Rating
09 + 09 + 15	Wall	Wall	Duct	—	—	6.55	6.55	10.91	—	—	24.00	10.30 - 29.00	2,100	550 - 2,910	10.3	2.7 - 14.3	98
09 + 09 + 15	Wall	Duct	Wall	—	—	6.55	6.55	10.91	—	—	24.00	10.70 - 29.00	1,940	550 - 2,730	9.5	2.7 - 13.4	98
09 + 09 + 15	Wall	Duct	Duct	—	—	6.55	6.55	10.91	—	—	24.00	10.00 - 27.90	2,320	600 - 3,000	11.4	2.9 - 14.7	98
09 + 09 + 15	Duct	Duct	Wall	—	—	6.55	6.55	10.91	—	—	24.00	10.50 - 27.90	2,160	590 - 2,750	10.6	2.9 - 13.5	98
09 + 09 + 15	Duct	Duct	Duct	—	—	6.55	6.55	10.91	—	—	24.00	9.80 - 26.90	2,530	640 - 3,140	12.4	3.1 - 15.4	98
09 + 09 + 18	Wall	Wall	Wall	—	—	6.00	6.00	12.00	—	—	24.00	10.90 - 30.00	1,770	500 - 2,640	8.7	2.5 - 13.0	98
09 + 09 + 18	Wall	Wall	Duct	—	—	6.00	6.00	12.00	—	—	24.00	10.40 - 29.00	2,070	570 - 2,870	10.2	2.8 - 14.1	98
09 + 09 + 18	Wall	Duct	Wall	—	—	6.00	6.00	12.00	—	—	24.00	10.70 - 29.00	1,940	540 - 2,740	9.5	2.6 - 13.4	98
09 + 09 + 18	Wall	Duct	Duct	—	—	6.00	6.00	12.00	—	—	24.00	10.20 - 28.00	2,290	620 - 3,030	11.2	3.0 - 14.9	98
09 + 09 + 18	Duct	Duct	Wall	—	—	6.00	6.00	12.00	—	—	24.00	10.50 - 28.00	2,100	590 - 2,760	10.3	2.9 - 13.5	98
09 + 09 + 18	Duct	Duct	Duct	—	—	6.00	6.00	12.00	—	—	24.00	9.90 - 27.00	2,500	660 - 3,110	12.3	3.2 - 15.3	98
09 + 12 + 12	Wall	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	10.30 - 30.00	1,990	510 - 2,950	9.8	2.5 - 14.5	98
09 + 12 + 12	Wall	Wall	Duct	—	—	6.55	8.73	8.73	—	—	24.00	10.10 - 29.00	2,160	560 - 3,050	10.6	2.7 - 15.0	98
09 + 12 + 12	Wall	Duct	Duct	—	—	6.55	8.73	8.73	—	—	24.00	9.90 - 27.90	2,390	610 - 3,070	11.7	3.0 - 15.1	98
09 + 12 + 12	Duct	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	10.10 - 29.00	2,220	560 - 3,040	10.9	2.7 - 14.9	98
09 + 12 + 12	Duct	Wall	Duct	—	—	6.55	8.73	8.73	—	—	24.00	9.90 - 27.90	2,380	600 - 3,130	11.7	2.9 - 15.4	98
09 + 12 + 12	Duct	Duct	Duct	—	—	6.55	8.73	8.73	—	—	24.00	9.60 - 26.90	2,600	650 - 3,210	12.8	3.2 - 15.7	98
09 + 12 + 15	Wall	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	10.90 - 30.00	1,770	490 - 2,640	8.7	2.4 - 13.0	98
09 + 12 + 15	Wall	Wall	Duct	—	—	6.00	8.00	10.00	—	—	24.00	10.40 - 29.00	2,100	550 - 2,920	10.3	2.7 - 14.3	98
09 + 12 + 15	Wall	Duct	Wall	—	—	6.00	8.00	10.00	—	—	24.00	10.80 - 29.00	1,890	540 - 2,670	9.3	2.6 - 13.1	98
09 + 12 + 15	Wall	Duct	Duct	—	—	6.00	8.00	10.00	—	—	24.00	10.20 - 28.00	2,270	600 - 2,940	11.1	2.9 - 14.4	98
09 + 12 + 15	Duct	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	10.80 - 29.00	1,940	540 - 2,670	9.5	2.6 - 13.1	98
09 + 12 + 15	Duct	Wall	Duct	—	—	6.00	8.00	10.00	—	—	24.00	10.10 - 28.00	2,260	600 - 3,000	11.1	2.9 - 14.7	98
09 + 12 + 15	Duct	Duct	Wall	—	—	6.00	8.00	10.00	—	—	24.00	10.60 - 28.00	2,110	590 - 2,770	10.4	2.9 - 13.6	98
09 + 12 + 15	Duct	Duct	Duct	—	—	6.00	8.00	10.00	—	—	24.00	9.90 - 27.00	2,480	640 - 3,090	12.2	3.1 - 15.2	98
09 + 12 + 18	Wall	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	10.90 - 30.00	1,770	490 - 2,570	8.7	2.4 - 12.6	98
09 + 12 + 18	Wall	Wall	Duct	—	—	5.54	7.38	11.08	—	—	24.00	10.50 - 29.00	2,070	570 - 2,880	10.2	2.8 - 14.1	98
09 + 12 + 18	Wall	Duct	Wall	—	—	5.54	7.38	11.08	—	—	24.00	10.80 - 29.00	1,890	540 - 2,680	9.3	2.6 - 13.1	98
09 + 12 + 18	Wall	Duct	Duct	—	—	5.54	7.38	11.08	—	—	24.00	10.30 - 28.10	2,240	620 - 2,970	11.0	3.0 - 14.6	98
09 + 12 + 18	Duct	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	10.80 - 29.00	1,940	540 - 2,670	9.5	2.6 - 13.1	98
09 + 12 + 18	Duct	Wall	Duct	—	—	5.54	7.38	11.08	—	—	24.00	10.20 - 28.10	2,290	620 - 2,960	11.2	3.0 - 14.5	98
09 + 12 + 18	Duct	Duct	Wall	—	—	5.54	7.38	11.08	—	—	24.00	10.60 - 28.10	2,110	590 - 2,770	10.4	2.9 - 13.6	98
09 + 12 + 18	Duct	Duct	Duct	—	—	5.54	7.38	11.08	—	—	24.00	10.00 - 27.10	2,450	660 - 3,050	12.0	3.2 - 15.0	98
09 + 15 + 15	Wall	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	11.20 - 30.00	1,600	460 - 2,390	7.8	2.3 - 11.7	98
09 + 15 + 15	Wall	Wall	Duct	—	—	5.54	9.23	9.23	—	—	24.00	11.00 - 29.00	1,830	530 - 2,610	9.0	2.6 - 12.8	98
09 + 15 + 15	Wall	Duct	Duct	—	—	5.54	9.23	9.23	—	—	24.00	10.40 - 28.10	2,150	590 - 2,880	10.5	2.9 - 14.1	98
09 + 15 + 15	Duct	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	11.20 - 29.00	1,720	510 - 2,420	8.4	2.5 - 11.9	98
09 + 15 + 15	Duct	Wall	Duct	—	—	5.54	9.23	9.23	—	—	24.00	10.80 - 28.10	2,050	580 - 2,710	10.1	2.8 - 13.3	98
09 + 15 + 15	Duct	Duct	Duct	—	—	5.54	9.23	9.23	—	—	24.00	10.20 - 27.10	2,370	640 - 2,970	11.6	3.1 - 14.6	98
12 + 12 + 12	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	10.40 - 30.00	1,930	510 - 2,880	9.5	2.5 - 14.1	98
12 + 12 + 12	Wall	Wall	Duct	—	—	8.00	8.00	8.00	—	—	24.00	10.20 - 29.00	2,160	560 - 2,980	10.6	2.7 - 14.6	98
12 + 12 + 12	Wall	Duct	Duct	—	—	8.00	8.00	8.00	—	—	24.00	10.00 - 28.00	2,330	600 - 3,070	11.4	2.9 - 15.1	98
12 + 12 + 12	Duct	Duct	Duct	—	—	8.00	8.00	8.00	—	—	24.00	9.80 - 27.00	2,550	650 - 3,160	12.5	3.2 - 15.5	98
12 + 12 + 15	Wall	Wall	Wall	—	—	7.38	7.38	9.23	—	—	24.00	11.00 - 30.00	1,710	490 - 2,570	8.4	2.4 - 12.6	98
12 + 12 + 15	Wall	Wall	Duct	—	—	7.38	7.38	9.23	—	—	24.00	10.40 - 29.00	2,050	550 - 2,850	10.1	2.7 - 14.0	98
12 + 12 + 15	Wall	Duct	Wall	—	—	7.38	7.38	9.23	—	—	24.00	10.80 - 29.00	1,890	540 - 2,680	9.3	2.6 - 13.1	98
12 + 12 + 15	Wall	Duct	Duct	—	—	7.38	7.38	9.23	—	—	24.00	10.20 - 28.10	2,270	600 - 2,940	11.1	2.9 - 14.4	98
12 + 12 + 15	Duct	Duct	Wall	—	—	7.38	7.38	9.23	—	—	24.00	10.70 - 28.10	2,060	590 - 2,710	10.1	2.9 - 13.3	98
12 + 12 + 15	Duct	Duct	Duct	—	—	7.38	7.38	9.23	—	—	24.00	10.10 - 27.10	2,430	640 - 3,030	11.9	3.1 - 14.9	98

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 - The total capacity of connected indoor units is up to 39.0 kBtu/h.
 - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 - The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type W series or Duct type W series
9.0 kBtu/h class; wall mount type W series or Duct type W series
12.0 kBtu/h class; wall mount type W series or Duct type W series
15.0 kBtu/h class; wall mount type W series or Duct type W series
18.0 kBtu/h class; wall mount type W series or Duct type W series

Heating [60 Hz, 208 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit												Power factor (%)
						Each capacity (kBTU/h)					Total capacity (kBTu/h)		Total input (W)		Total current (A)			
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	Rating	
07	Wall	—	—	—	—	8.80	—	—	—	—	8.80	8.70 - 9.70	510	460 - 560	2.5	2.3 - 2.7	98	
07	Duct	—	—	—	—	8.30	—	—	—	—	8.30	8.10 - 9.70	770	680 - 810	3.8	3.3 - 4.0	98	
09	Wall	—	—	—	—	11.30	—	—	—	—	11.30	10.00 - 12.50	740	600 - 890	3.6	2.9 - 4.4	98	
09	Duct	—	—	—	—	10.70	—	—	—	—	10.70	10.40 - 12.50	810	690 - 1,110	4.0	3.4 - 5.4	98	
12	Wall	—	—	—	—	15.00	—	—	—	—	15.00	9.90 - 16.70	1,110	580 - 1,310	5.4	2.8 - 6.4	98	
12	Duct	—	—	—	—	14.30	—	—	—	—	14.30	10.20 - 16.70	1,290	660 - 1,650	6.3	3.2 - 8.1	98	
15	Wall	—	—	—	—	18.80	—	—	—	—	18.80	9.40 - 20.80	1,320	510 - 1,550	6.5	2.5 - 7.6	98	
15	Duct	—	—	—	—	16.60	—	—	—	—	16.60	10.10 - 20.80	1,600	640 - 2,270	7.8	3.1 - 11.1	98	
18	Wall	—	—	—	—	22.50	—	—	—	—	22.50	9.40 - 25.00	1,710	500 - 2,050	8.4	2.5 - 10.1	98	
18	Duct	—	—	—	—	18.90	—	—	—	—	18.90	9.80 - 25.00	1,750	620 - 2,740	8.6	3.0 - 13.4	98	
07 + 07	Wall	Wall	—	—	—	8.75	8.75	—	—	—	17.50	9.30 - 19.40	1,170	490 - 1,340	5.7	2.4 - 6.6	98	
07 + 07	Duct	Wall	—	—	—	8.35	8.35	—	—	—	16.70	9.50 - 19.40	1,330	560 - 1,680	6.5	2.7 - 8.2	98	
07 + 07	Duct	Duct	—	—	—	7.90	7.90	—	—	—	15.80	9.80 - 19.40	1,590	640 - 2,070	7.8	3.1 - 10.2	98	
07 + 09	Wall	Wall	—	—	—	8.75	11.25	—	—	—	20.00	9.20 - 22.20	1,340	480 - 1,560	6.6	2.4 - 7.7	98	
07 + 09	Wall	Duct	—	—	—	8.18	10.52	—	—	—	18.70	9.40 - 22.20	1,530	550 - 1,980	7.5	2.7 - 9.7	98	
07 + 09	Duct	Wall	—	—	—	8.18	10.52	—	—	—	18.70	9.40 - 22.20	1,530	550 - 1,980	7.5	2.7 - 9.7	98	
07 + 09	Duct	Duct	—	—	—	7.61	9.79	—	—	—	17.40	9.70 - 22.20	1,700	620 - 2,490	8.3	3.0 - 12.2	98	
07 + 12	Wall	Wall	—	—	—	8.36	14.34	—	—	—	22.70	9.10 - 26.60	1,610	470 - 2,010	7.9	2.3 - 9.9	98	
07 + 12	Wall	Duct	—	—	—	7.81	13.39	—	—	—	21.20	9.30 - 26.30	1,750	530 - 2,410	8.6	2.6 - 11.8	98	
07 + 12	Duct	Wall	—	—	—	7.81	13.39	—	—	—	21.20	9.30 - 26.30	1,780	540 - 2,460	8.7	2.6 - 12.1	98	
07 + 12	Duct	Duct	—	—	—	7.22	12.38	—	—	—	19.60	9.50 - 25.90	1,960	600 - 2,980	9.6	2.9 - 14.6	98	
07 + 15	Wall	Wall	—	—	—	7.45	15.95	—	—	—	23.40	8.70 - 31.30	1,500	430 - 2,360	7.4	2.1 - 11.6	98	
07 + 15	Wall	Duct	—	—	—	7.19	15.41	—	—	—	22.60	9.20 - 29.90	1,850	520 - 2,910	9.1	2.6 - 14.3	98	
07 + 15	Duct	Wall	—	—	—	7.19	15.41	—	—	—	22.60	8.90 - 29.90	1,700	490 - 2,620	8.3	2.4 - 12.9	98	
07 + 15	Duct	Duct	—	—	—	6.94	14.86	—	—	—	21.80	9.50 - 28.40	2,190	590 - 3,360	10.7	2.9 - 16.5	98	
07 + 18	Wall	Wall	—	—	—	6.72	17.28	—	—	—	24.00	8.70 - 36.00	1,630	430 - 3,160	8.0	2.1 - 15.5	98	
07 + 18	Wall	Duct	—	—	—	6.72	17.28	—	—	—	24.00	9.00 - 33.50	1,940	520 - 3,360	9.5	2.6 - 16.5	98	
07 + 18	Duct	Wall	—	—	—	6.72	17.28	—	—	—	24.00	8.90 - 33.50	1,870	490 - 3,190	9.2	2.4 - 15.6	98	
07 + 18	Duct	Duct	—	—	—	6.72	17.28	—	—	—	24.00	9.20 - 31.00	2,270	580 - 3,410	11.1	2.8 - 16.7	98	
09 + 09	Wall	Wall	—	—	—	11.25	11.25	—	—	—	22.50	9.10 - 25.00	1,560	470 - 1,830	7.7	2.3 - 9.0	98	
09 + 09	Wall	Duct	—	—	—	10.35	10.35	—	—	—	20.70	9.30 - 25.00	1,720	530 - 2,290	8.4	2.6 - 11.2	98	
09 + 09	Duct	Duct	—	—	—	9.45	9.45	—	—	—	18.90	9.60 - 25.00	1,870	610 - 2,900	9.2	3.0 - 14.2	98	
09 + 12	Wall	Wall	—	—	—	9.90	13.20	—	—	—	23.10	9.00 - 29.70	1,610	460 - 2,390	7.9	2.3 - 11.7	98	
09 + 12	Wall	Duct	—	—	—	9.47	12.63	—	—	—	22.10	9.20 - 28.70	1,800	520 - 2,730	8.8	2.6 - 13.4	98	
09 + 12	Duct	Wall	—	—	—	9.47	12.63	—	—	—	22.10	9.20 - 28.70	1,830	520 - 2,770	9.0	2.6 - 13.6	98	
09 + 12	Duct	Duct	—	—	—	9.04	12.06	—	—	—	21.10	9.40 - 27.60	2,120	590 - 3,210	10.4	2.9 - 15.7	98	
09 + 15	Wall	Wall	—	—	—	8.93	14.88	—	—	—	23.80	9.70 - 34.40	1,520	490 - 2,770	7.5	2.4 - 13.6	98	
09 + 15	Wall	Duct	—	—	—	8.85	14.75	—	—	—	23.60	9.10 - 32.30	1,950	510 - 3,290	9.6	2.5 - 16.1	98	
09 + 15	Duct	Wall	—	—	—	8.85	14.75	—	—	—	23.60	8.80 - 32.30	1,800	480 - 2,940	8.8	2.4 - 14.4	98	
09 + 15	Duct	Duct	—	—	—	8.74	14.56	—	—	—	23.30	9.40 - 30.10	2,350	580 - 3,580	11.5	2.8 - 17.6	98	
09 + 18	Wall	Wall	—	—	—	8.00	16.00	—	—	—	24.00	8.60 - 36.00	1,620	430 - 3,130	7.9	2.1 - 15.4	98	
09 + 18	Wall	Duct	—	—	—	8.00	16.00	—	—	—	24.00	8.90 - 33.60	1,910	510 - 3,300	9.4	2.5 - 16.2	98	
09 + 18	Duct	Wall	—	—	—	8.00	16.00	—	—	—	24.00	8.80 - 33.60	1,830	480 - 3,140	9.0	2.4 - 15.4	98	
09 + 18	Duct	Duct	—	—	—	8.00	16.00	—	—	—	24.00	9.10 - 31.20	2,210	570 - 3,390	10.8	2.8 - 16.6	98	
12 + 12	Wall	Wall	—	—	—	11.90	11.90	—	—	—	23.80	9.00 - 34.40	1,620	450 - 3,000	7.9	2.2 - 14.7	98	
12 + 12	Duct	Wall	—	—	—	11.80	11.80	—	—	—	23.60	9.10 - 32.30	1,950	510 - 3,230	9.6	2.5 - 15.8	98	
12 + 12	Duct	Duct	—	—	—	11.65	11.65	—	—	—	23.30	9.30 - 30.10	2,300	580 - 3,510	11.3	2.8 - 17.2	98	
12 + 15	Wall	Wall	—	—	—	10.67	13.33	—	—	—	24.00	8.60 - 36.00	1,610	430 - 3,120	7.9	2.1 - 15.3	98	
12 + 15	Wall	Duct	—	—	—	10.67	13.33	—	—	—	24.00	9.10 - 33.60	1,960	500 - 3,400	9.6	2.5 - 16.7	98	
12 + 15	Duct	Wall	—	—	—	10.67	13.33	—	—	—	24.00	8.70 - 33.60	1,810	480 - 3,100	8.9	2.4 - 15.2	98	
12 + 15	Duct	Duct	—	—	—	10.67	13.33	—	—	—	24.00	9.20 - 31.20	2,260	570 - 3,470	11.1	2.8 - 17.0	98	
12 + 18	Wall	Wall	—	—	—	9.60	14.40	—	—	—	24.00	8.60 - 36.00	1,610	430 - 3,110	7.9	2.1 - 15.3	98	
12 + 18	Wall	Duct	—	—	—	9.60	14.40	—	—	—	24.00	8.90 - 33.80	1,880	510 - 3,250	9.2	2.5 - 15.9	98	
12 + 18	Duct	Wall	—	—	—	9.60	14.40	—	—	—	24.00	8.70 - 33.80	1,800	480 - 3,080	8.8	2.4 - 15.1	98	
12 + 18	Duct	Duct	—	—	—	9.60	14.40	—	—	—	24.00	9.00 - 31.50	2,140	560 - 3,280	10.5	2.7 - 16.1	98	
15 + 15	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	8.40 - 36.00	1,610	430 - 3,100	7.9	2.1 - 15.2	98	
15 + 15	Duct	Wall	—	—	—	12.00	12.00	—	—	—	24.00	8.70 - 33.80	1,790	470 - 3,070	8.8	2.3 - 15.1	98	
15 + 15	Duct	Duct	—	—	—	12.00	12.00	—	—	—	24.00	9.20 - 31.50	2,210	550 - 3,460	10.8	2.7 - 17.0	98	
15 + 18	Wall	Wall	—	—	—	10.91	13.09	—	—	—	24.00	8.40 - 36.00	1,620	430 - 3,110	7.9	2.1 - 15.3	98	
15 + 18	Wall	Duct	—	—	—	10.91	13.09	—	—	—	24.00	8.50 - 33.90	1,780	490 - 3,030	8.7	2.4 - 14.9	98	
15 + 18	Duct	Wall	—	—	—	10.91	13.09	—	—	—	24.00	8.70 - 7						

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
07 + 07 + 12	Duct	Wall	Duct	—	—	6.46	6.46	11.08	—	—	24.00	8.80 - 32.70	2,010	520 - 3,270	9.9	2.6 - 16.0	98
07 + 07 + 12	Duct	Duct	Wall	—	—	6.46	6.46	11.08	—	—	24.00	8.90 - 32.70	2,030	520 - 3,310	10.0	2.6 - 16.2	98
07 + 07 + 12	Duct	Duct	Duct	—	—	6.46	6.46	11.08	—	—	24.00	9.00 - 31.10	2,320	580 - 3,460	11.4	2.8 - 17.0	98
07 + 07 + 15	Wall	Wall	Wall	—	—	5.79	5.79	12.41	—	—	24.00	8.30 - 36.00	1,680	430 - 3,150	8.2	2.1 - 15.5	98
07 + 07 + 15	Wall	Wall	Duct	—	—	5.79	5.79	12.41	—	—	24.00	8.60 - 34.50	1,760	470 - 3,130	8.6	2.3 - 15.4	98
07 + 07 + 15	Wall	Duct	Wall	—	—	5.79	5.79	12.41	—	—	24.00	8.40 - 34.50	1,760	460 - 3,110	8.6	2.3 - 15.3	98
07 + 07 + 15	Duct	Wall	Duct	—	—	5.79	5.79	12.41	—	—	24.00	8.80 - 32.90	1,990	520 - 3,230	9.8	2.6 - 15.8	98
07 + 07 + 15	Duct	Duct	Wall	—	—	5.79	5.79	12.41	—	—	24.00	8.50 - 32.90	1,930	500 - 3,130	9.5	2.5 - 15.4	98
07 + 07 + 15	Duct	Duct	Duct	—	—	5.79	5.79	12.41	—	—	24.00	9.00 - 31.40	2,280	570 - 3,470	11.2	2.8 - 17.0	98
07 + 07 + 18	Wall	Wall	Wall	—	—	5.25	5.25	13.50	—	—	24.00	8.30 - 36.00	1,690	430 - 3,160	8.3	2.1 - 15.5	98
07 + 07 + 18	Wall	Wall	Duct	—	—	5.25	5.25	13.50	—	—	24.00	8.50 - 34.50	1,780	490 - 3,120	8.7	2.4 - 15.3	98
07 + 07 + 18	Wall	Duct	Wall	—	—	5.25	5.25	13.50	—	—	24.00	8.40 - 34.50	1,760	460 - 3,110	8.6	2.3 - 15.3	98
07 + 07 + 18	Duct	Wall	Duct	—	—	5.25	5.25	13.50	—	—	24.00	8.60 - 33.10	1,960	530 - 3,230	9.6	2.6 - 15.8	98
07 + 07 + 18	Duct	Duct	Wall	—	—	5.25	5.25	13.50	—	—	24.00	8.50 - 33.10	1,920	500 - 3,130	9.4	2.5 - 15.4	98
07 + 07 + 18	Duct	Duct	Duct	—	—	5.25	5.25	13.50	—	—	24.00	8.80 - 31.60	2,210	580 - 3,350	10.8	2.8 - 16.4	98
07 + 09 + 09	Wall	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	8.50 - 36.00	1,600	430 - 3,090	7.8	2.1 - 15.2	98
07 + 09 + 09	Wall	Wall	Duct	—	—	6.72	8.64	8.64	—	—	24.00	8.70 - 34.30	1,780	470 - 3,160	8.7	2.3 - 15.5	98
07 + 09 + 09	Wall	Duct	Duct	—	—	6.72	8.64	8.64	—	—	24.00	8.90 - 32.70	2,020	520 - 3,290	9.9	2.6 - 16.1	98
07 + 09 + 09	Duct	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	8.70 - 34.30	1,780	470 - 3,160	8.7	2.3 - 15.5	98
07 + 09 + 09	Duct	Wall	Duct	—	—	6.72	8.64	8.64	—	—	24.00	8.90 - 32.70	2,030	520 - 3,300	10.0	2.6 - 16.2	98
07 + 09 + 09	Duct	Duct	Duct	—	—	6.72	8.64	8.64	—	—	24.00	9.10 - 31.00	2,340	580 - 3,500	11.5	2.8 - 17.2	98
07 + 09 + 12	Wall	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	8.50 - 36.00	1,600	420 - 3,090	7.8	2.1 - 15.2	98
07 + 09 + 12	Wall	Wall	Duct	—	—	6.00	7.71	10.29	—	—	24.00	8.60 - 34.40	1,760	470 - 3,130	8.6	2.3 - 15.4	98
07 + 09 + 12	Wall	Duct	Wall	—	—	6.00	7.71	10.29	—	—	24.00	8.60 - 34.40	1,770	470 - 3,140	8.7	2.3 - 15.4	98
07 + 09 + 12	Wall	Duct	Duct	—	—	6.00	7.71	10.29	—	—	24.00	8.70 - 32.90	1,980	520 - 3,220	9.7	2.6 - 15.8	98
07 + 09 + 12	Duct	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	8.60 - 34.40	1,770	470 - 3,140	8.7	2.3 - 15.4	98
07 + 09 + 12	Duct	Wall	Duct	—	—	6.00	7.71	10.29	—	—	24.00	8.70 - 32.90	1,980	520 - 3,230	9.7	2.6 - 15.8	98
07 + 09 + 12	Duct	Duct	Wall	—	—	6.00	7.71	10.29	—	—	24.00	8.80 - 32.90	2,000	520 - 3,250	9.8	2.6 - 15.9	98
07 + 09 + 12	Duct	Duct	Duct	—	—	6.00	7.71	10.29	—	—	24.00	8.90 - 31.30	2,270	570 - 3,460	11.1	2.8 - 17.0	98
07 + 09 + 15	Wall	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	8.30 - 36.00	1,710	440 - 3,180	8.4	2.2 - 15.6	98
07 + 09 + 15	Wall	Wall	Duct	—	—	5.42	6.97	11.61	—	—	24.00	8.50 - 34.50	1,760	460 - 3,110	8.6	2.3 - 15.3	98
07 + 09 + 15	Wall	Duct	Wall	—	—	5.42	6.97	11.61	—	—	24.00	8.40 - 34.50	1,770	460 - 3,120	8.7	2.3 - 15.3	98
07 + 09 + 15	Wall	Duct	Duct	—	—	5.42	6.97	11.61	—	—	24.00	8.70 - 33.00	1,960	510 - 3,190	9.6	2.5 - 15.6	98
07 + 09 + 15	Duct	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	8.40 - 34.50	1,770	470 - 3,120	8.7	2.3 - 15.3	98
07 + 09 + 15	Duct	Wall	Duct	—	—	5.42	6.97	11.61	—	—	24.00	8.70 - 33.00	1,960	510 - 3,200	9.6	2.5 - 15.7	98
07 + 09 + 15	Duct	Duct	Wall	—	—	5.42	6.97	11.61	—	—	24.00	8.50 - 33.00	1,920	500 - 3,120	9.4	2.5 - 15.3	98
07 + 09 + 15	Duct	Duct	Duct	—	—	5.42	6.97	11.61	—	—	24.00	8.90 - 31.50	2,240	560 - 3,410	11.0	2.7 - 16.7	98
07 + 09 + 18	Wall	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	8.30 - 36.00	1,720	440 - 3,200	8.4	2.2 - 15.7	98
07 + 09 + 18	Wall	Wall	Duct	—	—	4.94	6.35	12.71	—	—	24.00	8.40 - 34.60	1,780	490 - 3,130	8.7	2.4 - 15.4	98
07 + 09 + 18	Wall	Duct	Wall	—	—	4.94	6.35	12.71	—	—	24.00	8.40 - 34.60	1,770	470 - 3,130	8.7	2.3 - 15.4	98
07 + 09 + 18	Wall	Duct	Duct	—	—	4.94	6.35	12.71	—	—	24.00	8.50 - 33.20	1,950	520 - 3,210	9.6	2.6 - 15.7	98
07 + 09 + 18	Duct	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	8.40 - 34.60	1,770	470 - 3,130	8.7	2.3 - 15.4	98
07 + 09 + 18	Duct	Wall	Duct	—	—	4.94	6.35	12.71	—	—	24.00	8.50 - 33.20	1,950	530 - 3,210	9.6	2.6 - 15.7	98
07 + 09 + 18	Duct	Duct	Wall	—	—	4.94	6.35	12.71	—	—	24.00	8.50 - 33.20	1,920	500 - 3,170	9.4	2.5 - 15.6	98
07 + 09 + 18	Duct	Duct	Duct	—	—	4.94	6.35	12.71	—	—	24.00	8.70 - 31.80	2,180	570 - 3,300	10.7	2.8 - 16.2	98
07 + 12 + 12	Wall	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	8.40 - 36.00	1,600	420 - 3,090	7.8	2.1 - 15.2	98
07 + 12 + 12	Wall	Wall	Duct	—	—	5.42	9.29	9.29	—	—	24.00	8.50 - 34.50	1,760	470 - 3,110	8.6	2.3 - 15.3	98
07 + 12 + 12	Wall	Duct	Duct	—	—	5.42	9.29	9.29	—	—	24.00	8.60 - 33.00	1,950	510 - 3,180	9.6	2.5 - 15.6	98
07 + 12 + 12	Duct	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	8.60 - 34.50	1,760	470 - 3,120	8.6	2.3 - 15.3	98
07 + 12 + 12	Duct	Wall	Duct	—	—	5.42	9.29	9.29	—	—	24.00	8.70 - 33.00	1,960	510 - 3,190	9.6	2.5 - 15.6	98
07 + 12 + 12	Duct	Duct	Duct	—	—	5.42	9.29	9.29	—	—	24.00	8.80 - 31.50	2,220	570 - 3,370	10.9	2.8 - 16.5	98
07 + 12 + 15	Wall	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	8.30 - 36.00	1,730	440 - 3,220	8.5	2.2 - 15.8	98
07 + 12 + 15	Wall	Wall	Duct	—	—	4.94	8.47	10.59	—	—	24.00	8.50 - 34.60	1,750	460 - 3,100	8.6	2.3 - 15.2	98
07 + 12 + 15	Wall	Duct	Wall	—	—	4.94	8.47	10.59	—	—	24.00	8.30 - 34.60	1,840	470 - 3,210	9.0	2.3 - 15.7	98
07 + 12 + 15	Wall	Duct	Duct	—	—	4.94	8.47	10.59	—	—	24.00	8.60 - 33.20	1,940	510 - 3,210	9.5	2.5 - 15.7	98
07 + 12 + 15	Duct	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	8.30 - 34.60	1,780	470 - 3,140	8.7	2.3 - 15.4	98
07 + 12 + 15	Duct	Wall	Duct	—	—	4.94	8.47	10.59	—	—	24.00	8.60 - 33.20					

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBtu/h)					Total capacity (kBtu/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
09 + 09 + 15	Wall	Wall	Duct	—	—	6.55	6.55	10.91	—	—	24.00	8.50 - 34.60	1,750	460 - 3,100	8.6	2.3 - 15.2	98
09 + 09 + 15	Wall	Duct	Wall	—	—	6.55	6.55	10.91	—	—	24.00	8.30 - 34.60	1,780	470 - 3,140	8.7	2.3 - 15.4	98
09 + 09 + 15	Wall	Duct	Duct	—	—	6.55	6.55	10.91	—	—	24.00	8.60 - 33.10	1,940	510 - 3,220	9.5	2.5 - 15.8	98
09 + 09 + 15	Duct	Duct	Wall	—	—	6.55	6.55	10.91	—	—	24.00	8.50 - 33.10	1,920	500 - 3,120	9.4	2.5 - 15.3	98
09 + 09 + 15	Duct	Duct	Duct	—	—	6.55	6.55	10.91	—	—	24.00	8.80 - 31.70	2,200	560 - 3,350	10.8	2.7 - 16.4	98
09 + 09 + 18	Wall	Wall	Wall	—	—	6.00	6.00	12.00	—	—	24.00	8.20 - 36.00	1,750	440 - 3,300	8.6	2.2 - 16.2	98
09 + 09 + 18	Wall	Wall	Duct	—	—	6.00	6.00	12.00	—	—	24.00	8.40 - 34.70	1,790	490 - 3,200	8.8	2.4 - 15.7	98
09 + 09 + 18	Wall	Duct	Wall	—	—	6.00	6.00	12.00	—	—	24.00	8.30 - 34.70	1,790	470 - 3,200	8.8	2.3 - 15.7	98
09 + 09 + 18	Wall	Duct	Duct	—	—	6.00	6.00	12.00	—	—	24.00	8.50 - 33.30	1,940	520 - 3,200	9.5	2.6 - 15.7	98
09 + 09 + 18	Duct	Duct	Wall	—	—	6.00	6.00	12.00	—	—	24.00	8.40 - 33.30	1,920	500 - 3,180	9.4	2.5 - 15.6	98
09 + 09 + 18	Duct	Duct	Duct	—	—	6.00	6.00	12.00	—	—	24.00	8.60 - 32.00	2,160	570 - 3,330	10.6	2.8 - 16.3	98
09 + 12 + 12	Wall	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	8.40 - 36.00	1,610	430 - 3,100	7.9	2.1 - 15.2	98
09 + 12 + 12	Wall	Wall	Duct	—	—	6.55	8.73	8.73	—	—	24.00	8.50 - 34.60	1,750	470 - 3,100	8.6	2.3 - 15.2	98
09 + 12 + 12	Wall	Duct	Duct	—	—	6.55	8.73	8.73	—	—	24.00	8.60 - 33.10	1,940	510 - 3,210	9.5	2.5 - 15.7	98
09 + 12 + 12	Duct	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	8.50 - 34.60	1,750	460 - 3,100	8.6	2.3 - 15.2	98
09 + 12 + 12	Duct	Wall	Duct	—	—	6.55	8.73	8.73	—	—	24.00	8.60 - 33.10	1,940	510 - 3,220	9.5	2.5 - 15.8	98
09 + 12 + 12	Duct	Duct	Duct	—	—	6.55	8.73	8.73	—	—	24.00	8.80 - 31.70	2,180	560 - 3,320	10.7	2.7 - 16.3	98
09 + 12 + 15	Wall	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	8.20 - 36.00	1,760	440 - 3,320	8.6	2.2 - 16.3	98
09 + 12 + 15	Wall	Wall	Duct	—	—	6.00	8.00	10.00	—	—	24.00	8.50 - 34.70	1,750	460 - 3,150	8.6	2.3 - 15.5	98
09 + 12 + 15	Wall	Duct	Wall	—	—	6.00	8.00	10.00	—	—	24.00	8.30 - 34.70	1,860	480 - 3,250	9.1	2.4 - 15.9	98
09 + 12 + 15	Wall	Duct	Duct	—	—	6.00	8.00	10.00	—	—	24.00	8.60 - 33.30	1,930	510 - 3,190	9.5	2.5 - 15.6	98
09 + 12 + 15	Duct	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	8.30 - 34.70	1,840	470 - 3,220	9.0	2.3 - 15.8	98
09 + 12 + 15	Duct	Wall	Duct	—	—	6.00	8.00	10.00	—	—	24.00	8.60 - 33.30	1,930	500 - 3,200	9.5	2.5 - 15.7	98
09 + 12 + 15	Duct	Duct	Wall	—	—	6.00	8.00	10.00	—	—	24.00	8.40 - 33.30	1,940	510 - 3,190	9.5	2.5 - 15.6	98
09 + 12 + 15	Duct	Duct	Duct	—	—	6.00	8.00	10.00	—	—	24.00	8.70 - 32.00	2,160	550 - 3,340	10.6	2.7 - 16.4	98
09 + 12 + 18	Wall	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	8.20 - 36.00	1,780	450 - 3,350	8.7	2.2 - 16.4	98
09 + 12 + 18	Wall	Wall	Duct	—	—	5.54	7.38	11.08	—	—	24.00	8.30 - 34.80	1,810	490 - 3,220	8.9	2.4 - 15.8	98
09 + 12 + 18	Wall	Duct	Wall	—	—	5.54	7.38	11.08	—	—	24.00	8.30 - 34.80	1,880	480 - 3,260	9.2	2.4 - 16.0	98
09 + 12 + 18	Wall	Duct	Duct	—	—	5.54	7.38	11.08	—	—	24.00	8.40 - 33.50	1,950	530 - 3,260	9.6	2.6 - 16.0	98
09 + 12 + 18	Duct	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	8.30 - 34.80	1,850	470 - 3,230	9.1	2.3 - 15.8	98
09 + 12 + 18	Duct	Wall	Duct	—	—	5.54	7.38	11.08	—	—	24.00	8.50 - 33.50	1,950	520 - 3,250	9.6	2.6 - 15.9	98
09 + 12 + 18	Duct	Duct	Wall	—	—	5.54	7.38	11.08	—	—	24.00	8.40 - 33.50	1,940	510 - 3,260	9.5	2.5 - 16.0	98
09 + 12 + 18	Duct	Duct	Duct	—	—	5.54	7.38	11.08	—	—	24.00	8.60 - 32.30	2,140	570 - 3,360	10.5	2.8 - 16.5	98
09 + 15 + 15	Wall	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	8.20 - 36.00	2,110	490 - 3,590	10.4	2.4 - 17.6	98
09 + 15 + 15	Wall	Wall	Duct	—	—	5.54	9.23	9.23	—	—	24.00	8.30 - 34.80	1,880	480 - 3,330	9.2	2.4 - 16.3	98
09 + 15 + 15	Wall	Duct	Duct	—	—	5.54	9.23	9.23	—	—	24.00	8.50 - 33.50	1,920	500 - 3,230	9.4	2.5 - 15.8	98
09 + 15 + 15	Duct	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	8.20 - 34.80	2,080	500 - 3,610	10.2	2.5 - 17.7	98
09 + 15 + 15	Duct	Wall	Duct	—	—	5.54	9.23	9.23	—	—	24.00	8.40 - 33.50	1,950	500 - 3,260	9.6	2.5 - 16.0	98
09 + 15 + 15	Duct	Duct	Duct	—	—	5.54	9.23	9.23	—	—	24.00	8.70 - 32.30	2,140	550 - 3,370	10.5	2.7 - 16.5	98
12 + 12 + 12	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	8.40 - 36.00	1,620	430 - 3,110	7.9	2.1 - 15.3	98
12 + 12 + 12	Wall	Wall	Duct	—	—	8.00	8.00	8.00	—	—	24.00	8.40 - 34.70	1,760	470 - 3,160	8.6	2.3 - 15.5	98
12 + 12 + 12	Wall	Duct	Duct	—	—	8.00	8.00	8.00	—	—	24.00	8.50 - 33.30	1,930	510 - 3,190	9.5	2.5 - 15.6	98
12 + 12 + 12	Duct	Duct	Duct	—	—	8.00	8.00	8.00	—	—	24.00	8.70 - 32.00	2,150	560 - 3,320	10.5	2.7 - 16.3	98
12 + 12 + 15	Wall	Wall	Wall	—	—	7.38	7.38	9.23	—	—	24.00	8.20 - 36.00	1,800	450 - 3,370	8.8	2.2 - 16.5	98
12 + 12 + 15	Wall	Wall	Duct	—	—	7.38	7.38	9.23	—	—	24.00	8.40 - 34.80	1,760	460 - 3,160	8.6	2.3 - 15.5	98
12 + 12 + 15	Wall	Duct	Wall	—	—	7.38	7.38	9.23	—	—	24.00	8.30 - 34.80	1,890	480 - 3,340	9.3	2.4 - 16.4	98
12 + 12 + 15	Wall	Duct	Duct	—	—	7.38	7.38	9.23	—	—	24.00	8.50 - 33.50	1,920	510 - 3,240	9.4	2.5 - 15.9	98
12 + 12 + 15	Duct	Duct	Wall	—	—	7.38	7.38	9.23	—	—	24.00	8.30 - 33.50	1,970	510 - 3,290	9.7	2.5 - 16.1	98
12 + 12 + 15	Duct	Duct	Duct	—	—	7.38	7.38	9.23	—	—	24.00	8.60 - 32.30	2,130	550 - 3,360	10.4	2.7 - 16.5	98

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 2. The total capacity of connected indoor units is up to 39.0 kBtu/h.
 3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 4. The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type W series
9.0 kBtu/h class; wall mount type W series or Duct type W series
12.0 kBtu/h class; wall mount type W series or Duct type W series
15.0 kBtu/h class; wall mount type W series or Duct type W series
18.0 kBtu/h class; wall mount type W series or Duct type W series

Cooling [60 Hz, 230 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit												Power factor (%)
						Each capacity (kBTU/h)					Total capacity (kBTu/h)		Total input (W)		Total current (A)			
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	Rating	
07	Wall	—	—	—	—	7.60	—	—	—	—	7.60	7.30 - 8.40	580	480 - 680	2.6	2.1 - 3.0	98	
07	Duct	—	—	—	—	7.10	—	—	—	—	7.10	6.70 - 7.10	620	510 - 620	2.8	2.3 - 2.8	98	
09	Wall	—	—	—	—	9.80	—	—	—	—	9.80	7.40 - 10.80	720	480 - 840	3.2	2.1 - 3.7	98	
09	Duct	—	—	—	—	9.10	—	—	—	—	9.10	6.90 - 9.10	820	510 - 820	3.6	2.3 - 3.6	98	
12	Wall	—	—	—	—	13.00	—	—	—	—	13.00	7.50 - 14.40	1,040	480 - 1,220	4.6	2.1 - 5.4	98	
12	Duct	—	—	—	—	12.10	—	—	—	—	12.10	7.20 - 12.10	1,170	520 - 1,170	5.2	2.3 - 5.2	98	
15	Wall	—	—	—	—	16.30	—	—	—	—	16.30	8.90 - 18.00	1,220	510 - 1,460	5.4	2.3 - 6.5	98	
15	Duct	—	—	—	—	14.80	—	—	—	—	14.80	7.60 - 15.40	1,470	530 - 1,580	6.5	2.4 - 7.0	98	
18	Wall	—	—	—	—	19.50	—	—	—	—	19.50	8.90 - 21.60	1,560	510 - 1,880	6.9	2.3 - 8.3	98	
18	Duct	—	—	—	—	17.60	—	—	—	—	17.60	7.80 - 18.80	1,880	550 - 2,110	8.3	2.4 - 9.4	98	
07 + 07	Wall	Wall	—	—	—	7.60	7.60	—	—	—	15.20	8.90 - 16.80	1,080	510 - 1,270	4.8	2.3 - 5.6	98	
07 + 07	Wall	Duct	—	—	—	7.30	7.30	—	—	—	14.60	8.40 - 15.60	1,310	540 - 1,450	5.8	2.4 - 6.4	98	
07 + 07	Duct	Duct	—	—	—	6.95	6.95	—	—	—	13.90	7.90 - 14.30	1,390	580 - 1,440	6.2	2.6 - 6.4	98	
07 + 09	Wall	Wall	—	—	—	7.57	9.73	—	—	—	17.30	8.90 - 19.20	1,320	510 - 1,560	5.9	2.3 - 6.9	98	
07 + 09	Wall	Duct	—	—	—	7.26	9.34	—	—	—	16.60	8.60 - 17.90	1,560	550 - 1,730	6.9	2.4 - 7.7	98	
07 + 09	Duct	Wall	—	—	—	7.26	9.34	—	—	—	16.60	8.50 - 17.90	1,560	550 - 1,720	6.9	2.4 - 7.6	98	
07 + 09	Duct	Duct	—	—	—	6.91	8.89	—	—	—	15.80	8.10 - 16.60	1,650	580 - 1,750	7.3	2.6 - 7.8	98	
07 + 12	Wall	Wall	—	—	—	7.41	12.69	—	—	—	20.10	9.00 - 22.80	1,620	510 - 2,000	7.2	2.3 - 8.9	98	
07 + 12	Wall	Duct	—	—	—	7.11	12.19	—	—	—	19.30	8.80 - 21.40	1,910	550 - 2,210	8.5	2.4 - 9.8	98	
07 + 12	Duct	Wall	—	—	—	7.11	12.19	—	—	—	19.30	8.60 - 21.40	1,950	550 - 2,320	8.7	2.4 - 10.3	98	
07 + 12	Duct	Duct	—	—	—	6.82	11.68	—	—	—	18.50	8.30 - 19.90	1,990	590 - 2,280	8.8	2.6 - 10.1	98	
07 + 15	Wall	Wall	—	—	—	7.03	15.07	—	—	—	22.10	10.00 - 26.40	1,610	520 - 2,170	7.1	2.3 - 9.6	98	
07 + 15	Wall	Duct	—	—	—	6.90	14.80	—	—	—	21.70	9.10 - 24.90	2,160	550 - 2,750	9.6	2.4 - 12.2	98	
07 + 15	Duct	Wall	—	—	—	6.90	14.80	—	—	—	21.70	9.70 - 24.90	1,950	560 - 2,450	8.7	2.5 - 10.9	98	
07 + 15	Duct	Duct	—	—	—	6.78	14.52	—	—	—	21.30	8.70 - 23.30	2,360	590 - 2,750	10.5	2.6 - 12.2	98	
07 + 18	Wall	Wall	—	—	—	6.72	17.28	—	—	—	24.00	10.10 - 30.00	2,040	520 - 3,080	9.1	2.3 - 13.7	98	
07 + 18	Wall	Duct	—	—	—	6.72	17.28	—	—	—	24.00	9.20 - 28.30	2,510	580 - 3,360	11.1	2.6 - 14.9	98	
07 + 18	Duct	Wall	—	—	—	6.72	17.28	—	—	—	24.00	9.70 - 28.30	2,320	560 - 3,080	10.3	2.5 - 13.7	98	
07 + 18	Duct	Duct	—	—	—	6.72	17.28	—	—	—	24.00	8.80 - 26.60	2,850	610 - 3,420	12.6	2.7 - 15.2	98	
09 + 09	Wall	Wall	—	—	—	9.75	9.75	—	—	—	19.50	9.00 - 21.60	1,570	510 - 1,890	7.0	2.3 - 8.4	98	
09 + 09	Wall	Duct	—	—	—	9.30	9.30	—	—	—	18.60	8.60 - 20.20	1,780	550 - 2,070	7.9	2.4 - 9.2	98	
09 + 09	Duct	Duct	—	—	—	8.80	8.80	—	—	—	17.60	8.20 - 18.80	1,870	580 - 2,100	8.3	2.6 - 9.3	98	
09 + 12	Wall	Wall	—	—	—	9.17	12.23	—	—	—	21.40	9.10 - 25.20	1,780	510 - 2,360	7.9	2.3 - 10.5	98	
09 + 12	Wall	Duct	—	—	—	8.96	11.94	—	—	—	20.90	8.80 - 23.70	2,090	550 - 2,600	9.3	2.4 - 11.5	98	
09 + 12	Duct	Wall	—	—	—	8.96	11.94	—	—	—	20.90	8.70 - 23.70	2,140	550 - 2,650	9.5	2.4 - 11.8	98	
09 + 12	Duct	Duct	—	—	—	8.70	11.60	—	—	—	20.30	8.40 - 22.10	2,290	590 - 2,610	10.2	2.6 - 11.6	98	
09 + 15	Wall	Wall	—	—	—	8.78	14.63	—	—	—	23.40	10.10 - 28.80	1,770	520 - 2,560	7.9	2.3 - 11.4	98	
09 + 15	Wall	Duct	—	—	—	8.74	14.56	—	—	—	23.30	9.20 - 27.20	2,420	550 - 3,110	10.7	2.4 - 13.8	98	
09 + 15	Duct	Wall	—	—	—	8.74	14.56	—	—	—	23.30	9.80 - 27.20	2,200	560 - 2,800	9.8	2.5 - 12.4	98	
09 + 15	Duct	Duct	—	—	—	8.66	14.44	—	—	—	23.10	8.80 - 25.50	2,630	590 - 3,110	11.7	2.6 - 13.8	98	
09 + 18	Wall	Wall	—	—	—	8.00	16.00	—	—	—	24.00	10.10 - 30.00	2,050	520 - 3,090	9.1	2.3 - 13.7	98	
09 + 18	Wall	Duct	—	—	—	8.00	16.00	—	—	—	24.00	9.30 - 28.40	2,520	580 - 3,370	11.2	2.6 - 15.0	98	
09 + 18	Duct	Wall	—	—	—	8.00	16.00	—	—	—	24.00	9.80 - 28.40	2,270	560 - 3,020	10.1	2.5 - 13.4	98	
09 + 18	Duct	Duct	—	—	—	8.00	16.00	—	—	—	24.00	9.00 - 26.70	2,790	610 - 3,360	12.4	2.7 - 14.9	98	
12 + 12	Wall	Wall	—	—	—	11.70	11.70	—	—	—	23.40	9.20 - 28.80	2,010	510 - 2,960	8.9	2.3 - 13.1	98	
12 + 12	Duct	Wall	—	—	—	11.65	11.65	—	—	—	23.30	8.90 - 27.20	2,470	550 - 3,310	11.0	2.4 - 14.7	98	
12 + 12	Duct	Duct	—	—	—	11.55	11.55	—	—	—	23.10	8.70 - 25.50	2,690	590 - 3,240	11.9	2.6 - 14.4	98	
12 + 15	Wall	Wall	—	—	—	10.67	13.33	—	—	—	24.00	10.20 - 30.00	2,050	520 - 3,090	9.1	2.3 - 13.7	98	
12 + 15	Wall	Duct	—	—	—	10.67	13.33	—	—	—	24.00	9.30 - 28.40	2,490	550 - 3,340	11.0	2.4 - 14.8	98	
12 + 15	Duct	Wall	—	—	—	10.67	13.33	—	—	—	24.00	10.00 - 28.40	2,210	560 - 2,960	9.8	2.5 - 13.1	98	
12 + 15	Duct	Duct	—	—	—	10.67	13.33	—	—	—	24.00	9.00 - 26.70	2,710	590 - 3,270	12.0	2.6 - 14.5	98	
12 + 18	Wall	Wall	—	—	—	9.60	14.40	—	—	—	24.00	10.20 - 30.00	2,050	520 - 3,090	9.1	2.3 - 13.7	98	
12 + 18	Wall	Duct	—	—	—	9.60	14.40	—	—	—	24.00	9.40 - 28.40	2,450	580 - 3,300	10.9	2.6 - 14.6	98	
12 + 18	Duct	Wall	—	—	—	9.60	14.40	—	—	—	24.00	10.00 - 28.40	2,210	560 - 2,960	9.8	2.5 - 13.1	98	
12 + 18	Duct	Duct	—	—	—	9.60	14.40	—	—	—	24.00	9.20 - 26.80	2,680	620 - 3,230	11.9	2.8 - 14.3	98	
15 + 15	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	10.80 - 30.00	1,770	500 - 2,700	7.9	2.2 - 12.0	98	
15 + 15	Duct	Wall	—	—	—	12.00	12.00	—	—	—	24.00	10.20 - 28.40	2,160	560 - 2,830	9.6	2.5 - 12.6	98	
15 + 15	Duct	Duct	—	—	—	12.00	12.00	—	—	—	24.00	9.30 - 26.80	2,600	590 - 3,150	11.5	2.6 - 14.0	98	
15 + 18	Wall	Wall	—	—	—	10.91	13.09	—	—	—	24.00	10.80 - 30.00	1,770	500 - 2,710	7.9	2.2 - 12.0	98	
15 + 18	Wall	Duct	—	—	—	10.91	13.09	—	—	—	24.00	10.30 - 28.50	2,130	580 - 2,860	9.4	2.6 - 12.7	98	
15 + 18	Duct	Wall	—	—	—	10.91	13.09	—	—	—	24.00	10.20 - 28.50						

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
07 + 07 + 12	Duct	Wall	Duct	—	—	6.46	6.46	11.08	—	—	24.00	9.60 - 27.70	2,490	600 - 3,180	11.0	2.7 - 14.1	98
07 + 07 + 12	Duct	Duct	Wall	—	—	6.46	6.46	11.08	—	—	24.00	9.40 - 27.70	2,540	600 - 3,310	11.3	2.7 - 14.7	98
07 + 07 + 12	Duct	Duct	Duct	—	—	6.46	6.46	11.08	—	—	24.00	9.20 - 26.60	2,830	640 - 3,320	12.6	2.8 - 14.7	98
07 + 07 + 15	Wall	Wall	Wall	—	—	5.79	5.79	12.41	—	—	24.00	10.80 - 30.00	1,770	500 - 2,630	7.9	2.2 - 11.7	98
07 + 07 + 15	Wall	Wall	Duct	—	—	5.79	5.79	12.41	—	—	24.00	10.20 - 28.90	2,160	560 - 2,980	9.6	2.5 - 13.2	98
07 + 07 + 15	Wall	Duct	Wall	—	—	5.79	5.79	12.41	—	—	24.00	10.60 - 28.90	2,000	550 - 2,800	8.9	2.4 - 12.4	98
07 + 07 + 15	Duct	Wall	Duct	—	—	5.79	5.79	12.41	—	—	24.00	9.90 - 27.80	2,380	600 - 3,050	10.6	2.7 - 13.5	98
07 + 07 + 15	Duct	Duct	Wall	—	—	5.79	5.79	12.41	—	—	24.00	10.30 - 27.80	2,220	600 - 2,880	9.8	2.7 - 12.8	98
07 + 07 + 15	Duct	Duct	Duct	—	—	5.79	5.79	12.41	—	—	24.00	9.50 - 26.70	2,650	640 - 3,200	11.8	2.8 - 14.2	98
07 + 07 + 18	Wall	Wall	Wall	—	—	5.25	5.25	13.50	—	—	24.00	10.80 - 30.00	1,770	500 - 2,630	7.9	2.2 - 11.7	98
07 + 07 + 18	Wall	Wall	Duct	—	—	5.25	5.25	13.50	—	—	24.00	10.30 - 29.00	2,130	580 - 2,930	9.4	2.6 - 13.0	98
07 + 07 + 18	Wall	Duct	Wall	—	—	5.25	5.25	13.50	—	—	24.00	10.60 - 29.00	2,000	550 - 2,800	8.9	2.4 - 12.4	98
07 + 07 + 18	Duct	Wall	Duct	—	—	5.25	5.25	13.50	—	—	24.00	10.00 - 27.90	2,340	620 - 3,090	10.4	2.8 - 13.7	98
07 + 07 + 18	Duct	Duct	Wall	—	—	5.25	5.25	13.50	—	—	24.00	10.40 - 27.90	2,220	600 - 2,880	9.8	2.7 - 12.8	98
07 + 07 + 18	Duct	Duct	Duct	—	—	5.25	5.25	13.50	—	—	24.00	9.60 - 26.90	2,620	660 - 3,230	11.6	2.9 - 14.3	98
07 + 09 + 09	Wall	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	10.10 - 30.00	2,050	550 - 3,010	9.1	2.4 - 13.4	98
07 + 09 + 09	Wall	Wall	Duct	—	—	6.72	8.64	8.64	—	—	24.00	9.90 - 28.90	2,270	560 - 3,170	10.1	2.5 - 14.1	98
07 + 09 + 09	Wall	Duct	Duct	—	—	6.72	8.64	8.64	—	—	24.00	9.60 - 27.70	2,480	630 - 3,240	11.0	2.8 - 14.4	98
07 + 09 + 09	Duct	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	9.80 - 28.90	2,270	590 - 3,170	10.1	2.6 - 14.1	98
07 + 09 + 09	Duct	Wall	Duct	—	—	6.72	8.64	8.64	—	—	24.00	9.50 - 27.70	2,550	630 - 3,240	11.3	2.8 - 14.4	98
07 + 09 + 09	Duct	Duct	Duct	—	—	6.72	8.64	8.64	—	—	24.00	9.20 - 26.60	2,820	670 - 3,380	12.5	3.0 - 15.0	98
07 + 09 + 12	Wall	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	10.20 - 30.00	1,990	520 - 3,020	8.8	2.3 - 13.4	98
07 + 09 + 12	Wall	Wall	Duct	—	—	6.00	7.71	10.29	—	—	24.00	10.00 - 28.90	2,220	560 - 3,040	9.8	2.5 - 13.5	98
07 + 09 + 12	Wall	Duct	Wall	—	—	6.00	7.71	10.29	—	—	24.00	9.90 - 28.90	2,210	560 - 3,100	9.8	2.5 - 13.8	98
07 + 09 + 12	Wall	Duct	Duct	—	—	6.00	7.71	10.29	—	—	24.00	9.70 - 27.80	2,430	600 - 3,190	10.8	2.7 - 14.2	98
07 + 09 + 12	Duct	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	9.90 - 28.90	2,270	560 - 3,100	10.1	2.5 - 13.8	98
07 + 09 + 12	Duct	Wall	Duct	—	—	6.00	7.71	10.29	—	—	24.00	9.70 - 27.80	2,500	600 - 3,180	11.1	2.7 - 14.1	98
07 + 09 + 12	Duct	Duct	Wall	—	—	6.00	7.71	10.29	—	—	24.00	9.60 - 27.80	2,490	600 - 3,250	11.0	2.7 - 14.4	98
07 + 09 + 12	Duct	Duct	Duct	—	—	6.00	7.71	10.29	—	—	24.00	9.30 - 26.70	2,710	640 - 3,330	12.0	2.8 - 14.8	98
07 + 09 + 15	Wall	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	10.90 - 30.00	1,770	500 - 2,630	7.9	2.2 - 11.7	98
07 + 09 + 15	Wall	Wall	Duct	—	—	5.42	6.97	11.61	—	—	24.00	10.30 - 28.90	2,100	550 - 2,910	9.3	2.4 - 12.9	98
07 + 09 + 15	Wall	Duct	Wall	—	—	5.42	6.97	11.61	—	—	24.00	10.70 - 28.90	1,940	550 - 2,730	8.6	2.4 - 12.1	98
07 + 09 + 15	Wall	Duct	Duct	—	—	5.42	6.97	11.61	—	—	24.00	10.00 - 27.90	2,320	600 - 3,060	10.3	2.7 - 13.6	98
07 + 09 + 15	Duct	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	10.60 - 28.90	2,000	550 - 2,730	8.9	2.4 - 12.1	98
07 + 09 + 15	Duct	Wall	Duct	—	—	5.42	6.97	11.61	—	—	24.00	9.90 - 27.90	2,380	600 - 3,060	10.6	2.7 - 13.6	98
07 + 09 + 15	Duct	Duct	Wall	—	—	5.42	6.97	11.61	—	—	24.00	10.40 - 27.90	2,160	600 - 2,820	9.6	2.7 - 12.5	98
07 + 09 + 15	Duct	Duct	Duct	—	—	5.42	6.97	11.61	—	—	24.00	9.60 - 26.80	2,590	640 - 3,130	11.5	2.8 - 13.9	98
07 + 09 + 18	Wall	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	10.90 - 30.00	1,770	500 - 2,640	7.9	2.2 - 11.7	98
07 + 09 + 18	Wall	Wall	Duct	—	—	4.94	6.35	12.71	—	—	24.00	10.40 - 29.00	2,130	570 - 2,940	9.4	2.5 - 13.0	98
07 + 09 + 18	Wall	Duct	Wall	—	—	4.94	6.35	12.71	—	—	24.00	10.70 - 29.00	1,940	550 - 2,730	8.6	2.4 - 12.1	98
07 + 09 + 18	Wall	Duct	Duct	—	—	4.94	6.35	12.71	—	—	24.00	10.10 - 27.90	2,350	620 - 3,020	10.4	2.8 - 13.4	98
07 + 09 + 18	Duct	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	10.70 - 29.00	2,000	550 - 2,730	8.9	2.4 - 12.1	98
07 + 09 + 18	Duct	Wall	Duct	—	—	4.94	6.35	12.71	—	—	24.00	10.10 - 27.90	2,350	620 - 3,020	10.4	2.8 - 13.4	98
07 + 09 + 18	Duct	Duct	Wall	—	—	4.94	6.35	12.71	—	—	24.00	10.50 - 27.90	2,160	600 - 2,820	9.6	2.7 - 12.5	98
07 + 09 + 18	Duct	Duct	Duct	—	—	4.94	6.35	12.71	—	—	24.00	9.80 - 26.90	2,560	660 - 3,170	11.4	2.9 - 14.1	98
07 + 12 + 12	Wall	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	10.30 - 30.00	1,990	520 - 2,950	8.8	2.3 - 13.1	98
07 + 12 + 12	Wall	Wall	Duct	—	—	5.42	9.29	9.29	—	—	24.00	10.10 - 28.90	2,220	560 - 3,040	9.8	2.5 - 13.5	98
07 + 12 + 12	Wall	Duct	Duct	—	—	5.42	9.29	9.29	—	—	24.00	9.90 - 27.90	2,380	610 - 3,130	10.6	2.7 - 13.9	98
07 + 12 + 12	Duct	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	9.90 - 28.90	2,210	560 - 3,100	9.8	2.5 - 13.8	98
07 + 12 + 12	Duct	Wall	Duct	—	—	5.42	9.29	9.29	—	—	24.00	9.70 - 27.90	2,440	600 - 3,190	10.8	2.7 - 14.2	98
07 + 12 + 12	Duct	Duct	Duct	—	—	5.42	9.29	9.29	—	—	24.00	9.50 - 26.80	2,660	650 - 3,200	11.8	2.9 - 14.2	98
07 + 12 + 15	Wall	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	10.90 - 30.00	1,770	500 - 2,640	7.9	2.2 - 11.7	98
07 + 12 + 15	Wall	Wall	Duct	—	—	4.94	8.47	10.59	—	—	24.00	10.30 - 29.00	2,100	550 - 2,910	9.3	2.4 - 12.9	98
07 + 12 + 15	Wall	Duct	Wall	—	—	4.94	8.47	10.59	—	—	24.00	10.80 - 29.00	1,950	550 - 2,670	8.7	2.4 - 11.8	98
07 + 12 + 15	Wall	Duct	Duct	—	—	4.94	8.47	10.59	—	—	24.00	10.10 - 27.90	2,270	600 - 3,010	10.1	2.7 - 13.4	98
07 + 12 + 15	Duct	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	10.70 - 29.00	1,940	550 - 2,730	8.6	2.4 - 12.1	98
07 + 12 + 15	Duct	Wall	Duct	—	—	4.94	8.47</										

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBtu/h)					Total capacity (kBtu/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
09 + 09 + 15	Wall	Wall	Duct	—	—	6.55	6.55	10.91	—	—	24.00	10.30 - 29.00	2,100	550 - 2,910	9.3	2.4 - 12.9	98
09 + 09 + 15	Wall	Duct	Wall	—	—	6.55	6.55	10.91	—	—	24.00	10.70 - 29.00	1,940	550 - 2,730	8.6	2.4 - 12.1	98
09 + 09 + 15	Wall	Duct	Duct	—	—	6.55	6.55	10.91	—	—	24.00	10.00 - 27.90	2,320	600 - 3,000	10.3	2.7 - 13.3	98
09 + 09 + 15	Duct	Duct	Wall	—	—	6.55	6.55	10.91	—	—	24.00	10.50 - 27.90	2,160	590 - 2,750	9.6	2.6 - 12.2	98
09 + 09 + 15	Duct	Duct	Duct	—	—	6.55	6.55	10.91	—	—	24.00	9.80 - 26.90	2,530	640 - 3,140	11.2	2.8 - 13.9	98
09 + 09 + 18	Wall	Wall	Wall	—	—	6.00	6.00	12.00	—	—	24.00	10.90 - 30.00	1,770	500 - 2,640	7.9	2.2 - 11.7	98
09 + 09 + 18	Wall	Wall	Duct	—	—	6.00	6.00	12.00	—	—	24.00	10.40 - 29.00	2,070	570 - 2,870	9.2	2.5 - 12.7	98
09 + 09 + 18	Wall	Duct	Wall	—	—	6.00	6.00	12.00	—	—	24.00	10.70 - 29.00	1,940	540 - 2,740	8.6	2.4 - 12.2	98
09 + 09 + 18	Wall	Duct	Duct	—	—	6.00	6.00	12.00	—	—	24.00	10.20 - 28.00	2,290	620 - 3,030	10.2	2.8 - 13.4	98
09 + 09 + 18	Duct	Duct	Wall	—	—	6.00	6.00	12.00	—	—	24.00	10.50 - 28.00	2,100	590 - 2,760	9.3	2.6 - 12.2	98
09 + 09 + 18	Duct	Duct	Duct	—	—	6.00	6.00	12.00	—	—	24.00	9.90 - 27.00	2,500	660 - 3,110	11.1	2.9 - 13.8	98
09 + 12 + 12	Wall	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	10.30 - 30.00	1,990	510 - 2,950	8.8	2.3 - 13.1	98
09 + 12 + 12	Wall	Wall	Duct	—	—	6.55	8.73	8.73	—	—	24.00	10.10 - 29.00	2,160	560 - 3,050	9.6	2.5 - 13.5	98
09 + 12 + 12	Wall	Duct	Duct	—	—	6.55	8.73	8.73	—	—	24.00	9.90 - 27.90	2,390	610 - 3,070	10.6	2.7 - 13.6	98
09 + 12 + 12	Duct	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	10.10 - 29.00	2,220	560 - 3,040	9.8	2.5 - 13.5	98
09 + 12 + 12	Duct	Wall	Duct	—	—	6.55	8.73	8.73	—	—	24.00	9.90 - 27.90	2,380	600 - 3,130	10.6	2.7 - 13.9	98
09 + 12 + 12	Duct	Duct	Duct	—	—	6.55	8.73	8.73	—	—	24.00	9.60 - 26.90	2,600	650 - 3,210	11.5	2.9 - 14.2	98
09 + 12 + 15	Wall	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	10.90 - 30.00	1,770	490 - 2,640	7.9	2.2 - 11.7	98
09 + 12 + 15	Wall	Wall	Duct	—	—	6.00	8.00	10.00	—	—	24.00	10.40 - 29.00	2,100	550 - 2,920	9.3	2.4 - 13.0	98
09 + 12 + 15	Wall	Duct	Wall	—	—	6.00	8.00	10.00	—	—	24.00	10.80 - 29.00	1,890	540 - 2,670	8.4	2.4 - 11.8	98
09 + 12 + 15	Wall	Duct	Duct	—	—	6.00	8.00	10.00	—	—	24.00	10.20 - 28.00	2,270	600 - 2,940	10.1	2.7 - 13.0	98
09 + 12 + 15	Duct	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	10.80 - 29.00	1,940	540 - 2,670	8.6	2.4 - 11.8	98
09 + 12 + 15	Duct	Wall	Duct	—	—	6.00	8.00	10.00	—	—	24.00	10.10 - 28.00	2,260	600 - 3,000	10.0	2.7 - 13.3	98
09 + 12 + 15	Duct	Duct	Wall	—	—	6.00	8.00	10.00	—	—	24.00	10.60 - 28.00	2,110	590 - 2,770	9.4	2.6 - 12.3	98
09 + 12 + 15	Duct	Duct	Duct	—	—	6.00	8.00	10.00	—	—	24.00	9.90 - 27.00	2,480	640 - 3,090	11.0	2.8 - 13.7	98
09 + 12 + 18	Wall	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	10.90 - 30.00	1,770	490 - 2,570	7.9	2.2 - 11.4	98
09 + 12 + 18	Wall	Wall	Duct	—	—	5.54	7.38	11.08	—	—	24.00	10.50 - 29.00	2,070	570 - 2,880	9.2	2.5 - 12.8	98
09 + 12 + 18	Wall	Duct	Wall	—	—	5.54	7.38	11.08	—	—	24.00	10.80 - 29.00	1,890	540 - 2,680	8.4	2.4 - 11.9	98
09 + 12 + 18	Wall	Duct	Duct	—	—	5.54	7.38	11.08	—	—	24.00	10.30 - 28.10	2,240	620 - 2,970	9.9	2.8 - 13.2	98
09 + 12 + 18	Duct	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	10.80 - 29.00	1,940	540 - 2,670	8.6	2.4 - 11.8	98
09 + 12 + 18	Duct	Wall	Duct	—	—	5.54	7.38	11.08	—	—	24.00	10.20 - 28.10	2,290	620 - 2,960	10.2	2.8 - 13.1	98
09 + 12 + 18	Duct	Duct	Wall	—	—	5.54	7.38	11.08	—	—	24.00	10.60 - 28.10	2,110	590 - 2,770	9.4	2.6 - 12.3	98
09 + 12 + 18	Duct	Duct	Duct	—	—	5.54	7.38	11.08	—	—	24.00	10.00 - 27.10	2,450	660 - 3,050	10.9	2.9 - 13.5	98
09 + 15 + 15	Wall	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	11.20 - 30.00	1,600	460 - 2,390	7.1	2.0 - 10.6	98
09 + 15 + 15	Wall	Wall	Duct	—	—	5.54	9.23	9.23	—	—	24.00	11.00 - 29.00	1,830	530 - 2,610	8.1	2.4 - 11.6	98
09 + 15 + 15	Wall	Duct	Duct	—	—	5.54	9.23	9.23	—	—	24.00	10.40 - 28.10	2,150	590 - 2,880	9.5	2.6 - 12.8	98
09 + 15 + 15	Duct	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	11.20 - 29.00	1,720	510 - 2,420	7.6	2.3 - 10.7	98
09 + 15 + 15	Duct	Wall	Duct	—	—	5.54	9.23	9.23	—	—	24.00	10.80 - 28.10	2,050	580 - 2,710	9.1	2.6 - 12.0	98
09 + 15 + 15	Duct	Duct	Duct	—	—	5.54	9.23	9.23	—	—	24.00	10.20 - 27.10	2,370	640 - 2,970	10.5	2.8 - 13.2	98
12 + 12 + 12	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	10.40 - 30.00	1,930	510 - 2,880	8.6	2.3 - 12.8	98
12 + 12 + 12	Wall	Wall	Duct	—	—	8.00	8.00	8.00	—	—	24.00	10.20 - 29.00	2,160	560 - 2,980	9.6	2.5 - 13.2	98
12 + 12 + 12	Wall	Duct	Duct	—	—	8.00	8.00	8.00	—	—	24.00	10.00 - 28.00	2,330	600 - 3,070	10.3	2.7 - 13.6	98
12 + 12 + 12	Duct	Duct	Duct	—	—	8.00	8.00	8.00	—	—	24.00	9.80 - 27.00	2,550	650 - 3,160	11.3	2.9 - 14.0	98
12 + 12 + 15	Wall	Wall	Wall	—	—	7.38	7.38	9.23	—	—	24.00	11.00 - 30.00	1,710	490 - 2,570	7.6	2.2 - 11.4	98
12 + 12 + 15	Wall	Wall	Duct	—	—	7.38	7.38	9.23	—	—	24.00	10.40 - 29.00	2,050	550 - 2,850	9.1	2.4 - 12.6	98
12 + 12 + 15	Wall	Duct	Wall	—	—	7.38	7.38	9.23	—	—	24.00	10.80 - 29.00	1,890	540 - 2,680	8.4	2.4 - 11.9	98
12 + 12 + 15	Wall	Duct	Duct	—	—	7.38	7.38	9.23	—	—	24.00	10.20 - 28.10	2,270	600 - 2,940	10.1	2.7 - 13.0	98
12 + 12 + 15	Duct	Duct	Wall	—	—	7.38	7.38	9.23	—	—	24.00	10.70 - 28.10	2,060	590 - 2,710	9.1	2.6 - 12.0	98
12 + 12 + 15	Duct	Duct	Duct	—	—	7.38	7.38	9.23	—	—	24.00	10.10 - 27.10	2,430	640 - 3,030	10.8	2.8 - 13.4	98

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 2. The total capacity of connected indoor units is up to 39.0 kBtu/h.
 3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 4. The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type W series or Duct type W series
9.0 kBtu/h class; wall mount type W series or Duct type W series
12.0 kBtu/h class; wall mount type W series or Duct type W series
15.0 kBtu/h class; wall mount type W series or Duct type W series
18.0 kBtu/h class; wall mount type W series or Duct type W series

Heating [60 Hz, 230 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit												Power factor (%)
						Each capacity (kBTU/h)					Total capacity (kBTu/h)		Total input (W)		Total current (A)			
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	Rating	
07	Wall	—	—	—	—	8.80	—	—	—	—	8.80	8.70 - 9.70	510	460 - 560	2.3	2.0 - 2.5	98	
07	Duct	—	—	—	—	8.30	—	—	—	—	8.30	8.10 - 9.70	770	680 - 810	3.4	3.0 - 3.6	98	
09	Wall	—	—	—	—	11.30	—	—	—	—	11.30	10.00 - 12.50	740	600 - 890	3.3	2.7 - 3.9	98	
09	Duct	—	—	—	—	10.70	—	—	—	—	10.70	10.40 - 12.50	810	690 - 1,110	3.6	3.1 - 4.9	98	
12	Wall	—	—	—	—	15.00	—	—	—	—	15.00	9.90 - 16.70	1,110	580 - 1,310	4.9	2.6 - 5.8	98	
12	Duct	—	—	—	—	14.30	—	—	—	—	14.30	10.20 - 16.70	1,290	660 - 1,650	5.7	2.9 - 7.3	98	
15	Wall	—	—	—	—	18.80	—	—	—	—	18.80	9.40 - 20.80	1,320	510 - 1,550	5.9	2.3 - 6.9	98	
15	Duct	—	—	—	—	16.60	—	—	—	—	16.60	10.10 - 20.80	1,600	640 - 2,270	7.1	2.8 - 10.1	98	
18	Wall	—	—	—	—	22.50	—	—	—	—	22.50	9.40 - 25.00	1,710	500 - 2,050	7.6	2.2 - 9.1	98	
18	Duct	—	—	—	—	18.90	—	—	—	—	18.90	9.80 - 25.00	1,750	620 - 2,740	7.8	2.8 - 12.2	98	
07 + 07	Wall	Wall	—	—	—	8.75	8.75	—	—	—	17.50	9.30 - 19.40	1,170	490 - 1,340	5.2	2.2 - 5.9	98	
07 + 07	Duct	Wall	—	—	—	8.35	8.35	—	—	—	16.70	9.50 - 19.40	1,330	560 - 1,680	5.9	2.5 - 7.5	98	
07 + 07	Duct	Duct	—	—	—	7.90	7.90	—	—	—	15.80	9.80 - 19.40	1,590	640 - 2,070	7.1	2.8 - 9.2	98	
07 + 09	Wall	Wall	—	—	—	8.75	11.25	—	—	—	20.00	9.20 - 22.20	1,340	480 - 1,560	5.9	2.1 - 6.9	98	
07 + 09	Wall	Duct	—	—	—	8.18	10.52	—	—	—	18.70	9.40 - 22.20	1,530	550 - 1,980	6.8	2.4 - 8.8	98	
07 + 09	Duct	Wall	—	—	—	8.18	10.52	—	—	—	18.70	9.40 - 22.20	1,530	550 - 1,980	6.8	2.4 - 8.8	98	
07 + 09	Duct	Duct	—	—	—	7.61	9.79	—	—	—	17.40	9.70 - 22.20	1,700	620 - 2,490	7.5	2.8 - 11.0	98	
07 + 12	Wall	Wall	—	—	—	8.36	14.34	—	—	—	22.70	9.10 - 26.60	1,610	470 - 2,010	7.1	2.1 - 8.9	98	
07 + 12	Wall	Duct	—	—	—	7.81	13.39	—	—	—	21.20	9.30 - 26.30	1,750	530 - 2,410	7.8	2.4 - 10.7	98	
07 + 12	Duct	Wall	—	—	—	7.81	13.39	—	—	—	21.20	9.30 - 26.30	1,780	540 - 2,460	7.9	2.4 - 10.9	98	
07 + 12	Duct	Duct	—	—	—	7.22	12.38	—	—	—	19.60	9.50 - 25.90	1,960	600 - 2,980	8.7	2.7 - 13.2	98	
07 + 15	Wall	Wall	—	—	—	7.45	15.95	—	—	—	23.40	8.70 - 31.30	1,500	430 - 2,360	6.7	1.9 - 10.5	98	
07 + 15	Wall	Duct	—	—	—	7.19	15.41	—	—	—	22.60	9.20 - 29.90	1,850	520 - 2,910	8.2	2.3 - 12.9	98	
07 + 15	Duct	Wall	—	—	—	7.19	15.41	—	—	—	22.60	8.90 - 29.90	1,700	490 - 2,620	7.5	2.2 - 11.6	98	
07 + 15	Duct	Duct	—	—	—	6.94	14.86	—	—	—	21.80	9.50 - 28.40	2,190	590 - 3,360	9.7	2.6 - 14.9	98	
07 + 18	Wall	Wall	—	—	—	6.72	17.28	—	—	—	24.00	8.70 - 36.00	1,630	430 - 3,160	7.2	1.9 - 14.0	98	
07 + 18	Wall	Duct	—	—	—	6.72	17.28	—	—	—	24.00	9.00 - 33.50	1,940	520 - 3,360	8.6	2.3 - 14.9	98	
07 + 18	Duct	Wall	—	—	—	6.72	17.28	—	—	—	24.00	8.90 - 33.50	1,870	490 - 3,190	8.3	2.2 - 14.2	98	
07 + 18	Duct	Duct	—	—	—	6.72	17.28	—	—	—	24.00	9.20 - 31.00	2,270	580 - 3,410	10.1	2.6 - 15.1	98	
09 + 09	Wall	Wall	—	—	—	11.25	11.25	—	—	—	22.50	9.10 - 25.00	1,560	470 - 1,830	6.9	2.1 - 8.1	98	
09 + 09	Wall	Duct	—	—	—	10.35	10.35	—	—	—	20.70	9.30 - 25.00	1,720	530 - 2,290	7.6	2.4 - 10.2	98	
09 + 09	Duct	Duct	—	—	—	9.45	9.45	—	—	—	18.90	9.60 - 25.00	1,870	610 - 2,900	8.3	2.7 - 12.9	98	
09 + 12	Wall	Wall	—	—	—	9.90	13.20	—	—	—	23.10	9.00 - 29.70	1,610	460 - 2,390	7.1	2.0 - 10.6	98	
09 + 12	Wall	Duct	—	—	—	9.47	12.63	—	—	—	22.10	9.20 - 28.70	1,800	520 - 2,730	8.0	2.3 - 12.1	98	
09 + 12	Duct	Wall	—	—	—	9.47	12.63	—	—	—	22.10	9.20 - 28.70	1,830	520 - 2,770	8.1	2.3 - 12.3	98	
09 + 12	Duct	Duct	—	—	—	9.04	12.06	—	—	—	21.10	9.40 - 27.60	2,120	590 - 3,210	9.4	2.6 - 14.2	98	
09 + 15	Wall	Wall	—	—	—	8.93	14.88	—	—	—	23.80	9.70 - 34.40	1,520	490 - 2,770	6.7	2.2 - 12.3	98	
09 + 15	Wall	Duct	—	—	—	8.85	14.75	—	—	—	23.60	9.10 - 32.30	1,950	510 - 3,290	8.7	2.3 - 14.6	98	
09 + 15	Duct	Wall	—	—	—	8.85	14.75	—	—	—	23.60	8.80 - 32.30	1,800	480 - 2,940	8.0	2.1 - 13.0	98	
09 + 15	Duct	Duct	—	—	—	8.74	14.56	—	—	—	23.30	9.40 - 30.10	2,350	580 - 3,580	10.4	2.6 - 15.9	98	
09 + 18	Wall	Wall	—	—	—	8.00	16.00	—	—	—	24.00	8.60 - 36.00	1,620	430 - 3,130	7.2	1.9 - 13.9	98	
09 + 18	Wall	Duct	—	—	—	8.00	16.00	—	—	—	24.00	8.90 - 33.60	1,910	510 - 3,300	8.5	2.3 - 14.6	98	
09 + 18	Duct	Wall	—	—	—	8.00	16.00	—	—	—	24.00	8.80 - 33.60	1,830	480 - 3,140	8.1	2.1 - 13.9	98	
09 + 18	Duct	Duct	—	—	—	8.00	16.00	—	—	—	24.00	9.10 - 31.20	2,210	570 - 3,390	9.8	2.5 - 15.0	98	
12 + 12	Wall	Wall	—	—	—	11.90	11.90	—	—	—	23.80	9.00 - 34.40	1,620	450 - 3,000	7.2	2.0 - 13.3	98	
12 + 12	Duct	Wall	—	—	—	11.80	11.80	—	—	—	23.60	9.10 - 32.30	1,950	510 - 3,230	8.7	2.3 - 14.3	98	
12 + 12	Duct	Duct	—	—	—	11.65	11.65	—	—	—	23.30	9.30 - 30.10	2,300	580 - 3,510	10.2	2.6 - 15.6	98	
12 + 15	Wall	Wall	—	—	—	10.67	13.33	—	—	—	24.00	8.60 - 36.00	1,610	430 - 3,120	7.1	1.9 - 13.8	98	
12 + 15	Wall	Duct	—	—	—	10.67	13.33	—	—	—	24.00	9.10 - 33.60	1,960	500 - 3,400	8.7	2.2 - 15.1	98	
12 + 15	Duct	Wall	—	—	—	10.67	13.33	—	—	—	24.00	8.70 - 33.60	1,810	480 - 3,100	8.0	2.1 - 13.8	98	
12 + 15	Duct	Duct	—	—	—	10.67	13.33	—	—	—	24.00	9.20 - 31.20	2,260	570 - 3,470	10.0	2.5 - 15.4	98	
12 + 18	Wall	Wall	—	—	—	9.60	14.40	—	—	—	24.00	8.60 - 36.00	1,610	430 - 3,110	7.1	1.9 - 13.8	98	
12 + 18	Wall	Duct	—	—	—	9.60	14.40	—	—	—	24.00	8.90 - 33.80	1,880	510 - 3,250	8.3	2.3 - 14.4	98	
12 + 18	Duct	Wall	—	—	—	9.60	14.40	—	—	—	24.00	8.70 - 33.80	1,800	480 - 3,080	8.0	2.1 - 13.7	98	
12 + 18	Duct	Duct	—	—	—	9.60	14.40	—	—	—	24.00	9.00 - 31.50	2,140	560 - 3,280	9.5	2.5 - 14.6	98	
15 + 15	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	8.40 - 36.00	1,610	430 - 3,100	7.1	1.9 - 13.8	98	
15 + 15	Duct	Wall	—	—	—	12.00	12.00	—	—	—	24.00	8.70 - 33.80	1,790	470 - 3,070	7.9	2.1 - 13.6	98	
15 + 15	Duct	Duct	—	—	—	12.00	12.00	—	—	—	24.00	9.20 - 31.50	2,210	550 - 3,460	9.8	2.4 - 15.4	98	
15 + 18	Wall	Wall	—	—	—	10.91	13.09	—	—	—	24.00	8.40 - 36.00	1,620	430 - 3,110	7.2	1.9 - 13.8	98	
15 + 18	Wall	Duct	—	—	—	10.91	13.09	—	—	—	24.00	8.50 - 33.90	1,780	490 - 3,030	7.9	2.2 - 13.4	98	
15 + 18	Duct	Wall	—	—	—	10.91	13.09	—	—	—	24.00	8.70 - 33.90						

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
07 + 07 + 12	Duct	Wall	Duct	—	—	6.46	6.46	11.08	—	—	24.00	8.80 - 32.70	2,010	520 - 3,270	8.9	2.3 - 14.5	98
07 + 07 + 12	Duct	Duct	Wall	—	—	6.46	6.46	11.08	—	—	24.00	8.90 - 32.70	2,030	520 - 3,310	9.0	2.3 - 14.7	98
07 + 07 + 12	Duct	Duct	Duct	—	—	6.46	6.46	11.08	—	—	24.00	9.00 - 31.10	2,320	580 - 3,460	10.3	2.6 - 15.4	98
07 + 07 + 15	Wall	Wall	Wall	—	—	5.79	5.79	12.41	—	—	24.00	8.30 - 36.00	1,680	430 - 3,150	7.5	1.9 - 14.0	98
07 + 07 + 15	Wall	Wall	Duct	—	—	5.79	5.79	12.41	—	—	24.00	8.60 - 34.50	1,760	470 - 3,130	7.8	2.1 - 13.9	98
07 + 07 + 15	Wall	Duct	Wall	—	—	5.79	5.79	12.41	—	—	24.00	8.40 - 34.50	1,760	460 - 3,110	7.8	2.0 - 13.8	98
07 + 07 + 15	Duct	Wall	Duct	—	—	5.79	5.79	12.41	—	—	24.00	8.80 - 32.90	1,990	520 - 3,230	8.8	2.3 - 14.3	98
07 + 07 + 15	Duct	Duct	Wall	—	—	5.79	5.79	12.41	—	—	24.00	8.50 - 32.90	1,930	500 - 3,130	8.6	2.2 - 13.9	98
07 + 07 + 15	Duct	Duct	Duct	—	—	5.79	5.79	12.41	—	—	24.00	9.00 - 31.40	2,280	570 - 3,470	10.1	2.5 - 15.4	98
07 + 07 + 18	Wall	Wall	Wall	—	—	5.25	5.25	13.50	—	—	24.00	8.30 - 36.00	1,690	430 - 3,160	7.5	1.9 - 14.0	98
07 + 07 + 18	Wall	Wall	Duct	—	—	5.25	5.25	13.50	—	—	24.00	8.50 - 34.50	1,780	490 - 3,120	7.9	2.2 - 13.8	98
07 + 07 + 18	Wall	Duct	Wall	—	—	5.25	5.25	13.50	—	—	24.00	8.40 - 34.50	1,760	460 - 3,110	7.8	2.0 - 13.8	98
07 + 07 + 18	Duct	Wall	Duct	—	—	5.25	5.25	13.50	—	—	24.00	8.60 - 33.10	1,960	530 - 3,230	8.7	2.4 - 14.3	98
07 + 07 + 18	Duct	Duct	Wall	—	—	5.25	5.25	13.50	—	—	24.00	8.50 - 33.10	1,920	500 - 3,130	8.5	2.2 - 13.9	98
07 + 07 + 18	Duct	Duct	Duct	—	—	5.25	5.25	13.50	—	—	24.00	8.80 - 31.60	2,210	580 - 3,350	9.8	2.6 - 14.9	98
07 + 09 + 09	Wall	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	8.50 - 36.00	1,600	430 - 3,090	7.1	1.9 - 13.7	98
07 + 09 + 09	Wall	Wall	Duct	—	—	6.72	8.64	8.64	—	—	24.00	8.70 - 34.30	1,780	470 - 3,160	7.9	2.1 - 14.0	98
07 + 09 + 09	Wall	Duct	Duct	—	—	6.72	8.64	8.64	—	—	24.00	8.90 - 32.70	2,020	520 - 3,290	9.0	2.3 - 14.6	98
07 + 09 + 09	Duct	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	8.70 - 34.30	1,780	470 - 3,160	7.9	2.1 - 14.0	98
07 + 09 + 09	Duct	Wall	Duct	—	—	6.72	8.64	8.64	—	—	24.00	8.90 - 32.70	2,030	520 - 3,300	9.0	2.3 - 14.6	98
07 + 09 + 09	Duct	Duct	Duct	—	—	6.72	8.64	8.64	—	—	24.00	9.10 - 31.00	2,340	580 - 3,500	10.4	2.6 - 15.5	98
07 + 09 + 12	Wall	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	8.50 - 36.00	1,600	420 - 3,090	7.1	1.9 - 13.7	98
07 + 09 + 12	Wall	Wall	Duct	—	—	6.00	7.71	10.29	—	—	24.00	8.60 - 34.40	1,760	470 - 3,130	7.8	2.1 - 13.9	98
07 + 09 + 12	Wall	Duct	Wall	—	—	6.00	7.71	10.29	—	—	24.00	8.60 - 34.40	1,770	470 - 3,140	7.9	2.1 - 13.9	98
07 + 09 + 12	Wall	Duct	Duct	—	—	6.00	7.71	10.29	—	—	24.00	8.70 - 32.90	1,980	520 - 3,220	8.8	2.3 - 14.3	98
07 + 09 + 12	Duct	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	8.60 - 34.40	1,770	470 - 3,140	7.9	2.1 - 13.9	98
07 + 09 + 12	Duct	Wall	Duct	—	—	6.00	7.71	10.29	—	—	24.00	8.70 - 32.90	1,980	520 - 3,230	8.8	2.3 - 14.3	98
07 + 09 + 12	Duct	Duct	Wall	—	—	6.00	7.71	10.29	—	—	24.00	8.80 - 32.90	2,000	520 - 3,250	8.9	2.3 - 14.4	98
07 + 09 + 12	Duct	Duct	Duct	—	—	6.00	7.71	10.29	—	—	24.00	8.90 - 31.30	2,270	570 - 3,460	10.1	2.5 - 15.4	98
07 + 09 + 15	Wall	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	8.30 - 36.00	1,710	440 - 3,180	7.6	2.0 - 14.1	98
07 + 09 + 15	Wall	Wall	Duct	—	—	5.42	6.97	11.61	—	—	24.00	8.50 - 34.50	1,760	460 - 3,110	7.8	2.0 - 13.8	98
07 + 09 + 15	Wall	Duct	Wall	—	—	5.42	6.97	11.61	—	—	24.00	8.40 - 34.50	1,770	460 - 3,120	7.9	2.0 - 13.8	98
07 + 09 + 15	Wall	Duct	Duct	—	—	5.42	6.97	11.61	—	—	24.00	8.70 - 33.00	1,960	510 - 3,190	8.7	2.3 - 14.2	98
07 + 09 + 15	Duct	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	8.40 - 34.50	1,770	470 - 3,120	7.9	2.1 - 13.8	98
07 + 09 + 15	Duct	Wall	Duct	—	—	5.42	6.97	11.61	—	—	24.00	8.70 - 33.00	1,960	510 - 3,200	8.7	2.3 - 14.2	98
07 + 09 + 15	Duct	Duct	Wall	—	—	5.42	6.97	11.61	—	—	24.00	8.50 - 33.00	1,920	500 - 3,120	8.5	2.2 - 13.8	98
07 + 09 + 15	Duct	Duct	Duct	—	—	5.42	6.97	11.61	—	—	24.00	8.90 - 31.50	2,240	560 - 3,410	9.9	2.5 - 15.1	98
07 + 09 + 18	Wall	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	8.30 - 36.00	1,720	440 - 3,200	7.6	2.0 - 14.2	98
07 + 09 + 18	Wall	Wall	Duct	—	—	4.94	6.35	12.71	—	—	24.00	8.40 - 34.60	1,780	490 - 3,130	7.9	2.2 - 13.9	98
07 + 09 + 18	Wall	Duct	Wall	—	—	4.94	6.35	12.71	—	—	24.00	8.40 - 34.60	1,770	470 - 3,130	7.9	2.1 - 13.9	98
07 + 09 + 18	Wall	Duct	Duct	—	—	4.94	6.35	12.71	—	—	24.00	8.50 - 33.20	1,950	520 - 3,210	8.7	2.3 - 14.2	98
07 + 09 + 18	Duct	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	8.40 - 34.60	1,770	470 - 3,130	7.9	2.1 - 13.9	98
07 + 09 + 18	Duct	Wall	Duct	—	—	4.94	6.35	12.71	—	—	24.00	8.50 - 33.20	1,950	530 - 3,210	8.7	2.4 - 14.2	98
07 + 09 + 18	Duct	Duct	Wall	—	—	4.94	6.35	12.71	—	—	24.00	8.50 - 33.20	1,920	500 - 3,170	8.5	2.2 - 14.1	98
07 + 09 + 18	Duct	Duct	Duct	—	—	4.94	6.35	12.71	—	—	24.00	8.70 - 31.80	2,180	570 - 3,300	9.7	2.5 - 14.6	98
07 + 12 + 12	Wall	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	8.40 - 36.00	1,600	420 - 3,090	7.1	1.9 - 13.7	98
07 + 12 + 12	Wall	Wall	Duct	—	—	5.42	9.29	9.29	—	—	24.00	8.50 - 34.50	1,760	470 - 3,110	7.8	2.1 - 13.8	98
07 + 12 + 12	Wall	Duct	Duct	—	—	5.42	9.29	9.29	—	—	24.00	8.60 - 33.00	1,950	510 - 3,180	8.7	2.3 - 14.1	98
07 + 12 + 12	Duct	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	8.60 - 34.50	1,760	470 - 3,120	7.8	2.1 - 13.8	98
07 + 12 + 12	Duct	Wall	Duct	—	—	5.42	9.29	9.29	—	—	24.00	8.70 - 33.00	1,960	510 - 3,190	8.7	2.3 - 14.2	98
07 + 12 + 12	Duct	Duct	Duct	—	—	5.42	9.29	9.29	—	—	24.00	8.80 - 31.50	2,220	570 - 3,370	9.8	2.5 - 15.0	98
07 + 12 + 15	Wall	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	8.30 - 36.00	1,730	440 - 3,220	7.7	2.0 - 14.3	98
07 + 12 + 15	Wall	Wall	Duct	—	—	4.94	8.47	10.59	—	—	24.00	8.50 - 34.60	1,750	460 - 3,100	7.8	2.0 - 13.8	98
07 + 12 + 15	Wall	Duct	Wall	—	—	4.94	8.47	10.59	—	—	24.00	8.30 - 34.60	1,840	470 - 3,210	8.2	2.1 - 14.2	98
07 + 12 + 15	Wall	Duct	Duct	—	—	4.94	8.47	10.59	—	—	24.00	8.60 - 33.20	1,940	510 - 3,210	8.6	2.3 - 14.2	98
07 + 12 + 15	Duct	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	8.30 - 34.60	1,780	470 - 3,140	7.9	2.1 - 13.9	98
07 + 12 + 15	Duct	Wall	Duct	—	—	4.94	8.47	10.59	—	—	24.00	8.60 - 33.20	1,				

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBtu/h)					Total capacity (kBtu/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	—	—	A room	B room	C room	—	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
09 + 09 + 15	Wall	Wall	Duct	—	—	6.55	6.55	10.91	—	—	24.00	8.50 - 34.60	1,750	460 - 3,100	7.8	2.0 - 13.8	98
09 + 09 + 15	Wall	Duct	Wall	—	—	6.55	6.55	10.91	—	—	24.00	8.30 - 34.60	1,780	470 - 3,140	7.9	2.1 - 13.9	98
09 + 09 + 15	Wall	Duct	Duct	—	—	6.55	6.55	10.91	—	—	24.00	8.60 - 33.10	1,940	510 - 3,220	8.6	2.3 - 14.3	98
09 + 09 + 15	Duct	Duct	Wall	—	—	6.55	6.55	10.91	—	—	24.00	8.50 - 33.10	1,920	500 - 3,120	8.5	2.2 - 13.8	98
09 + 09 + 15	Duct	Duct	Duct	—	—	6.55	6.55	10.91	—	—	24.00	8.80 - 31.70	2,200	560 - 3,350	9.8	2.5 - 14.9	98
09 + 09 + 18	Wall	Wall	Wall	—	—	6.00	6.00	12.00	—	—	24.00	8.20 - 36.00	1,750	440 - 3,300	7.8	2.0 - 14.6	98
09 + 09 + 18	Wall	Wall	Duct	—	—	6.00	6.00	12.00	—	—	24.00	8.40 - 34.70	1,790	490 - 3,200	7.9	2.2 - 14.2	98
09 + 09 + 18	Wall	Duct	Wall	—	—	6.00	6.00	12.00	—	—	24.00	8.30 - 34.70	1,790	470 - 3,200	7.9	2.1 - 14.2	98
09 + 09 + 18	Wall	Duct	Duct	—	—	6.00	6.00	12.00	—	—	24.00	8.50 - 33.30	1,940	520 - 3,200	8.6	2.3 - 14.2	98
09 + 09 + 18	Duct	Duct	Wall	—	—	6.00	6.00	12.00	—	—	24.00	8.40 - 33.30	1,920	500 - 3,180	8.5	2.2 - 14.1	98
09 + 09 + 18	Duct	Duct	Duct	—	—	6.00	6.00	12.00	—	—	24.00	8.60 - 32.00	2,160	570 - 3,330	9.6	2.5 - 14.8	98
09 + 12 + 12	Wall	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	8.40 - 36.00	1,610	430 - 3,100	7.1	1.9 - 13.8	98
09 + 12 + 12	Wall	Wall	Duct	—	—	6.55	8.73	8.73	—	—	24.00	8.50 - 34.60	1,750	470 - 3,100	7.8	2.1 - 13.8	98
09 + 12 + 12	Wall	Duct	Duct	—	—	6.55	8.73	8.73	—	—	24.00	8.60 - 33.10	1,940	510 - 3,210	8.6	2.3 - 14.2	98
09 + 12 + 12	Duct	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	8.50 - 34.60	1,750	460 - 3,100	7.8	2.0 - 13.8	98
09 + 12 + 12	Duct	Wall	Duct	—	—	6.55	8.73	8.73	—	—	24.00	8.60 - 33.10	1,940	510 - 3,220	8.6	2.3 - 14.3	98
09 + 12 + 12	Duct	Duct	Duct	—	—	6.55	8.73	8.73	—	—	24.00	8.80 - 31.70	2,180	560 - 3,320	9.7	2.5 - 14.7	98
09 + 12 + 15	Wall	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	8.20 - 36.00	1,760	440 - 3,320	7.8	2.0 - 14.7	98
09 + 12 + 15	Wall	Wall	Duct	—	—	6.00	8.00	10.00	—	—	24.00	8.50 - 34.70	1,750	460 - 3,150	7.8	2.0 - 14.0	98
09 + 12 + 15	Wall	Duct	Wall	—	—	6.00	8.00	10.00	—	—	24.00	8.30 - 34.70	1,860	480 - 3,250	8.3	2.1 - 14.4	98
09 + 12 + 15	Wall	Duct	Duct	—	—	6.00	8.00	10.00	—	—	24.00	8.60 - 33.30	1,930	510 - 3,190	8.6	2.3 - 14.2	98
09 + 12 + 15	Duct	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	8.30 - 34.70	1,840	470 - 3,220	8.2	2.1 - 14.3	98
09 + 12 + 15	Duct	Wall	Duct	—	—	6.00	8.00	10.00	—	—	24.00	8.60 - 33.30	1,930	500 - 3,200	8.6	2.2 - 14.2	98
09 + 12 + 15	Duct	Duct	Wall	—	—	6.00	8.00	10.00	—	—	24.00	8.40 - 33.30	1,940	510 - 3,190	8.6	2.3 - 14.2	98
09 + 12 + 15	Duct	Duct	Duct	—	—	6.00	8.00	10.00	—	—	24.00	8.70 - 32.00	2,160	550 - 3,340	9.6	2.4 - 14.8	98
09 + 12 + 18	Wall	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	8.20 - 36.00	1,780	450 - 3,350	7.9	2.0 - 14.9	98
09 + 12 + 18	Wall	Wall	Duct	—	—	5.54	7.38	11.08	—	—	24.00	8.30 - 34.80	1,810	490 - 3,220	8.0	2.2 - 14.3	98
09 + 12 + 18	Wall	Duct	Wall	—	—	5.54	7.38	11.08	—	—	24.00	8.30 - 34.80	1,880	480 - 3,260	8.3	2.1 - 14.5	98
09 + 12 + 18	Wall	Duct	Duct	—	—	5.54	7.38	11.08	—	—	24.00	8.40 - 33.50	1,950	530 - 3,260	8.7	2.4 - 14.5	98
09 + 12 + 18	Duct	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	8.30 - 34.80	1,850	470 - 3,230	8.2	2.1 - 14.3	98
09 + 12 + 18	Duct	Wall	Duct	—	—	5.54	7.38	11.08	—	—	24.00	8.50 - 33.50	1,950	520 - 3,250	8.7	2.3 - 14.4	98
09 + 12 + 18	Duct	Duct	Wall	—	—	5.54	7.38	11.08	—	—	24.00	8.40 - 33.50	1,940	510 - 3,260	8.6	2.3 - 14.5	98
09 + 12 + 18	Duct	Duct	Duct	—	—	5.54	7.38	11.08	—	—	24.00	8.60 - 32.30	2,140	570 - 3,360	9.5	2.5 - 14.9	98
09 + 15 + 15	Wall	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	8.20 - 36.00	2,110	490 - 3,590	9.4	2.2 - 15.9	98
09 + 15 + 15	Wall	Wall	Duct	—	—	5.54	9.23	9.23	—	—	24.00	8.30 - 34.80	1,880	480 - 3,330	8.3	2.1 - 14.8	98
09 + 15 + 15	Wall	Duct	Duct	—	—	5.54	9.23	9.23	—	—	24.00	8.50 - 33.50	1,920	500 - 3,230	8.5	2.2 - 14.3	98
09 + 15 + 15	Duct	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	8.20 - 34.80	2,080	500 - 3,610	9.2	2.2 - 16.0	98
09 + 15 + 15	Duct	Wall	Duct	—	—	5.54	9.23	9.23	—	—	24.00	8.40 - 33.50	1,950	500 - 3,260	8.7	2.2 - 14.5	98
09 + 15 + 15	Duct	Duct	Duct	—	—	5.54	9.23	9.23	—	—	24.00	8.70 - 32.30	2,140	550 - 3,370	9.5	2.4 - 15.0	98
12 + 12 + 12	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	8.40 - 36.00	1,620	430 - 3,110	7.2	1.9 - 13.8	98
12 + 12 + 12	Wall	Wall	Duct	—	—	8.00	8.00	8.00	—	—	24.00	8.40 - 34.70	1,760	470 - 3,160	7.8	2.1 - 14.0	98
12 + 12 + 12	Wall	Duct	Duct	—	—	8.00	8.00	8.00	—	—	24.00	8.50 - 33.30	1,930	510 - 3,190	8.6	2.3 - 14.2	98
12 + 12 + 12	Duct	Duct	Duct	—	—	8.00	8.00	8.00	—	—	24.00	8.70 - 32.00	2,150	560 - 3,320	9.5	2.5 - 14.7	98
12 + 12 + 15	Wall	Wall	Wall	—	—	7.38	7.38	9.23	—	—	24.00	8.20 - 36.00	1,800	450 - 3,370	8.0	2.0 - 15.0	98
12 + 12 + 15	Wall	Wall	Duct	—	—	7.38	7.38	9.23	—	—	24.00	8.40 - 34.80	1,760	460 - 3,160	7.8	2.0 - 14.0	98
12 + 12 + 15	Wall	Duct	Wall	—	—	7.38	7.38	9.23	—	—	24.00	8.30 - 34.80	1,890	480 - 3,340	8.4	2.1 - 14.8	98
12 + 12 + 15	Wall	Duct	Duct	—	—	7.38	7.38	9.23	—	—	24.00	8.50 - 33.50	1,920	510 - 3,240	8.5	2.3 - 14.4	98
12 + 12 + 15	Duct	Duct	Wall	—	—	7.38	7.38	9.23	—	—	24.00	8.30 - 33.50	1,970	510 - 3,290	8.7	2.3 - 14.6	98
12 + 12 + 15	Duct	Duct	Duct	—	—	7.38	7.38	9.23	—	—	24.00	8.60 - 32.30	2,130	550 - 3,360	9.4	2.4 - 14.9	98

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 2. The total capacity of connected indoor units is up to 39.0 kBtu/h.
 3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 4. The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type W series or Duct type W series
9.0 kBtu/h class; wall mount type W series or Duct type W series
12.0 kBtu/h class; wall mount type W series or Duct type W series
15.0 kBtu/h class; wall mount type W series or Duct type W series
18.0 kBtu/h class; wall mount type W series or Duct type W series

2.4 Combination Capacity: 4MXS36WMVJU9

Cooling [60 Hz, 208 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	—	A room	B room	C room	D room	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
07	Wall	—	—	—	—	7.60	—	—	—	—	7.60	6.80 - 8.40	610	520 - 670	3.0	2.6 - 3.3	98
07	Duct	—	—	—	—	7.30	—	—	—	—	7.30	6.20 - 7.30	670	540 - 670	3.3	2.6 - 3.3	98
09	Wall	—	—	—	—	9.80	—	—	—	—	9.80	6.90 - 10.80	780	520 - 880	3.8	2.6 - 4.3	98
09	Duct	—	—	—	—	9.40	—	—	—	—	9.40	6.40 - 9.40	890	540 - 890	4.4	2.6 - 4.4	98
12	Wall	—	—	—	—	13.00	—	—	—	—	13.00	7.00 - 14.40	1,120	530 - 1,280	5.5	2.6 - 6.3	98
12	Duct	—	—	—	—	12.50	—	—	—	—	12.50	6.70 - 12.50	1,210	560 - 1,210	5.9	2.7 - 5.9	98
15	Wall	—	—	—	—	16.30	—	—	—	—	16.30	8.20 - 18.00	1,290	570 - 1,460	6.3	2.8 - 7.2	98
15	Duct	—	—	—	—	15.60	—	—	—	—	15.60	7.10 - 15.60	1,530	570 - 1,530	7.5	2.8 - 7.5	98
18	Wall	—	—	—	—	19.50	—	—	—	—	19.50	8.20 - 21.60	1,650	570 - 1,900	8.1	2.8 - 9.3	98
18	Duct	—	—	—	—	18.80	—	—	—	—	18.80	7.20 - 18.80	2,000	600 - 2,000	9.8	2.9 - 9.8	98
24	Wall	—	—	—	—	26.00	—	—	—	—	26.00	8.60 - 28.80	2,430	580 - 2,860	11.9	2.8 - 14.0	98
24	Duct	—	—	—	—	25.00	—	—	—	—	25.00	7.80 - 25.00	2,840	620 - 2,840	13.9	3.0 - 13.9	98
07 + 07	Wall	Wall	—	—	—	7.60	7.60	—	—	—	15.20	8.20 - 16.80	1,200	570 - 1,330	5.9	2.8 - 6.5	98
07 + 07	Wall	Duct	—	—	—	7.45	7.45	—	—	—	14.90	7.70 - 15.70	1,300	600 - 1,430	6.4	2.9 - 7.0	98
07 + 07	Duct	Duct	—	—	—	7.30	7.30	—	—	—	14.60	7.30 - 14.60	1,480	620 - 1,480	7.3	3.0 - 7.3	98
07 + 09	Wall	Wall	—	—	—	7.57	9.73	—	—	—	17.30	8.30 - 19.20	1,380	570 - 1,610	6.8	2.8 - 7.9	98
07 + 09	Wall	Duct	—	—	—	7.44	9.56	—	—	—	17.00	7.90 - 18.00	1,520	600 - 1,660	7.5	2.9 - 8.1	98
07 + 09	Duct	Wall	—	—	—	7.44	9.56	—	—	—	17.00	7.80 - 18.00	1,570	600 - 1,710	7.7	2.9 - 8.4	98
07 + 09	Duct	Duct	—	—	—	7.31	9.39	—	—	—	16.70	7.40 - 16.70	1,720	630 - 1,720	8.4	3.1 - 8.4	98
07 + 12	Wall	Wall	—	—	—	7.59	13.01	—	—	—	20.60	8.30 - 22.80	1,760	570 - 2,070	8.6	2.8 - 10.2	98
07 + 12	Wall	Duct	—	—	—	7.44	12.76	—	—	—	20.20	8.10 - 21.30	1,930	610 - 2,090	9.5	3.0 - 10.3	98
07 + 12	Duct	Wall	—	—	—	7.44	12.76	—	—	—	20.20	7.90 - 21.30	1,970	600 - 2,130	9.7	2.9 - 10.4	98
07 + 12	Duct	Duct	—	—	—	7.29	12.51	—	—	—	19.80	7.60 - 19.80	2,150	640 - 2,150	10.5	3.1 - 10.5	98
07 + 15	Wall	Wall	—	—	—	7.57	16.23	—	—	—	23.80	9.20 - 26.40	1,910	580 - 2,240	9.4	2.8 - 11.0	98
07 + 15	Wall	Duct	—	—	—	7.45	15.95	—	—	—	23.40	8.40 - 24.70	2,270	610 - 2,500	11.1	3.0 - 12.3	98
07 + 15	Duct	Wall	—	—	—	7.45	15.95	—	—	—	23.40	8.90 - 24.70	2,080	620 - 2,300	10.2	3.0 - 11.3	98
07 + 15	Duct	Duct	—	—	—	7.29	15.61	—	—	—	22.90	8.00 - 22.90	2,560	640 - 2,560	12.6	3.1 - 12.6	98
07 + 18	Wall	Wall	—	—	—	7.50	19.30	—	—	—	26.80	9.30 - 30.00	2,300	580 - 2,780	11.3	2.8 - 13.6	98
07 + 18	Wall	Duct	—	—	—	7.34	18.86	—	—	—	26.20	8.50 - 27.80	2,710	630 - 2,970	13.3	3.1 - 14.6	98
07 + 18	Duct	Wall	—	—	—	7.34	18.86	—	—	—	26.20	9.00 - 27.80	2,480	620 - 2,790	12.2	3.0 - 13.7	98
07 + 18	Duct	Duct	—	—	—	7.17	18.43	—	—	—	25.60	8.10 - 25.60	2,970	670 - 2,970	14.6	3.3 - 14.6	98
07 + 24	Wall	Wall	—	—	—	7.18	24.62	—	—	—	31.80	9.60 - 33.80	2,940	580 - 3,350	14.4	2.8 - 16.4	98
07 + 24	Wall	Duct	—	—	—	6.84	23.46	—	—	—	30.30	8.90 - 31.40	3,270	640 - 3,480	16.0	3.1 - 17.1	98
07 + 24	Duct	Wall	—	—	—	6.84	23.46	—	—	—	30.30	9.30 - 31.40	3,020	620 - 3,220	14.8	3.0 - 15.8	98
07 + 24	Duct	Duct	—	—	—	6.50	22.30	—	—	—	28.80	8.60 - 28.90	3,420	680 - 3,450	16.8	3.3 - 16.9	98
09 + 09	Wall	Wall	—	—	—	9.75	9.75	—	—	—	19.50	8.30 - 21.60	1,610	570 - 1,910	7.9	2.8 - 9.4	98
09 + 09	Wall	Duct	—	—	—	9.60	9.60	—	—	—	19.20	8.00 - 20.20	1,820	600 - 1,970	8.9	2.9 - 9.7	98
09 + 09	Duct	Duct	—	—	—	9.40	9.40	—	—	—	18.80	7.60 - 18.80	1,980	630 - 1,980	9.7	3.1 - 9.7	98
09 + 12	Wall	Wall	—	—	—	9.77	13.03	—	—	—	22.80	8.40 - 25.20	2,020	570 - 2,410	9.9	2.8 - 11.8	98
09 + 12	Wall	Duct	—	—	—	9.60	12.80	—	—	—	22.40	8.20 - 23.60	2,200	610 - 2,430	10.8	3.0 - 11.9	98
09 + 12	Duct	Wall	—	—	—	9.60	12.80	—	—	—	22.40	8.10 - 23.60	2,250	600 - 2,480	11.0	2.9 - 12.2	98
09 + 12	Duct	Duct	—	—	—	9.39	12.51	—	—	—	21.90	7.80 - 21.90	2,440	640 - 2,440	12.0	3.1 - 12.0	98
09 + 15	Wall	Wall	—	—	—	9.75	16.25	—	—	—	26.00	9.30 - 28.80	2,180	580 - 2,600	10.7	2.8 - 12.8	98
09 + 15	Wall	Duct	—	—	—	9.56	15.94	—	—	—	25.50	8.50 - 26.90	2,620	610 - 2,810	12.9	3.0 - 13.8	98
09 + 15	Duct	Wall	—	—	—	9.56	15.94	—	—	—	25.50	9.00 - 26.90	2,370	620 - 2,610	11.6	3.0 - 12.8	98
09 + 15	Duct	Duct	—	—	—	9.38	15.63	—	—	—	25.00	8.10 - 25.00	2,880	650 - 2,880	14.1	3.2 - 14.1	98
09 + 18	Wall	Wall	—	—	—	9.50	19.00	—	—	—	28.50	9.30 - 31.30	2,540	580 - 2,980	12.5	2.8 - 14.6	98
09 + 18	Wall	Duct	—	—	—	9.23	18.47	—	—	—	27.70	8.60 - 29.10	2,910	640 - 3,170	14.3	3.1 - 15.6	98
09 + 18	Duct	Wall	—	—	—	9.23	18.47	—	—	—	27.70	9.10 - 29.10	2,670	620 - 2,930	13.1	3.0 - 14.4	98
09 + 18	Duct	Duct	—	—	—	8.97	17.93	—	—	—	26.90	8.30 - 26.90	3,180	670 - 3,180	15.6	3.3 - 15.6	98
09 + 24	Wall	Wall	—	—	—	9.14	24.36	—	—	—	33.50	9.60 - 35.10	3,220	580 - 3,570	15.8	2.8 - 17.5	98
09 + 24	Wall	Duct	—	—	—	8.51	22.69	—	—	—	31.20	9.00 - 32.10	3,420	640 - 3,560	16.8	3.1 - 17.5	98
09 + 24	Duct	Wall	—	—	—	8.51	22.69	—	—	—	31.20	9.40 - 32.10	3,160	620 - 3,300	15.5	3.0 - 16.2	98
09 + 24	Duct	Duct	—	—	—	7.85	20.95	—	—	—	28.80	8.70 - 29.00	3,290	680 - 3,360	16.1	3.3 - 16.5	98
12 + 12	Wall	Wall	—	—	—	13.00	13.00	—	—	—	26.00	8.50 - 28.80	2,470	570 - 2,970	12.1	2.8 - 14.6	98
12 + 12	Duct	Wall	—	—	—	12.75	12.75	—	—	—	25.50	8.20 - 26.90	2,670	610 - 2,990	13.1	3.0 - 14.7	98
12 + 12	Duct	Duct	—	—	—	12.50	12.50	—	—	—	25.00	8.00 - 25.00	2,940	650 - 2,940	14.4	3.2 - 14.4	98
12 + 15	Wall	Wall	—	—	—	12.67	15.83	—	—	—	28.50	9.40 - 31.30	2,480	580 - 2,990	12.2	2.8 - 14.7	98
12 + 15	Wall	Duct	—	—	—	12.31	15.39	—	—	—	27.70	8.50 - 29.10	2,950	610 - 3,210	14.5	3.0 - 15.7	98
12 + 15	Duct	Wall	—	—	—	12.31	15.39	—	—	—	27.70	9.20 - 29.10	2,620	620 - 2,880	12.9	3.0 - 14.1	98
12 + 15	Duct	Duct	—	—	—	11.96	14.94	—	—	—	26.90	8.30 - 26.90	3,160	650 - 3,160	15.5	3.2 - 15.5	98
12 + 18	Wall	Wall	—	—	—</												

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	—	A room	B room	C room	D room	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
15 + 24	Duct	Wall	—	—	—	12.46	19.94	—	—	—	32.40	9.70 - 33.20	3,190	610 - 3,400	15.6	3.0 - 16.7	98
15 + 24	Duct	Duct	—	—	—	11.08	17.72	—	—	—	28.80	9.10 - 29.40	3,120	680 - 3,190	15.3	3.3 - 15.6	98
18 + 18	Wall	Wall	—	—	—	18.00	18.00	—	—	—	36.00	10.00 - 37.00	3,480	560 - 3,770	17.1	2.7 - 18.5	98
18 + 18	Duct	Wall	—	—	—	16.20	16.20	—	—	—	32.40	9.50 - 33.10	3,330	640 - 3,480	16.3	3.1 - 17.1	98
18 + 18	Duct	Duct	—	—	—	14.40	14.40	—	—	—	28.80	8.90 - 29.20	3,250	700 - 3,320	15.9	3.4 - 16.3	98
18 + 24	Wall	Wall	—	—	—	15.43	20.57	—	—	—	36.00	10.20 - 37.00	3,430	540 - 3,720	16.8	2.6 - 18.2	98
18 + 24	Wall	Duct	—	—	—	13.89	18.51	—	—	—	32.40	9.80 - 33.30	3,160	630 - 3,370	15.5	3.1 - 16.5	98
18 + 24	Duct	Wall	—	—	—	13.89	18.51	—	—	—	32.40	9.80 - 33.30	3,220	630 - 3,360	15.8	3.1 - 16.5	98
18 + 24	Duct	Duct	—	—	—	12.34	16.46	—	—	—	28.80	9.20 - 29.60	3,090	700 - 3,220	15.2	3.4 - 15.8	98
24 + 24	Wall	Wall	—	—	—	18.00	18.00	—	—	—	36.00	10.30 - 37.00	3,310	520 - 3,670	16.2	2.6 - 18.0	98
24 + 24	Duct	Wall	—	—	—	16.20	16.20	—	—	—	32.40	10.00 - 33.50	3,040	620 - 3,250	14.9	3.0 - 15.9	98
24 + 24	Duct	Duct	—	—	—	14.40	14.40	—	—	—	28.80	9.50 - 30.00	2,920	700 - 3,120	14.3	3.4 - 15.3	98
07 + 07 + 07	Wall	Wall	Wall	—	—	7.60	7.60	7.60	—	—	22.80	9.20 - 25.20	1,800	580 - 2,070	8.8	2.8 - 10.2	98
07 + 07 + 07	Wall	Wall	Duct	—	—	7.50	7.50	7.50	—	—	22.50	8.90 - 24.10	1,970	620 - 2,190	9.7	3.0 - 10.7	98
07 + 07 + 07	Wall	Duct	Duct	—	—	7.40	7.40	7.40	—	—	22.20	8.60 - 23.00	2,200	660 - 2,310	10.8	3.2 - 11.3	98
07 + 07 + 07	Duct	Duct	Duct	—	—	7.30	7.30	7.30	—	—	21.90	8.20 - 21.90	2,500	690 - 2,500	12.3	3.4 - 12.3	98
07 + 07 + 09	Wall	Wall	Wall	—	—	7.58	7.58	9.74	—	—	24.90	9.30 - 27.60	2,020	580 - 2,420	9.9	2.8 - 11.9	98
07 + 07 + 09	Wall	Wall	Duct	—	—	7.49	7.49	9.63	—	—	24.60	9.00 - 26.40	2,250	620 - 2,490	11.0	3.0 - 12.2	98
07 + 07 + 09	Wall	Duct	Wall	—	—	7.49	7.49	9.63	—	—	24.60	9.00 - 26.40	2,250	620 - 2,540	11.0	3.0 - 12.5	98
07 + 07 + 09	Wall	Duct	Duct	—	—	7.40	7.40	9.51	—	—	24.30	8.70 - 25.20	2,500	660 - 2,620	12.3	3.2 - 12.9	98
07 + 07 + 09	Duct	Duct	Wall	—	—	7.40	7.40	9.51	—	—	24.30	8.60 - 25.20	2,490	660 - 2,680	12.2	3.2 - 13.1	98
07 + 07 + 09	Duct	Duct	Duct	—	—	7.30	7.30	9.39	—	—	24.00	8.30 - 24.00	2,810	690 - 2,810	13.8	3.4 - 13.8	98
07 + 07 + 12	Wall	Wall	Wall	—	—	7.46	7.46	12.78	—	—	27.70	9.30 - 30.60	2,360	580 - 2,860	11.6	2.8 - 14.0	98
07 + 07 + 12	Wall	Wall	Duct	—	—	7.32	7.32	12.55	—	—	27.20	9.20 - 29.20	2,560	620 - 2,880	12.6	3.0 - 14.1	98
07 + 07 + 12	Wall	Duct	Wall	—	—	7.32	7.32	12.55	—	—	27.20	9.00 - 29.20	2,610	620 - 2,990	12.8	3.0 - 14.7	98
07 + 07 + 12	Wall	Duct	Duct	—	—	7.22	7.22	12.37	—	—	26.80	8.80 - 27.70	2,820	670 - 3,010	13.8	3.3 - 14.8	98
07 + 07 + 12	Duct	Duct	Wall	—	—	7.22	7.22	12.37	—	—	26.80	8.70 - 27.70	2,930	660 - 3,070	14.4	3.2 - 15.1	98
07 + 07 + 12	Duct	Duct	Duct	—	—	7.08	7.08	12.14	—	—	26.30	8.50 - 26.30	3,160	700 - 3,160	15.5	3.4 - 15.5	98
07 + 07 + 15	Wall	Wall	Wall	—	—	7.29	7.29	15.62	—	—	30.20	10.00 - 32.50	2,470	560 - 2,920	12.1	2.7 - 14.3	98
07 + 07 + 15	Wall	Wall	Duct	—	—	7.12	7.12	15.26	—	—	29.50	9.40 - 31.10	2,830	620 - 3,160	13.9	3.0 - 15.5	98
07 + 07 + 15	Wall	Duct	Wall	—	—	7.12	7.12	15.26	—	—	29.50	9.80 - 31.10	2,670	610 - 2,930	13.1	3.0 - 14.4	98
07 + 07 + 15	Wall	Duct	Duct	—	—	6.98	6.98	14.95	—	—	28.90	9.10 - 29.60	3,100	660 - 3,240	15.2	3.2 - 15.9	98
07 + 07 + 15	Duct	Duct	Wall	—	—	6.98	6.98	14.95	—	—	28.90	9.50 - 29.60	2,880	660 - 3,010	14.1	3.2 - 14.8	98
07 + 07 + 15	Duct	Duct	Duct	—	—	6.81	6.81	14.59	—	—	28.20	8.80 - 28.20	3,390	700 - 3,390	16.6	3.4 - 16.6	98
07 + 07 + 18	Wall	Wall	Wall	—	—	7.15	7.15	18.39	—	—	32.70	10.00 - 34.50	2,860	560 - 3,260	14.0	2.7 - 16.0	98
07 + 07 + 18	Wall	Wall	Duct	—	—	6.87	6.87	17.66	—	—	31.40	9.50 - 32.60	3,260	640 - 3,400	16.0	3.1 - 16.7	98
07 + 07 + 18	Wall	Duct	Wall	—	—	6.87	6.87	17.66	—	—	31.40	9.80 - 32.60	3,000	610 - 3,210	14.7	3.0 - 15.7	98
07 + 07 + 18	Wall	Duct	Duct	—	—	6.58	6.58	16.93	—	—	30.10	9.20 - 30.80	3,270	680 - 3,410	16.0	3.3 - 16.7	98
07 + 07 + 18	Duct	Duct	Wall	—	—	6.58	6.58	16.93	—	—	30.10	9.50 - 30.80	3,080	660 - 3,220	15.1	3.2 - 15.8	98
07 + 07 + 18	Duct	Duct	Duct	—	—	6.30	6.30	16.20	—	—	28.80	8.90 - 28.90	3,420	720 - 3,490	16.8	3.5 - 17.1	98
07 + 07 + 24	Wall	Wall	Wall	—	—	6.63	6.63	22.74	—	—	36.00	10.20 - 37.00	3,430	550 - 3,720	16.8	2.7 - 18.2	98
07 + 07 + 24	Wall	Wall	Duct	—	—	6.19	6.19	21.22	—	—	33.60	9.80 - 34.40	3,430	630 - 3,580	16.8	3.1 - 17.6	98
07 + 07 + 24	Wall	Duct	Wall	—	—	6.19	6.19	21.22	—	—	33.60	10.00 - 34.40	3,300	600 - 3,440	16.2	2.9 - 16.9	98
07 + 07 + 24	Wall	Duct	Duct	—	—	5.75	5.75	19.71	—	—	31.20	9.50 - 31.90	3,380	680 - 3,520	16.6	3.3 - 17.3	98
07 + 07 + 24	Duct	Duct	Wall	—	—	5.75	5.75	19.71	—	—	31.20	9.80 - 31.90	3,170	660 - 3,310	15.6	3.2 - 16.2	98
07 + 07 + 24	Duct	Duct	Duct	—	—	5.31	5.31	18.19	—	—	28.80	9.20 - 29.30	3,250	730 - 3,390	15.9	3.6 - 16.6	98
07 + 09 + 09	Wall	Wall	Wall	—	—	7.50	9.65	9.65	—	—	26.80	9.30 - 30.00	2,240	580 - 2,730	11.0	2.8 - 13.4	98
07 + 09 + 09	Wall	Wall	Duct	—	—	7.39	9.50	9.50	—	—	26.40	9.10 - 28.50	2,490	620 - 2,800	12.2	3.0 - 13.7	98
07 + 09 + 09	Wall	Duct	Duct	—	—	7.28	9.36	9.36	—	—	26.00	8.80 - 27.10	2,750	660 - 2,940	13.5	3.2 - 14.4	98
07 + 09 + 09	Duct	Wall	Wall	—	—	7.39	9.50	9.50	—	—	26.40	9.00 - 28.50	2,490	620 - 2,860	12.2	3.0 - 14.0	98
07 + 09 + 09	Duct	Wall	Duct	—	—	7.28	9.36	9.36	—	—	26.00	8.80 - 27.10	2,750	660 - 2,940	13.5	3.2 - 14.4	98
07 + 09 + 09	Duct	Duct	Duct	—	—	7.17	9.22	9.22	—	—	25.60	8.40 - 25.60	3,020	700 - 3,020	14.8	3.4 - 14.8	98
07 + 09 + 12	Wall	Wall	Wall	—	—	7.33	9.42	12.56	—	—	29.30	9.40 - 31.90	2,610	580 - 3,060	12.8	2.8 - 15.0	98
07 + 09 + 12	Wall	Wall	Duct	—	—	7.18	9.23	12.30	—	—	28.70	9.20 - 30.40	2,820	620 - 3,080	13.8	3.0 - 15.1	98
07 + 09 + 12	Wall	Duct	Wall	—	—	7.18	9.23	12.30	—	—	28.70	9.20 - 30.40	2,810	620 - 3,140	13.8	3.0 - 15.4	98
07 + 09 + 12	Wall	Duct	Duct	—	—	7.03	9.03	12.04	—	—	28.10	9.00 - 29.00	3,020	660 - 3,230	14.8	3.2 - 15.8	98
07 + 09 + 12	Duct	Wall	Wall	—	—	7.18	9.23	12.30	—	—	28.70	9.10 - 30.40	2,870	620 - 3,130	14.1		

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	—	A room	B room	C room	D room	—	Rating	(min. - max.)	Rating	(min. - max.)	Rating	(min. - max.)	
07 + 12 + 12	Wall	Wall	Wall	—	—	7.18	12.31	12.31	—	—	31.80	9.50 - 33.80	3,000	580 - 3,410	14.7	2.8 - 16.7	98
07 + 12 + 12	Wall	Wall	Duct	—	—	6.95	11.92	11.92	—	—	30.80	9.30 - 32.20	3,150	620 - 3,430	15.5	3.0 - 16.8	98
07 + 12 + 12	Wall	Duct	Duct	—	—	6.73	11.54	11.54	—	—	29.80	9.10 - 30.50	3,310	670 - 3,380	16.2	3.3 - 16.6	98
07 + 12 + 12	Duct	Wall	Wall	—	—	6.95	11.92	11.92	—	—	30.80	9.20 - 32.20	3,210	620 - 3,490	15.7	3.0 - 17.1	98
07 + 12 + 12	Duct	Wall	Duct	—	—	6.73	11.54	11.54	—	—	29.80	9.00 - 30.50	3,370	670 - 3,510	16.5	3.3 - 17.2	98
07 + 12 + 12	Duct	Duct	Duct	—	—	6.50	11.15	11.15	—	—	28.80	8.80 - 28.90	3,530	710 - 3,570	17.3	3.5 - 17.5	98
07 + 12 + 15	Wall	Wall	Wall	—	—	7.06	12.11	15.13	—	—	34.30	10.00 - 35.70	3,130	560 - 3,480	15.4	2.7 - 17.1	98
07 + 12 + 15	Wall	Wall	Duct	—	—	6.69	11.47	14.34	—	—	32.50	9.50 - 33.50	3,310	620 - 3,520	16.2	3.0 - 17.3	98
07 + 12 + 15	Wall	Duct	Wall	—	—	6.69	11.47	14.34	—	—	32.50	9.90 - 33.50	3,090	610 - 3,290	15.2	3.0 - 16.1	98
07 + 12 + 15	Wall	Duct	Duct	—	—	6.30	10.80	13.50	—	—	30.60	9.30 - 31.30	3,330	660 - 3,470	16.3	3.2 - 17.0	98
07 + 12 + 15	Duct	Wall	Wall	—	—	6.69	11.47	14.34	—	—	32.50	9.80 - 33.50	3,140	610 - 3,350	15.4	3.0 - 16.4	98
07 + 12 + 15	Duct	Wall	Duct	—	—	6.30	10.80	13.50	—	—	30.60	9.20 - 31.30	3,390	660 - 3,530	16.6	3.2 - 17.3	98
07 + 12 + 15	Duct	Duct	Wall	—	—	6.30	10.80	13.50	—	—	30.60	9.70 - 31.30	3,100	660 - 3,240	15.2	3.2 - 15.9	98
07 + 12 + 15	Duct	Duct	Duct	—	—	5.93	10.16	12.71	—	—	28.80	9.00 - 29.10	3,340	710 - 3,410	16.4	3.5 - 16.7	98
07 + 12 + 18	Wall	Wall	Wall	—	—	6.81	11.68	17.51	—	—	36.00	10.10 - 37.00	3,490	560 - 3,780	17.1	2.7 - 18.5	98
07 + 12 + 18	Wall	Wall	Duct	—	—	6.36	10.90	16.35	—	—	33.60	9.60 - 34.40	3,560	640 - 3,700	17.5	3.1 - 18.2	98
07 + 12 + 18	Wall	Duct	Wall	—	—	6.36	10.90	16.35	—	—	33.60	9.90 - 34.40	3,300	610 - 3,510	16.2	3.0 - 17.2	98
07 + 12 + 18	Wall	Duct	Duct	—	—	5.90	10.12	15.18	—	—	31.20	9.40 - 31.90	3,370	680 - 3,510	16.5	3.3 - 17.2	98
07 + 12 + 18	Duct	Wall	Wall	—	—	6.36	10.90	16.35	—	—	33.60	9.90 - 34.40	3,360	610 - 3,500	16.5	3.0 - 17.2	98
07 + 12 + 18	Duct	Wall	Duct	—	—	5.90	10.12	15.18	—	—	31.20	9.30 - 31.90	3,420	680 - 3,570	16.8	3.3 - 17.5	98
07 + 12 + 18	Duct	Duct	Wall	—	—	5.90	10.12	15.18	—	—	31.20	9.70 - 31.90	3,240	660 - 3,310	15.9	3.2 - 16.2	98
07 + 12 + 18	Duct	Duct	Duct	—	—	5.45	9.34	14.01	—	—	28.80	9.10 - 29.30	3,310	730 - 3,450	16.2	3.6 - 16.9	98
07 + 12 + 24	Wall	Wall	Wall	—	—	5.86	10.05	20.09	—	—	36.00	10.20 - 37.00	3,370	540 - 3,730	16.5	2.6 - 18.3	98
07 + 12 + 24	Wall	Wall	Duct	—	—	5.47	9.38	18.75	—	—	33.60	9.80 - 34.60	3,370	630 - 3,590	16.5	3.1 - 17.6	98
07 + 12 + 24	Wall	Duct	Wall	—	—	5.47	9.38	18.75	—	—	33.60	10.10 - 34.60	3,180	590 - 3,390	15.6	2.9 - 16.6	98
07 + 12 + 24	Wall	Duct	Duct	—	—	5.08	8.71	17.41	—	—	31.20	9.70 - 32.10	3,260	680 - 3,400	16.0	3.3 - 16.7	98
07 + 12 + 24	Duct	Wall	Wall	—	—	5.47	9.38	18.75	—	—	33.60	10.10 - 34.60	3,240	600 - 3,450	15.9	2.9 - 16.9	98
07 + 12 + 24	Duct	Wall	Duct	—	—	5.08	8.71	17.41	—	—	31.20	9.60 - 32.10	3,320	680 - 3,460	16.3	3.3 - 17.0	98
07 + 12 + 24	Duct	Duct	Wall	—	—	5.08	8.71	17.41	—	—	31.20	10.00 - 32.10	3,060	650 - 3,270	15.0	3.2 - 16.0	98
07 + 12 + 24	Duct	Duct	Duct	—	—	4.69	8.04	16.07	—	—	28.80	9.50 - 29.70	3,130	730 - 3,340	15.4	3.6 - 16.4	98
07 + 15 + 15	Wall	Wall	Wall	—	—	6.81	14.59	14.59	—	—	36.00	10.40 - 37.00	3,320	510 - 3,610	16.3	2.5 - 17.7	98
07 + 15 + 15	Wall	Wall	Duct	—	—	6.36	13.62	13.62	—	—	33.60	10.10 - 34.40	3,240	590 - 3,380	15.9	2.9 - 16.6	98
07 + 15 + 15	Wall	Duct	Duct	—	—	5.90	12.65	12.65	—	—	31.20	9.50 - 31.90	3,280	660 - 3,420	16.1	3.2 - 16.8	98
07 + 15 + 15	Duct	Wall	Wall	—	—	6.36	13.62	13.62	—	—	33.60	10.30 - 34.40	3,130	570 - 3,270	15.4	2.8 - 16.0	98
07 + 15 + 15	Duct	Wall	Duct	—	—	5.90	12.65	12.65	—	—	31.20	9.90 - 31.90	3,110	650 - 3,250	15.3	3.2 - 15.9	98
07 + 15 + 15	Duct	Duct	Duct	—	—	5.45	11.68	11.68	—	—	28.80	9.30 - 29.30	3,220	700 - 3,290	15.8	3.4 - 16.1	98
07 + 15 + 18	Wall	Wall	Wall	—	—	6.30	13.50	16.20	—	—	36.00	10.40 - 37.00	3,250	510 - 3,620	15.9	2.5 - 17.8	98
07 + 15 + 18	Wall	Wall	Duct	—	—	5.88	12.60	15.12	—	—	33.60	10.10 - 34.50	3,200	610 - 3,410	15.7	3.0 - 16.7	98
07 + 15 + 18	Wall	Duct	Wall	—	—	5.88	12.60	15.12	—	—	33.60	10.10 - 34.50	3,240	590 - 3,380	15.9	2.9 - 16.6	98
07 + 15 + 18	Wall	Duct	Duct	—	—	5.46	11.70	14.04	—	—	31.20	9.60 - 32.00	3,310	680 - 3,450	16.2	3.3 - 16.9	98
07 + 15 + 18	Duct	Wall	Wall	—	—	5.88	12.60	15.12	—	—	33.60	10.30 - 34.50	3,130	570 - 3,270	15.4	2.8 - 16.0	98
07 + 15 + 18	Duct	Wall	Duct	—	—	5.46	11.70	14.04	—	—	31.20	9.90 - 32.00	3,070	670 - 3,280	15.1	3.3 - 16.1	98
07 + 15 + 18	Duct	Duct	Wall	—	—	5.46	11.70	14.04	—	—	31.20	9.90 - 32.00	3,120	650 - 3,250	15.3	3.2 - 15.9	98
07 + 15 + 18	Duct	Duct	Duct	—	—	5.04	10.80	12.96	—	—	28.80	9.40 - 29.50	3,190	720 - 3,330	15.6	3.5 - 16.3	98
07 + 15 + 24	Wall	Wall	Wall	—	—	5.48	11.74	18.78	—	—	36.00	10.40 - 37.00	3,270	480 - 3,630	16.0	2.4 - 17.8	98
07 + 15 + 24	Wall	Wall	Duct	—	—	5.11	10.96	17.53	—	—	33.60	10.30 - 34.60	3,150	590 - 3,360	15.5	2.9 - 16.5	98
07 + 15 + 24	Wall	Duct	Wall	—	—	5.11	10.96	17.53	—	—	33.60	10.20 - 34.60	3,120	580 - 3,330	15.3	2.8 - 16.3	98
07 + 15 + 24	Wall	Duct	Duct	—	—	4.75	10.17	16.28	—	—	31.20	9.90 - 32.30	3,130	670 - 3,340	15.4	3.3 - 16.4	98
07 + 15 + 24	Duct	Wall	Wall	—	—	5.11	10.96	17.53	—	—	33.60	10.40 - 34.60	3,010	550 - 3,290	14.8	2.7 - 16.1	98
07 + 15 + 24	Duct	Wall	Duct	—	—	4.75	10.17	16.28	—	—	31.20	10.10 - 32.30	3,030	650 - 3,240	14.9	3.2 - 15.9	98
07 + 15 + 24	Duct	Duct	Wall	—	—	4.75	10.17	16.28	—	—	31.20	10.10 - 32.30	3,000	630 - 3,210	14.7	3.1 - 15.7	98
07 + 15 + 24	Duct	Duct	Duct	—	—	4.38	9.39	15.03	—	—	28.80	9.70 - 29.90	3,010	720 - 3,220	14.8	3.5 - 15.8	98
07 + 18 + 18	Wall	Wall	Wall	—	—	5.86	15.07	15.07	—	—	36.00	10.40 - 37.00	3,260	500 - 3,620	16.0	2.5 - 17.8	98
07 + 18 + 18	Wall	Wall	Duct	—	—	5.47	14.07	14.07	—	—	33.60	10.10 - 34.60	3,200	610 - 3,410	15.7	3.0 - 16.7	98
07 + 18 + 18	Wall	Duct	Duct	—	—	5.08	13.06	13.06	—	—	31.20	9.70 - 32.10	3,270	700 - 3,420	16.0	3.4 - 16.8	98
07 + 18 + 18	Duct	Wall	Wall	—	—	5.47	14.07	14.07	—	—	33.60	10.30 - 34.60	3,130	570 - 3,350	15.4	2.8 - 16.4	