

C A 036 A 862 1 W A1

COIL

C - Cooling / Heat Pump
H - Hot Water

TYPE

A - "A" Coil
H - Horizontal Coil
S - Slant Coil
D - Dedicated HZ "A" Coil
W - Water
R - Replacement A/H Coil

NOMINAL CAPACITY

036 = 36,000 MBTUH

SLAB CONFIGURATION

A - 2 Slabs ("A" Coil)
M - 4 Slabs ("M" Coil)
S - 1 Slab (Single Slab Coil)

COIL SLAB CODE

Tube - OD, Spacing, Type
Fin - Type, Rows, Fins / Inch

CABINET CLASSIFICATION

0 - Uncased Coil
M - Cased Multi-Position "A" Coil 21" D
W - Cased Vertical Only "A" Coil 21" D

CABINET DIMENSIONS

Height - See Standard Height Sheet

Width

A - 14.5"
B - 15.5"
B1 - 16.5"
C - 17.5"
D - 19.125"
D1 - 19.75"
E1 - 20.5"
E - 21.0"
F - 22.75"
F1 - 23.5"
G - 24.5"
H - 26.5"

PLASTIC PAN DIMENSIONS

Height - See Standard Height Sheet

Width

A3 - 13.125"
B3 - 14.875"
C3 - 16.625"
D3 - 18.0"
E3 - 19.625"
F3 - 21.625"
G3 - 23.625"

Piston Installed

Std. 10.0 SEER
A = 49 - 1.5 T
9 = 59 - 2.0 T
J = 63 - 2.5 T
1 = 71 - 3.0 T
N = 76 - 3.5 T
2 = 82 - 4.0 T
W = 90 - 5.0 T
Std. 13.0 +SEER
C = 53 - 1.5 T
H = 61 - 2.0 T
K = 68 - 2.5 T
M = 73 - 3.0 T
O = 80 - 3.5 T
U = 86 - 4.0 T
3 = 93 - 5.0 T
6 = 96 - 5.0 T
T = TXV3-A (R-22) (1.5 - 3T)
X = TXV3-B (R-22) (3-5 Ton)
D = TXV4-A (410A) (1.5 - 3T)
Y = TXV4-B (410A) (3-5 Ton)

All Technical Information Subject To Change Without Notice

Form: NOM 010107



For more information contact Customer Service 817-624-0820 or your Summit Representative

501 Terminal Road Fort Worth, Texas 76106 Ph. 817-624-0820 Ex. 817-624-8581

Summit™

Residential Products

Coil Products Guide

Overview of Summit Models, Pans, and Cabinets

CA Series	
Model Number	
CA0XXA820	
CA0XXA860	
CA0XXA871	
CA0XXA861	
CA0XXA871	
CA0XXA891	
CA0XXA8E1	
CA0XXA822	
CA0XXA862	
CA0XXA872	
CA0XXA892	
CA0XXA8E2	
CA0XXA8W2	
CA0XXA823	
CA0XXA863	
CA0XXA873	
CA0XXA893	
CA0XXA8E3	
CA0XXA8W3	
CA0XXA824	
CA0XXA864	
CA0XXA874	
CA0XXA894	
CA0XXA8E4	
CA0XXA8W4	
CA0XXA825	
CA0XXA865	
CA0XXA875	
CA0XXA895	
CA0XXA8E5	
CA0XXA8W5	
CA0XXA866	
CA0XXA876	
CA0XXA896	
CA0XXA8E6	
CA0XXA8W6	
CA0XXA867	
CA0XXA877	
CA0XXA897	
CA0XXA8E7	
CA0XXA8W7	
CA0XXA868	
CA0XXA878	
CA0XXA898	
CA0XXA8E8	
CA0XXA8W8	
CA0XXA869	
CA0XXA879	
CA0XXA899	
CA0XXA8E9	
CA0XXA8W9	
CA0XXA865	
CA0XXA875	
CA0XXA895	
CA0XXA8E5	
CA0XXA8W5	
CA0XXA866	
CA0XXA876	
CA0XXA896	
CA0XXA8E6	
CA0XXA8W6	
CA0XXA867	

Uncased 01 19 Deep

Multi-Position M 21 Deep

Vertical W 21 Deep

Pan Suffix	Width
0A3	13-1/8
0B3	14-7/8
0C3	16-5/8
0D3	18
0E3	19-5/8
0F3	21-5/8
0G3	23-5/8
0N1	20-5/8

Cabinet Suffix	Width
MA1	14
MA	14-1/2
MB	15-1/2
MB1	16-1/2
MC	17-1/2
MD	19-1/8
MD1	19-3/4
ME1	20-1/2
ME	21
MF	22-3/4
MF1	23-1/2
MG	24-1/2

Cabinet Suffix	Width
WA1	14
WA	14-1/2
WB	15-1/2
WB1	16-1/2
WC	17-1/2
WD	19-1/8
WD1	19-3/4
WE1	20-1/2
WE	21
WF	22-3/4
WF1	23-1/2
WG	24-1/2

"CR" Uncased Air Handler Coils

Model Number	
CR0XXA851	
CR0XXA852	
CR0XXA882	
CR0XXA452	
CR0XXA482	
CR0XXA454	
CR0XXA484	
CR0XXA654	
CR0XXA694	
CR0XXA685	
CR0XXA667	
CR0XXA654C	
CR0XXA684C	

CA Residential "A" coil series
with 8 vertical pan options,
12 Multi-position cabinet options,
and 12 vertical cabinet options.

CR - Replacement Air Handler "A" Coil Series

11 Dedicated uncased coils with attractive dimensions
for air handler and electric furnace cavities.

CH - Residential Horizontal Slab Coil Series

7 Dedicated horizontal coils for older style horizontal
furnaces and current multi-position models installed horizontally.

CS - Replacement Air Handler Slant Coil Series

6 Dedicated uncased slant coils for wall mount air handlers.

Note: Standard units shown in bold italic type.

Model Number	
<i>CH0XXS346</i>	
<i>CH0XXS566</i>	
<i>CH0XXS766</i>	
<i>CH0XXS466</i>	
<i>CH0XXS496</i>	
<i>CH0XXS867</i>	
<i>CH0XXS897</i>	

"CS" Series Slant Coils

Model Number	
<i>CS0XXS424</i>	
<i>CS0XXS464</i>	
<i>CS0XXS494</i>	
<i>CS0XXS427</i>	
<i>CS0XXS467</i>	
<i>CS0XXS497</i>	

All Technical Information Subject To Change Without Notice



Form CPG 010107

For more information contact Customer Service 817-624-0820 or your Summit Representative
501 Terminal Road Fort Worth, Texas 76106 Ph. 817-624-0820 Fx. 817-624-8381

Summit™

Residential Products

CA-0 SERIES UNCASSED A COILS

Vertical Applications, 1 1/2 - 5 Tons



The CA-0 uncased AC and HP coil series is designed as a high efficiency A coil to be installed on new and existing indoor furnaces. The CA-0 series can be A.R.I. rated with many outdoor unit brands to provide a capacity range from 18,000 to 60,000 BTU/HR. These coils may be used in upflow and counterflow applications. These units are UL & ULc approved.

Connections:

Tons	Liquid	Suction
1 1/2 - 3	3/8	3/4
3 1/2 - 5	3/8	7/8

Coil Model	Pan Suffix	A	B	C	Coil Model	Pan Suffix	A	B	C	Coil Model	Pan Suffix	A	B	C
CA0F-JA820	-DA3*	13 1/8	19	10	CA0F-JA823	-DA3*	13 1/8	19	16	CA0F-JA855	-DB3*	14 7/8	19	20
	-DB3*	14 7/8	19	10	CA0F-JA863	-DB3*	14 7/8	19	16		-DC3	16 5/8	19	20
CA0F-JA860	-DC3*	16 5/8	19	10	CA0F-JA873	-DC3	16 5/8	19	16		-DC3	18	19	20
CA0F-JA821	-DA3*	13 1/8	19	12	CA0F-JA893	-DC3	18	19	16		-DC3	19 5/8	19	20
CA0F-JA861	-DB3*	14 7/8	19	12	CA0F-JA8W3	-DE3	19 5/8	19	16	CA0F-JA8E5	-DF3	21 5/8	19	20
CA0F-JA871	-DC3	16 5/8	19	12	CA0F-JA8E3	-DF3	21 5/8	19	16		-DC3	23 5/8	19	20
	-DC3	18	19	12		-DC3	23 5/8	19	16	CA0F-JA866	-DC3	16 5/8	19	22
CA0F-JA822	-DA3*	13 1/8	19	14	CA0F-JA824	-DB3*	14 7/8	19	18	CA0F-JA896	-DC3	18	19	22
CA0F-JA862	-DB3*	14 7/8	19	14	CA0F-JA864	-DC3	16 5/8	19	18	CA0F-JA8W6	-DE3	19 5/8	19	22
CA0F-JA872	-DC3	16 5/8	19	14	CA0F-JA876	-DC3	18	19	18	CA0F-JA8E6	-DF3	21 5/8	19	22
CA0F-JA882	-DC3	18	19	14	CA0F-JA894	-DE3	19 5/8	19	18		-DC3	23 5/8	19	22
CA0F-JA8W2	-DE3	19 5/8	19	14	CA0F-JA8W4	-DF3	21 5/8	19	16	CA0F-JA867	-DC3	18	19	24
CA0F-JA8E2	-DF3	21 5/8	19	14	CA0F-JA8E4	-DC3	23 5/8	19	16	CA0F-JA867	-DE3	19 5/8	19	24
CA0F-JA8E7	-DE3	19 5/8	20 1/2	24						CA0F-JA8W7	-DF3	21 5/8	19	24
	-DC3	23 5/8	20 1/2	24						CA0F-JA8E7	-DC3	23 5/8	19	24

*(-) Indicates tonnage designation

Note: Evaporator coils equipped with a 1.5% - bled type expansion valve must be used with condensing units not equipped with hand start components.
Note: Center line of drains located from pan correct 1 1/2" for primary & 3 1/2" for secondary.
Note: Standard coils shown in bold type.
* Use only with 3 tons & less applications.

- Left and Right handed drain connections are standard.
- Dual 3/4 FPT drains on each side is standard.
- All units are Leak tested at 500 psi & then factory sealed.
- Left handed refrigerant connections are standard.
- Schrader port for pressure verification is standard.
- Coils are A/R rated with most outdoor A/C and HP units.
- Ideal for new construction and replacement markets.
- Injection molded high temperature UL approved plastic upflow drain pan.
- Refrigeration connections are SWAGED and factory sealed with copper caps.
- Options:
 - Factory installed thermal expansion valve available for R22 and R-410A.
 - Field installed thermal expansion valve (TXV3 and TXV4 kit).
 - Custom labels.

All Technical Information Subject To Change Without Notice



Form: SUMMIT-CA-0 010107

For more information contact Customer Service 817-624-0820 or your Summit Representative
561 Terminal Road Fort Worth, Texas 76106 Ph. 817-624-0820 Fx. 817-624-8581


Summit™

Residential Products

CA-M SERIES MULTIPosition A COILS & CABINET

Multiposition Installations, 1 1/2 - 5 Tons

Upflow, Downflow, Horizontal L to R, Horizontal R to L



Description:

The CA-M series is a high efficiency multiposition A coil and cabinet designed to be installed on new multiposition furnaces and existing dedicated vertical and horizontal furnaces. The easily installed unit works in vertical, counterflow and horizontal mounting positions. The CA-M series is AHJ rated to provide appropriate SEERs and capacities. These units are UL

Connections:

Tons	Liquid	Suction
1 1/2 - 3	3/8"	3/4"
3 1/2 - 5	3/8"	7/8"

Coil Model	Part Suffix	A	B	C	D	E	F	G	Coil Model	Part Suffix	A	B	C	D	E	F	G
CA00-JA020	-AA1*	14	21	12 3/4	20 1/4	12 3/4	19 1/4	20	CA00-JA024	-AB1*	15 1/2	21	14 3/4	20 1/4	13 3/4	19 1/4	24
	-AA*	14 1/2	21	13 1/4	20 1/4	12 3/4	19 1/4	20		-AB1*	15 1/2	21	15 1/4	20 1/4	14 3/4	19 1/4	24
	-AB*	15 1/2	21	14 1/4	20 1/4	13 3/4	19 1/4	20		-AC	17 1/2	21	16 1/4	20 1/4	15 1/4	19 1/4	24
CA00-JA030	-AA1*	16 1/2	21	16 1/4	20 1/4	14 3/4	19 1/4	20	CA00-JA034	-AB1*	19 1/2	21	17 3/8	20 1/4	17 3/8	19 1/4	24
	-AA*	16 1/2	21	16 1/4	20 1/4	14 3/4	19 1/4	20		-AB1*	19 1/2	21	18 1/4	20 1/4	18 1/4	19 1/4	24
	-AB*	17 1/2	21	17 1/8	20 1/4	17 3/8	19 1/4	20		-AC	21	21	19 3/4	20 1/4	19 1/4	19 1/4	24
CA00-JA042	-AA1*	18 1/2	21	18 1/4	20 1/4	16 3/4	19 1/4	20	CA00-JA046	-AB1*	22 3/4	21	21 1/2	20 1/4	21	19 1/4	24
	-AA*	18 1/2	21	18 1/4	20 1/4	16 3/4	19 1/4	20		-AB1*	22 3/4	21	22 3/4	20 1/4	21 3/4	19 1/4	24
	-AB*	19 1/2	21	19 1/4	20 1/4	17 3/8	19 1/4	20		-AC	24 1/2	21	23 1/4	20 1/4	22 3/4	19 1/4	24
CA00-JA061	-AA1*	19 1/2	21	19 1/4	20 1/4	17 3/8	19 1/4	20	CA00-JA065	-AB1*	23 1/2	21	22 3/4	20 1/4	21 3/4	19 1/4	24
	-AA*	19 1/2	21	19 1/4	20 1/4	17 3/8	19 1/4	20		-AB1*	23 1/2	21	23 1/4	20 1/4	22 3/4	19 1/4	24
	-AB*	20 1/2	21	20 1/4	20 1/4	18 3/4	19 1/4	20		-AC	25 1/2	21	24 1/4	20 1/4	23 3/4	19 1/4	24
CA00-JA071	-AA1*	20 1/2	21	20 1/4	20 1/4	18 3/4	19 1/4	20	CA00-JA075	-AB1*	24 1/2	21	24 1/4	20 1/4	23 3/4	19 1/4	24
	-AA*	20 1/2	21	20 1/4	20 1/4	18 3/4	19 1/4	20		-AB1*	24 1/2	21	24 1/4	20 1/4	23 3/4	19 1/4	24
	-AB*	21 1/2	21	21 1/4	20 1/4	19 3/4	19 1/4	20		-AC	26 1/2	21	25 1/4	20 1/4	24 3/4	19 1/4	24
CA00-JA082	-AA1*	21 1/2	21	21 1/4	20 1/4	19 3/4	19 1/4	20	CA00-JA086	-AB1*	25 1/2	21	25 1/4	20 1/4	24 3/4	19 1/4	24
	-AA*	21 1/2	21	21 1/4	20 1/4	19 3/4	19 1/4	20		-AB1*	25 1/2	21	25 1/4	20 1/4	24 3/4	19 1/4	24
	-AB*	22 1/2	21	22 1/4	20 1/4	20 3/4	19 1/4	20		-AC	27 1/2	21	26 1/4	20 1/4	25 3/4	19 1/4	24
CA00-JA093	-AA1*	22 1/2	21	22 1/4	20 1/4	20 3/4	19 1/4	20	CA00-JA097	-AB1*	26 1/2	21	26 1/4	20 1/4	25 3/4	19 1/4	24
	-AA*	22 1/2	21	22 1/4	20 1/4	20 3/4	19 1/4	20		-AB1*	26 1/2	21	26 1/4	20 1/4	25 3/4	19 1/4	24
	-AB*	23 1/2	21	23 1/4	20 1/4	21 3/4	19 1/4	20		-AC	28 1/2	21	27 1/4	20 1/4	26 3/4	19 1/4	24
CA00-JA102	-AA1*	23 1/2	21	23 1/4	20 1/4	21 3/4	19 1/4	20	CA00-JA106	-AB1*	27 1/2	21	27 1/4	20 1/4	26 3/4	19 1/4	24
	-AA*	23 1/2	21	23 1/4	20 1/4	21 3/4	19 1/4	20		-AB1*	27 1/2	21	27 1/4	20 1/4	26 3/4	19 1/4	24
	-AB*	24 1/2	21	24 1/4	20 1/4	22 3/4	19 1/4	20		-AC	29 1/2	21	28 1/4	20 1/4	27 3/4	19 1/4	24
CA00-JA103	-AA1*	24 1/2	21	24 1/4	20 1/4	22 3/4	19 1/4	20	CA00-JA107	-AB1*	28 1/2	21	28 1/4	20 1/4	27 3/4	19 1/4	24
	-AA*	24 1/2	21	24 1/4	20 1/4	22 3/4	19 1/4	20		-AB1*	28 1/2	21	28 1/4	20 1/4	27 3/4	19 1/4	24
	-AB*	25 1/2	21	25 1/4	20 1/4	23 3/4	19 1/4	20		-AC	30 1/2	21	29 1/4	20 1/4	28 3/4	19 1/4	24
CA00-JA104	-AA1*	25 1/2	21	25 1/4	20 1/4	23 3/4	19 1/4	20	CA00-JA108	-AB1*	29 1/2	21	29 1/4	20 1/4	28 3/4	19 1/4	24
	-AA*	25 1/2	21	25 1/4	20 1/4	23 3/4	19 1/4	20		-AB1*	29 1/2	21	29 1/4	20 1/4	28 3/4	19 1/4	24
	-AB*	26 1/2	21	26 1/4	20 1/4	24 3/4	19 1/4	20		-AC	31 1/2	21	30 1/4	20 1/4	29 3/4	19 1/4	24
CA00-JA105	-AA1*	26 1/2	21	26 1/4	20 1/4	24 3/4	19 1/4	20	CA00-JA110	-AB1*	30 1/2	21	30 1/4	20 1/4	29 3/4	19 1/4	24
	-AA*	26 1/2	21	26 1/4	20 1/4	24 3/4	19 1/4	20		-AB1*	30 1/2	21	30 1/4	20 1/4	29 3/4	19 1/4	24
	-AB*	27 1/2	21	27 1/4	20 1/4	25 3/4	19 1/4	20		-AC	32 1/2	21	31 1/4	20 1/4	30 3/4	19 1/4	24
CA00-JA106	-AA1*	27 1/2	21	27 1/4	20 1/4	25 3/4	19 1/4	20	CA00-JA114	-AB1*	31 1/2	21	31 1/4	20 1/4	30 3/4	19 1/4	24
	-AA*	27 1/2	21	27 1/4	20 1/4	25 3/4	19 1/4	20		-AB1*	31 1/2	21	31 1/4	20 1/4	30 3/4	19 1/4	24
	-AB*	28 1/2	21	28 1/4	20 1/4	26 3/4	19 1/4	20		-AC	33 1/2	21	32 1/4	20 1/4	31 3/4	19 1/4	24
CA00-JA107	-AA1*	28 1/2	21	28 1/4	20 1/4	26 3/4	19 1/4	20	CA00-JA117	-AB1*	32 1/2	21	32 1/4	20 1/4	31 3/4	19 1/4	24
	-AA*	28 1/2	21	28 1/4	20 1/4	26 3/4	19 1/4	20		-AB1*	32 1/2	21	32 1/4	20 1/4	31 3/4	19 1/4	24
	-AB*	29 1/2	21	29 1/4	20 1/4	27 3/4	19 1/4	20		-AC	34 1/2	21	33 1/4	20 1/4	32 3/4	19 1/4	24
CA00-JA108	-AA1*	29 1/2	21	29 1/4	20 1/4	27 3/4	19 1/4	20	CA00-JA119	-AB1*	33 1/2	21	33 1/4	20 1/4	32 3/4	19 1/4	24
	-AA*	29 1/2	21	29 1/4	20 1/4	27 3/4	19 1/4	20		-AB1*	33 1/2	21	33 1/4	20 1/4	32 3/4	19 1/4	24
	-AB*	30 1/2	21	30 1/4	20 1/4	28 3/4	19 1/4	20		-AC	35 1/2	21	34 1/4	20 1/4	33 3/4	19 1/4	24
CA00-JA109	-AA1*	30 1/2	21	30 1/4	20 1/4	28 3/4	19 1/4	20	CA00-JA121	-AB1*	34 1/2	21	34 1/4	20 1/4	33 3/4	19 1/4	24
	-AA*	30 1/2	21	30 1/4	20 1/4	28 3/4	19 1/4	20		-AB1*	34 1/2	21	34 1/4	20 1/4	33 3/4	19 1/4	24
	-AB*	31 1/2	21	31 1/4	20 1/4	29 3/4	19 1/4	20		-AC	36 1/2	21	35 1/4	20 1/4	34 3/4	19 1/4	24
CA00-JA110	-AA1*	31 1/2	21	31 1/4	20 1/4	29 3/4	19 1/4	20	CA00-JA122	-AA1*	34 1/2	21	34 1/4	20 1/4	33 3/4	19 1/4	24
	-AA*	31 1/2	21	31 1/4	20 1/4	29 3/4	19 1/4	20		-AA*	34 1/2	21	34 1/4	20 1/4	33 3/4	19 1/4	24
	-AB*	32 1/2	21	32 1/4	20 1/4	30 3/4	19 1/4	20		-AB*	35 1/2	21	35 1/4	20 1/4	34 3/4	19 1/4	24
CA00-JA111	-AA1*	32 1/2	21	32 1/4	20 1/4	30 3/4	19 1/4	20	CA00-JA123	-AA1*	35 1/2	21	35 1/4	20 1/4	34 3/4	19 1/4	24
	-AA*	32 1/2	21	32 1/4	20 1/4	30 3/4	19 1/4	20		-AA*	35 1/2	21	35 1/4	20 1/4	34 3/4	19 1/4	24
	-AB*	33 1/2	21	33 1/4	20 1/4	31 3/4	19 1/4	20		-AB*	36 1/2	21	36 1/4	20 1/4	35 3/4	19 1/4	24
CA00-JA112	-AA1*	33 1/2	21	33 1/4	20 1/4	31 3/4	19 1/4	20	CA00-JA124	-AA1*	36 1/2	21	36 1/4	20 1/4	35 3/4	19 1/4	24
	-AA*	33 1/2	21	33 1/4	20 1/4	31 3/4	19 1/4	20		-AA*	36 1/2	21	36 1/4	20 1/4	35 3/4	19 1/4	24
	-AB*	34 1/2	21	34 1/4	20 1/4	32 3/4	19 1/4	20		-AB*	37 1/2	21	37 1/4	20 1/4	36 3/4	19 1/4	24
CA00-JA113	-AA1*	34 1/2	21	34 1/4	20 1/4	32 3/4	19 1/4	20	CA00-JA125	-AA1*	37 1/2	21	37 1/4	20 1/4	36 3/4	19 1/4	24
	-AA*	34 1/2	21	34 1/4	20 1/4	32 3/4	19 1/4	20		-AA*	37 1/2	21	37 1/4	20 1/4	36 3/4	19 1/4	24
	-AB*	35 1/2	21	35 1/4	20 1/4	33 3/4	19 1/4	20		-AB*	38 1/2	21	38 1/4	20 1/4	37 3/4	19 1/4	24
CA00-JA114	-AA1*	35 1/2	21	35 1/4	20 1/4	33 3/4	19 1/4	20	CA00-JA126	-AA1*	38 1/2	21	38 1/4	20 1/4	37 3/4	19 1/4	24
	-AA*	35 1/2	21	35 1/4	20 1/4	33 3/4	19 1/4	20		-AA*	38 1/2	21	38 1/4	20 1/4	37 3/4	19 1/4	24
	-AB*	36 1/2	21	36 1/4	20 1/4	34 3/4	19 1/4	20		-AB*	39 1/2	21	39 1/4	20 1/4	38 3/4	19 1/4	24
CA00-JA115	-AA1*	36 1/2	21	36 1/4	20 1/4	34 3/4	19 1/4	20	CA00-JA127	-AA1*	39 1/2	21	39 1/4	20 1/4	38 3/4	19 1/4	24
	-AA*	36 1/2	21	36 1/4	20 1/4	34 3/4	19 1/4	20		-AA*	39 1/2	21	39 1/4	20 1/4	38 3/4	19 1/4	24
	-AB*	37 1/2	21	37 1/4	20 1/4	35 3/4	19 1/4	20		-AB*	40 1/2	21	40 1/4	20 1/4	39 3/4	19 1/4	24
CA00-JA116	-AA1*	37 1/2	21	37 1/4	20 1/4	35 3/4	19 1/4	20	CA00-JA128	-AA1*	40 1/2	21	40 1/4	20 1/4	39 3/4	19 1/4	24
	-AA*	37 1/2	21	37 1/4	20 1/4	35 3/4	19 1/4	20		-AA*	40 1/2	21	40 1/4	20 1/4	39 3/4	19 1/4	24
	-AB*	38 1/2	21	38 1/4	20 1/4	36 3/4	19 1/4	20		-AB*	41 1/2	21	41 1/4	20 1/4	40 3/4	19 1/4	24
CA00-JA117	-AA1*	38 1/2	21	38 1/4	20 1/4	36 3/4	19 1/4	20	CA00-JA129	-AA1*	41 1/2	21	41 1/4	20 1/4	40 3/4	19 1/4	24
	-AA*	38 1/2	21	38 1/4	20 1/4	36 3/4	19 1/4	20		-AA*	41 1/2	21	41 1/4	20 1/4	40 3/4	19 1/4	24
	-AB*	39 1/2	21	39 1/4	20 1/4	37 3/4	19 1/4	20		-AB*	42 1/2	21	42 1/4	20 1/4	41 3/4	19 1/4	24
CA00-JA118	-AA1*	39 1/2	21	39 1/4	20 1/4	37 3/4	19 1/4	20	CA00-JA130	-AA1*	42 1/2	21	42 1/4	20 1/4	41 3/4	19 1/4	24
	-AA*	39 1/2	21	39 1/4	20 1/4	37 3/4	19 1/4	20		-AA*	42 1/2	21	42 1/4	20 1/4	41 3/4	19 1/4	24
	-AB*	40 1/2	21	40 1/4	20 1/4	38 3/4	19 1/4	20		-AB*	43 1/2	21	43 1/4	20 1/4	42 3/4	19 1/4	24
CA00-JA119	-AA1*	40 1/2	21	40 1/4	20 1/4	38 3/4	19 1/4	20	CA00-JA131	-AA1*	43 1/2	21	43 1/4	20 1/4	42 3/4	19 1/4	24
	-AA*	40 1/2	21	40 1/4	20 1/4	38 3/4	19 1/4	20		-AA*	43 1/2	21	43 1/4	20 1/4	42 3/4	19 1/4	24
	-AB*	41 10															