Technical Guide: YORK R-410A Outdoor Split-System Heat Pump - YH2E



York International Corporation, 5005 York Drive, Norman, OK 73069

6231800-YTG-B-1122

Supersedes: 6231800-YTG-A-1022

2022-11-07

Contents

Description....7
Certification....7
Features....7
Physical and electrical data....8
Physical and electrical data notes....9
Dimensions....9
System charge....10
System charge table notes....11
Charging....11
System capacity - air handlers....12
Air handler capacity data notes....16
Furnace capacity 1.5 ton....16
Furnace capacity 2 ton....18
Furnace capacity 2.5 ton....19
Furnace capacity 3 ton....20
Furnace capacity 3.5 ton....21
Furnace capacity 4 ton....24
Furnace capacity 5 ton....28
Furnace capacity data notes....31
Applications and accessories....32
Sound power ratings - cooling....33
Sound power ratings - heating....33
Mechanical specifications....35
Typical installation....37
Typical field wiring....38
Alternative installation clearances....42
Performance data - 1.5 ton....43
Condenser only data - 1.5 ton....43
Condenser only data table notes....43
Cooling performance data - 1.5 ton....43
Cooling multipliers for determining the performance with other indoor sections....44
Coil multipliers - 1.5 ton....44
Furnace multipliers - 1.5 ton....44
Heating performance data 1.5 ton....47
Heating multipliers for determining the performance with other indoor sections....47
Coil multipliers - 1.5 ton....47
Furnace multipliers - 1.5 ton....48
Performance data 2 ton....50
Condenser only data - 2 ton....50

Condenser only data table notes..... 50
Cooling performance data - 2 ton..... 51
Cooling multipliers for determining the performance with other indoor sections..... 51
Coil multipliers - 2 ton.....51
Furnace multipliers - 2 ton..... 52
Heating performance data 2 ton..... 53
Heating multipliers for determining the performance with other indoor sections.....53
Coil multipliers - 2 ton.....53
Furnace multipliers - 2 ton..... 53
Performance data 2.5 ton.....54
Condenser only data - 2.5 ton..... 54
Condenser only data table notes..... 54
Cooling performance data - 2.5 ton..... 55
Cooling multipliers for determining the performance with other indoor sections..... 55
Coil multipliers - 2.5 ton.....55
Furnace multipliers - 2.5 ton..... 56
Heating performance data 2.5 ton..... 58
Heating multipliers for determining the performance with other indoor sections.....58
Coil multipliers - 2.5 ton.....58
Furnace multipliers - 2.5 ton..... 59
Performance data 3 ton.....60
Condenser only data - 3 ton..... 60
Condenser only data table notes..... 60
Cooling performance data - 3 ton..... 61
Cooling multipliers for determining the performance with other indoor sections..... 61
Coil multipliers - 3 ton.....61
Furnace multipliers - 3 ton..... 62
Heating performance data 3 ton..... 62
Heating multipliers for determining the performance with other indoor sections.....63
Coil multipliers - 3 ton.....63
Furnace multipliers - 3 ton..... 63
Performance data 3.5 ton.....63
Condenser only data - 3.5 ton..... 63
Condenser only data table notes..... 64
Cooling performance data - 3.5 ton..... 64
Cooling multipliers for determining the performance with other indoor sections..... 64
Coil multipliers - 3.5 ton.....64
Furnace multipliers - 3.5 ton..... 65
Heating performance data 3.5 ton..... 68
Heating multipliers for determining the performance with other indoor sections.....68
Coil multipliers - 3.5 ton.....68
Furnace multipliers - 3.5 ton..... 69

Performance data 4 ton....71
Condenser only data - 4 ton....71
Condenser only data table notes....71
Cooling performance data - 4 ton....72
Cooling multipliers for determining the performance with other indoor sections....72
Coil multipliers - 4 ton....72
Furnace multipliers - 4 ton....73
Heating performance data 4 ton....76
Heating multipliers for determining the performance with other indoor sections....77
Coil multipliers - 4 ton....77
Furnace multipliers - 4 ton....77
Performance data 5 ton....80
Condenser only data - 5 ton....80
Condenser only data table notes....81
Cooling performance data - 5 ton....81
Cooling multipliers for determining the performance with other indoor sections....82
Coil multipliers - 5 ton....82
Furnace multipliers - 5 ton....82
Heating performance data 5 ton....86
Heating multipliers for determining the performance with other indoor sections....86
Coil multipliers - 5 ton....86
Furnace multipliers - 5 ton....87

Description

The YH2E models are part of our successful LX Series split system heat pump lineup. These outdoor units are optimized for 14.3 SEER2/8.2 HSPF2 Minimum Efficiency in all US Regions, and are specifically designed to be matched with YORK® indoor coils, furnaces, and air handlers to provide a complete system solution.

Certification

The units are tested in accordance with the following:

ISO 9001
Certified Quality
Management System

Features

- **Easier installation** - Independent panels provide quick access for unit setup. Installation time is reduced by easy power and control wiring access. All models use TXVs. The filter-drier is shipped loose for installation in the field. The unit is factory-charged for 15 ft refrigeration piping. The small base dimension and reduced unit clearances make for easier retrofits.
- **Accessible information** - QR code on unit provides quick access to technical documents and warranty information.
- **Durable finish** - The coated steel wire fan guard, coated external fasteners, and pre-treated G90-equivalent galvanized steel chassis components resist corrosion and rust creep. Powdercoat paint further protects external panels.
- **Rugged coil protection** - Coils are protected from mechanical damage by a an extruded louver coil guard.
- **Quality coils** - Enhanced aluminum fins are mechanically bonded to copper tubing.
- **Protected compressor** - Compressors are protected internally by a high pressure relief valve and a temperature sensor, and externally by the system high and low pressure switches.
- **Reliable operation** - Ball bearing fan motors provide superior performance in extreme temperatures.
- **Environmentally friendly** - CFC-free R-410A refrigerant delivers environmentally friendly performance with zero ozone depletion.
- **Top discharge** - Warm air is blown up, away from the structure and any landscaping and allows compact location on multi-unit applications.
- **Low operating sound levels** - Developed using CFD and FEA tools, the sturdy cabinet and top design provides sound performance as low as 66 dBA. Compatible accessories for further sound reduction are also available.
- **Better service access** - Diagonal base valves with open access for low-loss fittings, single panel access to the electrical controls, full corner access, and removable fan guard allow easy access for unit maintenance.

- **Agency listed** - Safety certified by CSA to the 4th Edition of UL 1995/CSA 22.2. Performance certified to ANSI/AHRI Standard 210/240 in accordance with the Unitary Small Equipment certification program.

Physical and electrical data

Table 1: Physical and electrical data

Outdoor unit model	YH2E18SB21S	YH2E24TB21S	YH2E30TB21S	YH2E36TB21S	YH2E42TB21S	YH2E48TB21S	YH2E60TB21S
Unit supply voltage	208/230 V, 1 phase, 60 Hz						
Normal voltage range[1]	187—252						
Minimum circuit ampacity	9.1	13.4	15.6	20.3	26.1	26.1	30.3
Maximum overcurrent device (A)[2]	15	20	25	35	45	45	50
Minimum overcurrent device (A)[3]	15	15	20	25	30	30	35
Compressor type	Single-stage scroll	Two-stage scroll	Two-stage scroll	Two-stage scroll	Two-stage scroll	Two-stage scroll	Two-stage scroll
Compressor rated load (A)	6.8	10.2	11.9	15.2	19.8	19.8	23.4
Compressor locked rotor (A)	41.7	55.2	78.0	78.1	94.0	109.0	118.0
Crankcase heater	No	No	No	No	No	No	No
Factory external discharge muffler	Yes	Yes	Yes	Yes	Yes	Yes	Yes
HS kit required with TXV[4]	No	No	No	No	No	No	No
Fan diameter (in.)	18	18	22	24	24	24	26
Fan motor type	PSC	PSC	PSC	PSC	PSC	PSC	PSC
Fan motor rated HP	1/12	1/12	1/8	1/4	1/4	1/4	1/4
Fan motor rated load (A)	0.64	0.64	0.70	1.30	1.30	1.30	1.05
Fan motor nominal RPM	1000	1000	1075	850	850	850	850
Fan motor nominal CFM	2100	2100	3000	3900	4100	4100	4700
Coil face area (sq ft)	13.1	14.5	14.4	18.9	23.1	23.1	31.2
Coil rows deep	1	1	1	1	1	1	1
Coil fins per inch	22	22	22	22	22	22	22

Table 1: Physical and electrical data

Outdoor unit model	YH2E18SB21S	YH2E24TB21S	YH2E30TB21S	YH2E36TB21S	YH2E42TB21S	YH2E48TB21S	YH2E60TB21S
Liquid refrigerant piping outdoor unit (field-installed)	3/8	3/8	3/8	3/8	3/8	3/8	3/8
Vapor refrigerant piping outdoor unit (field-installed)[5]	3/4	3/4	3/4	3/4	7/8	7/8	7/8
Unit charge (lb-oz)[6]	4-8	5-6	5-12	7-4	9-0	8-14	9-10
Charge (oz/ft)	0.62	0.62	0.62	0.62	0.67	0.67	0.67
Operating weight (lb)	134	140	153	183	213	215	242

Physical and electrical data notes

1. Rated in accordance with AHRI Standard 110-2012, utilization range A.
2. Dual element fuses or HACR circuit breaker. Maximum allowable overcurrent protection.
3. Dual element fuses or HACR circuit breaker. Minimum recommended overcurrent protection.
4. Refer to the *Hard Start Kit Accessory Installation Manual* for the hard start kit part number for each model. The hard start kit is a field-installed accessory.
5. For applications with non-standard vapor line sizes, see the *Applications and accessories* section.
6. The unit charge is correct for the outdoor unit, smallest matched indoor unit, and 15 ft of refrigerant tubing. For tubing lengths other than 15 ft, add or subtract the amount of refrigerant, using the difference in actual refrigerant piping length (not the equivalent length) multiplied by the per foot value.

Dimensions

Table 2: Dimensions


Unit model	Dimensions (in.)			Refrigerant connection service valve size (in.)	
	A	B	C	Liquid	Valve
YH2E18SB21S	33 1/4	24	24	3/8	3/4
YH2E24TB21S	36 1/4	24	24		
YH2E30TB21S	30	29 1/4	29 1/4		
YH2E36TB21S	33 1/4	35 1/4	31 3/4		
YH2E42TB21S	39 1/2	35 1/4	31 3/4		7/8
YH2E48TB21S	39 1/2	35 1/4	31 3/4		
YH2E60TB21S	46	38	34 1/4		

Note:

- All dimensions are in inches and are subject to change without notice.

- Overall height is from the bottom of the base pan to the top of the fan guard.
- Overall length and width include screw heads.

Figure 1: Dimensions



System charge

Table 3: System charge for various matched systems

Charge adjustment	Upflow or horizontal left							Downflow or horizontal right[1]						
Outdoor unit model	18	24	30	36	42	48	60	18	24	30	36	42	48	60
Required indoor metering device[23]	BA1	BA1	BA1	BC1	BC1	BC1	BC1	BA1	BA1	BA1	BC1	BC1	BC1	BC1
Indoor unit[456]	Additional charge (oz)													
XAF*24B	0	—	—	—	—	—	—	-4	—	—	—	—	—	—
XAF*30C	2	0	—	—	—	—	—	-5	-10	—	—	—	—	—
XAF*36D	—	—	0	0	—	—	—	—	—	-4	-12	—	—	—
XAF*48F	—	—	—	—	0	—	—	—	—	—	—	-7	—	—
XAF*60G	—	—	—	—	0	0	—	—	—	—	—	-5	-2	—
XAF*60H	—	—	—	—	—	2	0	—	—	—	—	—	-10	0
XAF*60J	—	—	—	—	—	—	8	—	—	—	—	—	—	11
XAH*24B	0	—	—	—	—	—	—	-4	—	—	—	—	—	—
XAH*30C	2	0	—	—	—	—	—	-5	-10	—	—	—	—	—
XAH*36D	—	—	0	0	—	—	—	—	—	-4	-12	—	—	—
XAH*48F	—	—	—	—	0	—	—	—	—	—	—	-7	—	—
XAH*60G	—	—	—	—	0	0	—	—	—	—	—	-5	-2	—
XAH*60H	—	—	—	—	—	2	0	—	—	—	—	—	-10	0
XAH*60J	—	—	—	—	—	—	8	—	—	—	—	—	—	11
JHET*18B	0	—	—	—	—	—	—	-4	—	—	—	—	—	—
JHET*24C	2	0	—	—	—	—	—	-5	-10	—	—	—	—	—
JHET*30D	—	—	0	—	—	—	—	—	—	-4	—	—	—	—
JHET*36D	—	—	0	0	—	—	—	—	—	-4	-12	—	—	—
JHET*42F	—	—	—	—	0	—	—	—	—	—	—	-7	—	—
JHET*48G	—	—	—	—	0	0	—	—	—	—	—	-5	-2	—
JHET*60H	—	—	—	—	—	2	0	—	—	—	—	—	-10	0
JHET*60J	—	—	—	—	—	—	8	—	—	—	—	—	—	11
JHVT*18B	0	—	—	—	—	—	—	-4	—	—	—	—	—	—
JHVT*24C	2	0	—	—	—	—	—	-5	-10	—	—	—	—	—
JHVT*36D	—	—	0	0	—	—	—	—	—	-4	-12	—	—	—
JHVT*42F	—	—	—	—	0	—	—	—	—	—	—	-7	—	—
JHVT*48G	—	—	—	—	0	0	—	—	—	—	—	-5	-2	—

Table 3: System charge for various matched systems

Charge adjustment	Upflow or horizontal left							Downflow or horizontal right[1]						
Outdoor unit model	**18**	**24**	**30**	**36**	**42**	**48**	**60**	**18**	**24**	**30**	**36**	**42**	**48**	**60**
Required indoor metering device[23]	**BA1**	**BA1**	**BA1**	**BC1**	**BC1**	**BC1**	**BC1**	**BA1**	**BA1**	**BA1**	**BC1**	**BC1**	**BC1**	**BC1**
Indoor unit[456]	**Additional charge (oz)**													
JHVT*60H	—	—	—	—	—	2	0	—	—	—	—	—	-10	0
JHVT*60J	—	—	—	—	—	—	8	—	—	—	—	—	—	11

System charge table notes

1. A minus number indicates that you remove that charge.
2. For applications that require a TXV, use S1-1TVM*** series kit.
3. Use a TXV kit with these indoor units to obtain system performance.
4. Systems matched with furnaces or air handlers not equipped with blower-off delays may require blower time delay.
5. Do not use XAF or XAU coils in horizontal applications.
6. Charge adders shown above do not indicate that coils are rated for every application. See the performance data tables for actual performance for specified system matches. Obtain certified system ratings from http://www.ahridirectory.org.

Charging

1. Check the factory unit charge listed on the unit nameplate to verify the refrigerant charge for the outdoor unit, the smallest matched indoor unit, and the 15 ft of interconnecting refrigeration piping.
2. Verify the indoor metering device and additional charge required for the specific matched indoor unit in the system using Table 3.
3. Add additional charge for the amount of interconnecting refrigeration piping greater than 15 ft at the rate specified in Table 1.
4. For installations requiring additional charge, weigh in refrigerant for the specific matching indoor unit and actual refrigeration piping length.
5. After weighing in the charge adders for the matched indoor unit and refrigeration piping, verify the system operation against the temperatures and pressures in the charging chart for the outdoor unit. Locate the charging charts on the outdoor unit and in the *Service Data Application Guide* on www.simplygettingthejobdone.com. Follow the subcool or superheat charging procedure in the *Installation Manual* according to the type of indoor metering device in the system, and allow 10 min after each charge adjustment for the system operation to stabilize. Record the charge adjustment made to match the charging chart.
6. Permanently stamp the unit nameplate with the total system charge defined as follows: total system charge = base charge (as shipped) + charge adder for matched indoor unit + charge adder for actual refrigeration piping length + charge adjustments to match the charging chart.

System capacity - air handlers

Table 4: System capacity - air handlers

Unit model	Air handler model	Width (in.)	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER 2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E18SB21	JHETB18BXXS2N1	17.5	—	—	575	16.7	13.5	14.30	12.00	16.3	9.7	7.50	5.75	3.58	2.34
YH2E18SB21	JHETB18BXXS2N1	17.5	—	—	650	17.0	14.6	14.30	12.00	16.5	9.8	7.50	5.85	3.70	2.40
YH2E18SB21	JHETB18BXXS2N1	17.5	—	—	725	17.3	15.6	14.30	12.00	16.8	10.0	7.50	5.95	3.80	2.46
YH2E18SB21	JHETB24CXXS2N1	17.5	—	—	575	16.7	13.5	14.30	12.00	16.2	9.7	7.50	5.65	3.62	2.34
YH2E18SB21	JHETB24CXXS2N1	17.5	—	—	750	17.2	14.5	14.30	12.00	16.0	11.8	7.50	5.75	3.76	2.84
YH2E18SB21	JHVTB18BXXC2N1	17.5	—	—	525	16.5	12.8	14.30	12.00	16.1	9.5	7.50	5.65	3.50	2.30
YH2E18SB21	JHVTB18BXXC2N1	17.5	—	—	550	16.6	13.3	14.30	12.00	16.2	9.6	7.50	5.70	3.54	2.32
YH2E18SB21	JHVTB18BXXC2N1	17.5	—	—	575	16.7	13.5	14.30	12.00	16.3	9.6	7.50	5.75	3.58	2.34
YH2E18SB21	JHVTB18BXXC2N1	17.5	—	—	625	16.9	14.2	14.30	12.00	16.4	9.8	7.50	5.90	3.66	2.38
YH2E18SB21	JHVTB18BXXC2N1	17.5	—	—	675	17.1	14.9	14.30	12.00	16.6	9.9	7.50	5.90	3.74	2.42
YH2E18SB21	JHVTB18BXXC2N1	17.5	—	—	725	17.3	15.6	14.30	12.00	16.8	10.0	7.50	5.95	3.82	2.46
YH2E18SB21	JHVTB24CXXC2N1	17.5	—	—	500	16.9	11.9	14.30	12.00	15.8	9.8	7.50	5.70	3.66	2.48
YH2E18SB21	JHVTB24CXXC2N1	17.5	—	—	550	17.1	12.4	14.30	12.00	15.9	9.8	7.50	5.80	3.74	2.52
YH2E18SB21	JHVTB24CXXC2N1	17.5	—	—	600	17.3	12.9	14.30	12.00	16.1	9.9	7.50	5.75	3.82	2.54
YH2E18SB21	JHVTB24CXXC2N1	17.5	—	—	625	17.4	13.2	14.30	12.00	16.2	10.0	7.50	5.80	3.86	2.54
YH2E18SB21	JHVTB24CXXC2N1	17.5	—	—	650	17.5	13.4	14.30	12.00	16.3	10.0	7.50	5.85	3.90	2.56
YH2E18SB21	JHVTB24CXXC2N1	17.5	—	—	700	17.5	13.9	14.30	12.00	16.5	10.1	7.50	5.90	3.96	2.58
YH2E18SB21	JMET08BS2N1	17.5	XAFB24BXXN1	—	550	16.6	13.3	14.30	12.00	16.2	9.6	7.50	5.70	3.54	2.32
YH2E18SB21	JMET08BS2N1	17.5	XAFB24BXXN1	—	650	17.0	14.6	14.30	12.00	16.5	9.8	7.50	5.85	3.70	2.40
YH2E18SB21	JMET08BS2N1	17.5	XAFB24BXXN1	—	725	17.3	15.6	14.30	12.00	16.8	10.0	7.50	5.95	3.82	2.46
YH2E18SB21	JMET08BS2N1	17.5	XAFB30CXXN1	—	450	16.7	11.5	14.30	12.00	15.6	9.7	7.50	5.65	3.60	2.46
YH2E18SB21	JMET08BS2N1	17.5	XAFB30CXXN1	—	550	17.1	12.4	14.30	12.00	15.9	9.9	7.50	5.80	3.74	2.52
YH2E18SB21	JMET08BS2N1	17.5	XAFB30CXXN1	—	650	17.5	13.4	14.30	12.00	16.3	10.0	7.50	5.85	3.90	2.56
YH2E18SB21	JMET08BS2N1	17.5	XAFB30CXXN1	—	725	17.5	14.0	14.30	12.00	16.6	10.2	7.50	5.95	4.00	2.58
YH2E18SB21	JMET08BS2N1	17.5	XAHB24BXXN1	—	550	17.4	13.0	14.30	12.00	16.1	9.6	7.50	5.65	3.54	2.34
YH2E18SB21	JMET08BS2N1	17.5	XAHB24BXXN1	—	625	17.4	13.9	14.30	12.00	16.4	9.8	7.50	5.75	3.76	2.84
YH2E18SB21	JMET08BS2N1	17.5	XAHB24BXXN1	—	700	17.4	14.7	14.30	12.00	16.7	10.0	7.50	5.80	3.76	2.84
YH2E18SB21	JMET08BS2N1	17.5	XAHB30CXXN1	—	700	17.5	15.5	14.30	12.00	15.9	9.6	7.50	5.55	3.82	2.44
YH2E18SB21	JMVT12BC2N1	17.5	XAFB24BXXN1	—	525	16.4	12.8	14.30	12.00	16.1	9.6	7.50	5.65	3.76	2.84
YH2E18SB21	JMVT12BC2N1	17.5	XAFB24BXXN1	—	600	16.8	13.9	14.30	12.00	16.4	9.7	7.50	5.80	3.76	2.84
YH2E18SB21	JMVT12BC2N1	17.5	XAFB24BXXN1	—	650	17.0	14.6	14.30	12.00	16.5	9.8	7.50	5.85	3.76	2.84
YH2E18SB21	JMVT12BC2N1	17.5	XAFB24BXXN1	—	725	17.3	15.6	14.30	12.00	16.8	10.0	7.50	5.95	3.76	2.84
YH2E18SB21	JMVT12BC2N1	17.5	XAFB30CXXN1	—	500	16.9	11.9	14.30	12.00	15.8	9.8	7.50	5.70	3.66	2.48
YH2E18SB21	JMVT12BC2N1	17.5	XAFB30CXXN1	—	525	17.0	12.2	14.30	12.00	15.9	9.8	7.50	5.75	3.68	2.48
YH2E18SB21	JMVT12BC2N1	17.5	XAFB30CXXN1	—	575	17.2	12.7	14.30	12.00	16.0	9.9	7.50	5.85	3.76	2.52
YH2E18SB21	JMVT12BC2N1	17.5	XAFB30CXXN1	—	650	17.5	13.4	14.30	12.00	16.3	10.0	7.50	5.85	3.90	2.56
YH2E18SB21	JMVT12BC2N1	17.5	XAFB30CXXN1	—	725	17.5	14.0	14.30	12.00	16.5	10.1	7.50	5.95	4.02	2.60
YH2E18SB21	JMVT12BC2N1	17.5	XAHB24BXXN1	—	600	17.4	13.4	14.30	12.00	16.3	9.8	7.50	5.70	3.76	2.84
YH2E18SB21	JMVT12BC2N1	17.5	XAHB24BXXN1	—	650	17.4	14.1	14.30	12.00	16.5	9.9	7.50	5.80	3.76	2.84
YH2E18SB21	JMVT12BC2N1	17.5	XAHB24BXXN1	—	725	17.4	15.1	14.30	12.00	16.8	10.0	7.50	5.85	3.76	2.84
YH2E18SB21	JMVT12BC2N1	17.5	XAHB30CXXN1	—	650	17.5	14.8	14.30	12.00	15.8	9.5	7.50	5.45	3.74	2.40
YH2E18SB21	JMVT12BC2N1	17.5	XAHB30CXXN1	—	725	17.5	15.8	14.30	12.00	16.0	9.7	7.50	5.55	3.86	2.48

Table 4: System capacity - air handlers

Unit model	Air handler model	Width (in.)	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER 2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E24TB21S	JHETB24CXXS2N1	17.5	—	1	550	20.40	14.00	14.30	20.55	16.30	15.40	7.50	6.00	3.46	2.70
YH2E24TB21S	JHETB24CXXS2N1	17.5	—	2	800	23.60	17.80		11.00	22.00	15.40	7.50	6.00	3.58	2.70
YH2E24TB21S	JHVTB24CXXC2N1	17.5	—	1	700	21.60	15.80	14.30	20.65	16.10	14.30	7.50	5.95	3.46	2.46
YH2E24TB21S	JHVTB24CXXC2N1	17.5	—	2	850	23.60	17.50		11.00	22.80	14.30	7.50	5.95	3.64	2.46
YH2E24TB21S	JMET08BS2N1A	17.5	XAF/XAUB30C	1	600	21.00	14.80	14.30	20.70	15.80	14.00	7.50	6.05	3.28	2.42
YH2E24TB21S	JMET08BS2N1A	17.5	XAF/XAUB30C	2	725	23.60	16.80		11.00	22.40	14.00	7.50	6.05	3.54	2.42
YH2E24TB21S	JMET08BS2N1A	17.5	XAHB30C	1	600	21.60	16.30	14.30	21.35	15.80	13.80	7.50	6.10	3.26	2.42
YH2E24TB21S	JMET08BS2N1A	17.5	XAHB30C	2	700	23.60	17.60		11.00	21.80	13.80	7.50	6.10	3.44	2.42
YH2E24TB21S	JMVT12BC2N1A	17.5	XAF/XAUB30C	1	725	21.60	15.90	14.30	20.55	16.20	14.20	7.50	5.95	3.48	2.46
YH2E24TB21S	JMVT12BC2N1A	17.5	XAF/XAUB30C	2	825	23.60	17.40		11.00	22.60	14.20	7.50	5.95	3.64	2.46
YH2E24TB21S	JMVT12BC2N1A	17.5	XAHB30C	1	725	22.40	18.20	14.30	21.35	16.30	14.10	7.50	5.95	3.48	2.48
YH2E24TB21S	JMVT12BC2N1A	17.5	XAHB30C	2	825	23.60	18.90		11.00	22.20	14.10	7.50	5.95	3.60	2.48
YH2E30TB21S	JHETB30DXXS2N1	17.5	—	1	675	26.20	18.00	14.30	20.75	20.00	16.90	7.50	5.95	3.58	2.44
YH2E30TB21S	JHETB30DXXS2N1	17.5	—	2	950	29.20	21.20		11.00	27.60	16.90	7.50	5.95	3.66	2.44
YH2E30TB21S	JHETC36DXXS2N1	21.0	—	1	850	26.00	18.90	14.30	20.55	19.50	19.20	7.50	5.95	3.68	2.78
YH2E30TB21S	JHETC36DXXS2N1	21.0	—	2	1225	29.20	23.00		11.00	26.80	19.20	7.50	5.95	3.64	2.78
YH2E30TB21S	JHVTB36DXXC2N1	17.5	—	1	825	27.20	19.80	14.30	20.60	20.60	17.00	7.50	5.90	3.74	2.44
YH2E30TB21S	JHVTB36DXXC2N1	17.5	—	2	1000	29.20	21.60		11.00	27.80	17.00	7.50	5.90	3.66	2.44
YH2E30TB21S	JHVTC36DXXC2N1	21.0	—	1	675	26.20	18.00	14.30	21.15	19.90	16.80	7.50	5.90	3.62	2.50
YH2E30TB21S	JHVTC36DXXC2N1	21.0	—	2	1050	29.20	22.00		11.00	27.60	16.80	7.50	5.90	3.80	2.50
YH2E30TB21S	JMET12BS2N1A	17.5	XAF/XAUB30C	1	625	26.00	17.50	14.30	21.15	19.80	17.30	7.50	5.90	3.54	2.46
YH2E30TB21S	JMET12BS2N1A	17.5	XAF/XAUB30C	2	1175	29.20	22.60		11.00	28.20	17.30	7.50	5.90	3.78	2.46
YH2E30TB21S	JMET12CS2N1A	21.0	XAFC36D	1	700	26.40	18.30	14.30	20.95	20.20	16.70	7.50	5.95	3.62	2.44
YH2E30TB21S	JMET12CS2N1A	21.0	XAFC36D	2	925	29.20	21.00		11.00	27.40	16.70	7.50	5.95	3.68	2.44
YH2E30TB21S	JMET12CS2N1A	21.0	XAHC36D	1	675	25.00	19.10	14.30	19.80	20.00	16.70	7.50	6.00	3.58	2.42
YH2E30TB21S	JMET12CS2N1A	21.0	XAHC36D	2	925	28.20	22.80		11.00	26.00	16.70	7.50	6.00	3.46	2.42
YH2E30TB21S	JMVT12BC2N1A	17.5	XAF/XAUB30C	1	775	26.80	19.10	14.30	20.95	20.40	16.80	7.50	5.90	3.70	2.46
YH2E30TB21S	JMVT12BC2N1A	17.5	XAF/XAUB30C	2	1000	29.20	21.60		11.00	27.60	16.80	7.50	5.90	3.72	2.46
YH2E30TB21S	JMVT12BC2N1A	17.5	XAHB36D	1	650	24.80	18.60	14.30	19.70	19.90	17.10	7.50	5.95	3.56	2.42
YH2E30TB21S	JMVT12BC2N1A	17.5	XAHB36D	2	1050	28.60	24.60		10.50	26.40	17.10	7.50	5.95	3.48	2.42
YH2E30TB21S	JMVT16CC2N1A	21.0	XAFC36D	1	700	26.40	18.30	14.30	21.00	20.00	17.00	7.50	5.90	3.64	2.48
YH2E30TB21S	JMVT16CC2N1A	21.0	XAFC36D	2	1075	29.20	22.00		11.00	27.80	17.00	7.50	5.90	3.76	2.48
YH2E30TB21S	JMVT16CC2N1A	21.0	XAHC36D	1	700	25.00	19.40	14.30	19.90	20.00	17.00	7.50	5.95	3.64	2.46
YH2E30TB21S	JMVT16CC2N1A	21.0	XAHC36D	2	1075	29.00	25.40		11.00	26.40	17.00	7.50	5.95	3.54	2.46
YH2E36TB21S	JHETB36DXXS2N1	17.5	—	1	850	30.40	21.20	14.30	20.10	24.80	22.60	7.50	6.00	3.44	2.46
YH2E36TB21S	JHETB36DXXS2N1	17.5	—	2	1375	35.00	26.40		10.50	33.20	22.60	7.50	6.00	3.30	2.46
YH2E36TB21S	JHETC36DXXS2N1	21.0	—	1	875	30.20	21.40	14.30	20.70	24.00	22.60	7.50	6.00	3.42	2.64
YH2E36TB21S	JHETC36DXXS2N1	21.0	—	2	1200	35.00	26.20		11.00	32.60	22.60	7.50	6.00	3.42	2.64
YH2E36TB21S	JHVTB36DXXC2N1	17.5	—	1	775	30.00	20.40	14.30	20.15	24.40	22.40	7.50	6.05	3.40	2.44
YH2E36TB21S	JHVTB36DXXC2N1	17.5	—	2	1300	35.00	26.00		10.50	33.20	22.40	7.50	6.05	3.28	2.44
YH2E36TB21S	JHVTC36DXXC2N1	21.0	—	1	850	30.40	21.20	14.30	20.45	24.60	21.80	7.50	5.95	3.48	2.54
YH2E36TB21S	JHVTC36DXXC2N1	21.0	—	2	1275	35.00	26.00		11.00	32.60	21.80	7.50	5.95	3.42	2.54
YH2E36TB21S	JMET12CS2N1A	21.0	XAFC36D	1	825	30.20	20.80	14.30	20.25	24.60	22.00	7.50	5.95	3.42	2.50
YH2E36TB21S	JMET12CS2N1A	21.0	XAFC36D	2	1300	35.00	26.20		11.00	32.80	22.00	7.50	5.95	3.36	2.50
YH2E36TB21S	JMET12CS2N1A	21.0	XAHC36D	1	725	29.20	19.90	14.30	19.80	24.40	20.80	7.50	6.00	3.32	2.40
YH2E36TB21S	JMET12CS2N1A	21.0	XAHC36D	2	1100	34.40	25.00		11.00	33.00	20.80	7.50	6.00	3.44	2.40
YH2E36TB21S	JMET16CS2N1A	21.0	XAFC36D	1	800	30.00	20.40	14.30	20.05	24.60	21.60	7.50	6.00	3.40	2.48
YH2E36TB21S	JMET16CS2N1A	21.0	XAFC36D	2	1125	34.80	25.00		11.00	32.80	21.60	7.50	6.00	3.36	2.48
YH2E36TB21S	JMET16CS2N1A	21.0	XAHC36D	1	800	29.60	20.80	14.30	19.85	24.60	20.80	7.50	6.05	3.38	2.40
YH2E36TB21S	JMET16CS2N1A	21.0	XAHC36D	2	1125	34.60	25.40		11.00	33.00	20.80	7.50	6.05	3.44	2.40
YH2E36TB21S	JMVT12BC2N1A	17.5	XAF/XAUB36D	1	750	29.80	20.00	14.30	20.05	24.40	22.20	7.50	6.00	3.36	2.46
YH2E36TB21S	JMVT12BC2N1A	17.5	XAF/XAUB36D	2	1275	35.00	26.00		11.00	33.00	22.20	7.50	6.00	3.32	2.46
YH2E36TB21S	JMVT16CC2N1A	21.0	XAFC36D	1	775	30.00	20.40	14.30	20.15	24.60	22.00	7.50	5.95	3.40	2.52
YH2E36TB21S	JMVT16CC2N1A	21.0	XAFC36D	2	1300	35.00	26.20		11.00	32.60	22.00	7.50	5.95	3.40	2.52
YH2E36TB21S	JMVT16CC2N1A	21.0	XAHC36D	1	775	29.60	20.60	14.30	19.80	24.60	20.80	7.50	6.00	3.38	2.40
YH2E36TB21S	JMVT16CC2N1A	21.0	XAHC36D	2	1200	34.80	26.00		11.00	33.20	20.80	7.50	6.00	3.50	2.40
YH2E42TB21S	JHETC42FXXS2N1	21.0	—	1	825	34.20	23.00	14.30	20.35	28.00	26.60	7.50	5.95	3.18	2.48
YH2E42TB21S	JHETC42FXXS2N1	21.0	—	2	1325	40.00	29.20		11.00	41.00	26.60	7.50	5.95	3.50	2.48
YH2E42TB21S	JHETC48GXXS2N1	21.0	—	1	1150	34.60	25.60	14.30	20.30	28.40	29.80	7.50	5.85	3.70	2.92
YH2E42TB21S	JHETC48GXXS2N1	21.0	—	2	1625	39.00	31.20		11.00	38.00	29.80	7.50	5.85	3.60	2.92
YH2E42TB21S	JHETD48GXXS2N1	24.5	—	1	925	34.40	23.60	14.30	20.95	27.80	26.40	7.50	5.85	3.40	2.62
YH2E42TB21S	JHETD48GXXS2N1	24.5	—	2	1625	41.50	32.40		11.00	40.00	26.40	7.50	5.85	3.66	2.62

Table 4: System capacity - air handlers

Unit model	Air handler model	Width (in.)	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER 2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E42TB21S	JHVTC42FXXC2N1	21.0	—	1	875	34.60	23.80	14.30	20.55	28.00	26.80	7.50	5.90	3.24	2.52
YH2E42TB21S	JHVTC42FXXC2N1	21.0	—	2	1450	40.50	30.40		11.00	41.00	26.80	7.50	5.90	3.58	2.52
YH2E42TB21S	JHVTC48GXXC2N1	21.0	—	1	925	34.40	23.60	14.30	20.80	27.80	26.00	7.50	5.90	3.40	2.62
YH2E42TB21S	JHVTC48GXXC2N1	21.0	—	2	1525	41.00	31.20		11.00	40.00	26.00	7.50	5.90	3.64	2.62
YH2E42TB21S	JHVTD42FXXC2N1	24.5	—	1	925	34.80	24.40	14.30	20.60	28.20	26.60	7.50	5.90	3.28	2.54
YH2E42TB21S	JHVTD42FXXC2N1	24.5	—	2	1450	40.50	30.40		11.00	41.00	26.60	7.50	5.90	3.60	2.54
YH2E42TB21S	JHVTD48GXXC2N1	24.5	—	1	975	34.80	24.40	14.30	20.75	28.00	26.00	7.50	5.85	3.44	2.62
YH2E42TB21S	JHVTD48GXXC2N1	24.5	—	2	1500	41.00	31.20		11.00	39.50	26.00	7.50	5.85	3.64	2.62
YH2E42TB21S	JMET16CS2N1A	21.0	XAF/XAUC48F	1	875	34.60	23.80	14.30	20.60	28.00	27.20	7.50	5.90	3.22	2.52
YH2E42TB21S	JMET16CS2N1A	21.0	XAF/XAUC48F	2	1575	40.50	31.00		11.00	41.00	27.20	7.50	5.90	3.58	2.52
YH2E42TB21S	JMET16CS2N1A	21.0	XAF/XAUC60G	1	900	34.40	23.60	14.30	20.85	27.60	26.40	7.50	5.90	3.36	2.60
YH2E42TB21S	JMET16CS2N1A	21.0	XAF/XAUC60G	2	1600	41.00	31.80		11.00	40.00	26.40	7.50	5.90	3.62	2.60
YH2E42TB21S	JMET16CS2N1A	21.0	XAHC48F	1	900	34.20	23.80	14.30	20.90	28.20	26.00	7.50	5.90	3.26	2.46
YH2E42TB21S	JMET16CS2N1A	21.0	XAHC48F	2	1575	41.00	31.60		11.00	41.00	26.00	7.50	5.90	3.60	2.46
YH2E42TB21S	JMET16CS2N1A	21.0	XAHC60G	1	925	34.00	23.60	14.30	20.95	27.60	26.00	7.50	5.85	3.40	2.58
YH2E42TB21S	JMET16CS2N1A	21.0	XAHC60G	2	1600	41.50	32.00		11.00	41.00	26.00	7.50	5.85	3.70	2.58
YH2E42TB21S	JMET18DS2N1A	24.5	XAF/XAUD60G	1	1100	35.60	25.80	14.30	20.85	28.40	26.20	7.50	5.85	3.54	2.62
YH2E42TB21S	JMET18DS2N1A	24.5	XAF/XAUD60G	2	1575	41.50	32.00		11.00	40.00	26.20	7.50	5.85	3.66	2.62
YH2E42TB21S	JMET18DS2N1A	24.5	XAFD48F	1	1075	35.60	26.20	14.30	20.60	28.80	27.00	7.50	5.85	3.40	2.54
YH2E42TB21S	JMET18DS2N1A	24.5	XAFD48F	2	1575	41.00	31.40		11.00	41.00	27.00	7.50	5.85	3.62	2.54
YH2E42TB21S	JMET18DS2N1A	24.5	XAHD48F	1	1075	35.20	25.80	14.30	20.75	28.80	25.80	7.50	5.85	3.40	2.50
YH2E42TB21S	JMET18DS2N1A	24.5	XAHD48F	2	1550	41.50	31.80		11.00	41.00	25.80	7.50	5.85	3.64	2.50
YH2E42TB21S	JMET18DS2N1A	24.5	XAHD60G	1	1075	35.00	25.40	14.30	20.80	28.40	25.80	7.50	5.80	3.52	2.60
YH2E42TB21S	JMET18DS2N1A	24.5	XAHD60G	2	1550	41.50	31.60		11.00	40.50	25.80	7.50	5.80	3.72	2.60
YH2E42TB21S	JMVT16CC2N1A	21.0	XAF/XAUC48F	1	825	34.20	23.00	14.30	20.55	27.80	26.80	7.50	5.90	3.20	2.52
YH2E42TB21S	JMVT16CC2N1A	21.0	XAF/XAUC48F	2	1475	40.50	30.40		11.00	41.00	26.80	7.50	5.90	3.58	2.52
YH2E42TB21S	JMVT16CC2N1A	21.0	XAF/XAUC60G	1	825	33.80	22.60	14.30	20.75	27.40	26.00	7.50	5.95	3.30	2.60
YH2E42TB21S	JMVT16CC2N1A	21.0	XAF/XAUC60G	2	1475	41.00	31.00		11.00	39.50	26.00	7.50	5.95	3.62	2.60
YH2E42TB21S	JMVT16CC2N1A	21.0	XAHC48F	1	950	34.60	24.40	14.30	20.75	28.20	25.60	7.50	5.90	3.32	2.48
YH2E42TB21S	JMVT16CC2N1A	21.0	XAHC48F	2	1475	41.00	30.80		11.00	41.00	25.60	7.50	5.90	3.62	2.48
YH2E42TB21S	JMVT16CC2N1A	21.0	XAHC60G	1	950	34.20	24.00	14.30	20.90	27.80	25.80	7.50	5.80	3.42	2.62
YH2E42TB21S	JMVT16CC2N1A	21.0	XAHC60G	2	1475	41.00	30.80		11.00	40.50	25.80	7.50	5.80	3.70	2.62
YH2E42TB21S	JMVT20DC2N1A	24.5	XAF/XAUD60G	1	1050	35.20	25.00	14.30	20.70	28.20	25.60	7.50	5.85	3.48	2.64
YH2E42TB21S	JMVT20DC2N1A	24.5	XAF/XAUD60G	2	1425	41.00	30.60		11.00	39.50	25.60	7.50	5.85	3.64	2.64
YH2E42TB21S	JMVT20DC2N1A	24.5	XAFD48F	1	1050	35.40	25.80	14.30	20.55	28.80	26.60	7.50	5.85	3.38	2.54
YH2E42TB21S	JMVT20DC2N1A	24.5	XAFD48F	2	1425	40.50	30.20		11.00	41.00	26.60	7.50	5.85	3.60	2.54
YH2E42TB21S	JMVT20DC2N1A	24.5	XAHD48F	1	1050	35.00	25.40	14.30	20.65	28.80	25.40	7.50	5.85	3.38	2.50
YH2E42TB21S	JMVT20DC2N1A	24.5	XAHD48F	2	1425	41.00	30.60		11.00	41.00	25.40	7.50	5.85	3.64	2.50
YH2E42TB21S	JMVT20DC2N1A	24.5	XAHD60G	1	1050	34.80	25.00	14.30	20.70	28.20	25.60	7.50	5.75	3.48	2.64
YH2E42TB21S	JMVT20DC2N1A	24.5	XAHD60G	2	1425	41.00	30.40		11.00	40.00	25.60	7.50	5.75	3.72	2.64
YH2E48TB21S	JHETC48GXXS2N1	21.0	—	1	1300	42.00	30.00	14.30	19.20	33.60	30.60	7.50	5.90	3.60	2.54
YH2E48TB21S	JHETC48GXXS2N1	21.0	—	2	1775	47.00	34.80		10.50	46.00	30.60	7.50	5.90	3.56	2.54
YH2E48TB21S	JHETC60HXXS2N1	21.0	—	1	1325	41.00	29.80	14.30	19.70	34.60	34.20	7.50	5.90	3.82	2.96
YH2E48TB21S	JHETC60HXXS2N1	21.0	—	2	1775	45.00	34.80		11.00	43.50	34.20	7.50	5.90	3.62	2.96
YH2E48TB21S	JHETD48GXXS2N1	24.5	—	1	1150	41.00	28.40	14.30	19.30	32.60	29.60	7.50	5.45	3.46	2.54
YH2E48TB21S	JHETD48GXXS2N1	24.5	—	2	1625	47.00	34.20		11.00	45.50	29.60	7.50	5.45	3.56	2.54
YH2E48TB21S	JHVTC48GXXC2N1	21.0	—	1	1100	40.50	27.60	14.30	19.30	32.20	30.80	7.50	5.90	3.42	2.58
YH2E48TB21S	JHVTC48GXXC2N1	21.0	—	2	1825	47.00	35.20		10.50	46.00	30.80	7.50	5.90	3.58	2.58
YH2E48TB21S	JHVTD48GXXC2N1	24.5	—	1	1200	41.50	29.00	14.30	19.20	32.80	29.40	7.50	5.95	3.52	2.54
YH2E48TB21S	JHVTD48GXXC2N1	24.5	—	2	1600	47.00	34.00		11.00	45.00	29.40	7.50	5.95	3.58	2.54
YH2E48TB21S	JHVTC60HXXC2N1	21.0	—	1	1250	42.00	30.00	14.30	19.65	33.60	29.40	7.50	5.75	3.74	2.66
YH2E48TB21S	JHVTC60HXXC2N1	21.0	—	2	1525	47.00	34.00		11.00	44.50	29.40	7.50	5.75	3.72	2.66
YH2E48TB21S	JHVTD60HXXC2N1	24.5	—	1	1050	41.00	28.20	14.30	20.30	32.60	29.40	7.50	5.75	3.60	2.68
YH2E48TB21S	JHVTD60HXXC2N1	24.5	—	2	1650	47.50	35.20		11.00	45.00	29.40	7.50	5.75	3.80	2.68
YH2E48TB21S	JMET16CS2N1A	21.0	XAF/XAUC60G	1	1150	41.00	28.40	14.30	19.25	32.60	30.80	7.50	5.95	3.46	2.54
YH2E48TB21S	JMET16CS2N1A	21.0	XAF/XAUC60G	2	1800	47.00	35.00		10.50	46.00	30.80	7.50	5.95	3.54	2.54
YH2E48TB21S	JMET16CS2N1A	21.0	XAFC60H	1	900	40.00	26.40	14.30	20.35	31.80	29.60	7.50	5.90	3.48	2.64
YH2E48TB21S	JMET16CS2N1A	21.0	XAFC60H	2	1600	47.00	34.40		11.00	45.00	29.60	7.50	5.90	3.72	2.64
YH2E48TB21S	JMET16CS2N1A	21.0	XAHC60G	1	925	39.50	26.20	14.30	19.00	31.20	29.80	7.50	5.95	3.24	2.54
YH2E48TB21S	JMET16CS2N1A	21.0	XAHC60G	2	1600	46.50	34.20		10.50	47.00	29.80	7.50	5.95	3.66	2.54
YH2E48TB21S	JMET16CS2N1A	21.0	XAHC60H	1	950	40.50	27.20	14.30	20.55	32.00	29.60	7.50	5.90	3.54	2.64
YH2E48TB21S	JMET16CS2N1A	21.0	XAHC60H	2	1600	47.00	34.40		11.00	45.00	29.60	7.50	5.90	3.72	2.64

Table 4: System capacity - air handlers

Unit model	Air handler model	Width (in.)	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER 2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E48TB21S	JMET18DS2N1A	24.5	XAF/XAUD60G	1	1100	40.50	27.60	14.30	19.25	32.40	29.20	7.50	5.45	3.40	2.54
YH2E48TB21S	JMET18DS2N1A	24.5	XAF/XAUD60G	2	1575	47.00	34.00		11.00	45.00	29.20	7.50	5.45	3.58	2.54
YH2E48TB21S	JMET18DS2N1A	24.5	XAF/XAUD60H	1	1075	41.00	28.20	14.30	20.20	32.80	29.40	7.50	5.85	3.62	2.68
YH2E48TB21S	JMET18DS2N1A	24.5	XAF/XAUD60H	2	1575	47.00	34.40		11.00	45.00	29.40	7.50	5.85	3.76	2.68
YH2E48TB21S	JMET18DS2N1A	24.5	XAHD60G	1	1100	40.50	27.80	14.30	19.00	32.40	30.20	7.50	5.90	3.42	2.54
YH2E48TB21S	JMET18DS2N1A	24.5	XAHD60G	2	1800	47.50	36.40		10.50	48.00	30.20	7.50	5.90	3.72	2.54
YH2E48TB21S	JMET18DS2N1A	24.5	XAHD60H	1	1100	41.50	28.80	14.30	20.30	32.80	29.40	7.50	5.85	3.64	2.66
YH2E48TB21S	JMET18DS2N1A	24.5	XAHD60H	2	1575	47.00	34.40		11.00	45.00	29.40	7.50	5.85	3.76	2.66
YH2E48TB21S	JMVT16CC2N1A	21.0	XAF/XAUC60G	1	1025	40.00	26.80	14.30	19.15	31.80	29.40	7.50	5.55	3.34	2.54
YH2E48TB21S	JMVT16CC2N1A	21.0	XAF/XAUC60G	2	1600	47.00	34.00		11.00	45.50	29.40	7.50	5.55	3.56	2.54
YH2E48TB21S	JMVT16CC2N1A	21.0	XAFC60H	1	825	39.50	25.60	14.30	20.40	31.40	29.40	7.50	5.90	3.42	2.66
YH2E48TB21S	JMVT16CC2N1A	21.0	XAFC60H	2	1600	47.00	34.40		11.00	45.00	29.40	7.50	5.90	3.76	2.66
YH2E48TB21S	JMVT16CC2N1A	21.0	XAHC60G	1	950	39.50	26.20	14.30	19.15	31.40	30.00	7.50	5.90	3.28	2.56
YH2E48TB21S	JMVT16CC2N1A	21.0	XAHC60G	2	1700	47.00	35.40		10.50	47.50	30.00	7.50	5.90	3.70	2.56
YH2E48TB21S	JMVT16CC2N1A	21.0	XAHC60H	1	950	40.50	27.20	14.30	20.65	32.00	29.40	7.50	5.85	3.56	2.66
YH2E48TB21S	JMVT16CC2N1A	21.0	XAHC60H	2	1600	47.00	34.40		11.00	45.00	29.40	7.50	5.85	3.76	2.66
YH2E48TB21S	JMVT17CC2N1A	21.0	XAF/XAUC60G	1	1075	40.50	27.60	14.30	19.15	32.20	29.40	7.50	5.55	3.38	2.54
YH2E48TB21S	JMVT17CC2N1A	21.0	XAF/XAUC60G	2	1600	47.00	34.00		11.00	45.50	29.40	7.50	5.55	3.56	2.54
YH2E48TB21S	JMVT17CC2N1A	21.0	XAFC60H	1	900	40.00	26.40	14.30	20.25	31.80	29.40	7.50	5.80	3.48	2.68
YH2E48TB21S	JMVT17CC2N1A	21.0	XAFC60H	2	1500	47.00	33.80		11.00	44.50	29.40	7.50	5.80	3.74	2.68
YH2E48TB21S	JMVT17CC2N1A	21.0	XAHC60G	1	1050	40.00	27.20	14.30	18.95	32.00	29.60	7.50	5.90	3.36	2.56
YH2E48TB21S	JMVT17CC2N1A	21.0	XAHC60G	2	1500	46.50	33.80		10.50	46.50	29.60	7.50	5.90	3.66	2.56
YH2E48TB21S	JMVT17CC2N1A	21.0	XAHC60H	1	1050	41.00	28.20	14.30	20.35	32.60	29.40	7.50	5.85	3.62	2.66
YH2E48TB21S	JMVT17CC2N1A	21.0	XAHC60H	2	1600	47.00	34.40		11.00	45.00	29.40	7.50	5.85	3.76	2.66
YH2E48TB21S	JMVT20DC2N1A	24.5	XAF/XAUD60G	1	1350	42.50	30.60	14.30	19.60	33.60	31.00	7.50	5.15	3.68	2.60
YH2E48TB21S	JMVT20DC2N1A	24.5	XAF/XAUD60G	2	1900	47.00	35.60		10.50	46.50	31.00	7.50	5.15	3.62	2.60
YH2E48TB21S	JMVT20DC2N1A	24.5	XAF/XAUD60H	1	1050	41.00	28.20	14.30	20.20	32.60	29.40	7.50	5.85	3.60	2.68
YH2E48TB21S	JMVT20DC2N1A	24.5	XAF/XAUD60H	2	1550	47.00	34.00		11.00	44.50	29.40	7.50	5.85	3.76	2.68
YH2E48TB21S	JMVT20DC2N1A	24.5	XAHD60G	1	1250	41.50	29.40	14.30	19.05	33.20	30.40	7.50	5.85	3.56	2.54
YH2E48TB21S	JMVT20DC2N1A	24.5	XAHD60G	2	1900	47.50	37.00		10.50	48.00	30.40	7.50	5.85	3.74	2.54
YH2E48TB21S	JMVT20DC2N1A	24.5	XAHD60H	1	1050	41.00	28.20	14.30	20.25	32.60	29.40	7.50	5.85	3.60	2.66
YH2E48TB21S	JMVT20DC2N1A	24.5	XAHD60H	2	1675	47.50	35.40		11.00	45.00	29.40	7.50	5.85	3.80	2.66
YH2E60TB21S	JHETC60HXXS2N1	21.0	—	1	1275	48.50	33.40	14.30	20.25	39.50	35.40	7.50	5.45	3.64	2.68
YH2E60TB21S	JHETC60HXXS2N1	21.0	—	2	1775	54.50	39.00		11.00	54.00	35.40	7.50	5.45	3.68	2.68
YH2E60TB21S	JHETD60HXXS2N1	24.5	—	1	1125	47.50	31.60	14.30	20.40	38.50	35.00	7.50	5.55	3.50	2.70
YH2E60TB21S	JHETD60HXXS2N1	24.5	—	2	1750	54.50	39.00		11.00	53.50	35.00	7.50	5.55	3.70	2.70
YH2E60TB21S	JHETD60JXXS2N1	24.5	—	1	1250	47.50	32.40	14.30	19.30	40.50	38.50	7.50	5.80	3.62	2.84
YH2E60TB21S	JHETD60JXXS2N1	24.5	—	2	1800	55.00	39.50		11.00	54.00	38.50	7.50	5.80	3.60	2.84
YH2E60TB21S	JHVTC60HXXC2N1	21.0	—	1	1125	47.50	31.60	14.30	20.20	38.50	35.40	7.50	5.55	3.50	2.66
YH2E60TB21S	JHVTC60HXXC2N1	21.0	—	2	1775	54.50	39.00		11.00	54.00	35.40	7.50	5.55	3.68	2.66
YH2E60TB21S	JHVTD60HXXC2N1	24.5	—	1	1225	48.00	32.60	14.30	20.55	39.00	35.00	7.50	5.45	3.62	2.72
YH2E60TB21S	JHVTD60HXXC2N1	24.5	—	2	1775	55.00	39.50		11.00	53.50	35.00	7.50	5.45	3.74	2.72
YH2E60TB21S	JHVTD60JXXC2N1	24.5	—	1	1200	48.00	32.60	14.30	20.40	39.00	35.00	7.50	5.45	3.58	2.70
YH2E60TB21S	JHVTD60JXXC2N1	24.5	—	2	1725	54.50	38.50		11.00	53.50	35.00	7.50	5.45	3.70	2.70
YH2E60TB21S	JMET18DS2N1A	24.5	XAF/XAUD60H	1	1225	48.00	32.60	14.30	20.35	39.00	35.40	7.50	5.45	3.60	2.70
YH2E60TB21S	JMET18DS2N1A	24.5	XAF/XAUD60H	2	1825	55.00	40.00		11.00	54.00	35.40	7.50	5.45	3.72	2.70
YH2E60TB21S	JMET18DS2N1A	24.5	XAFD60J	1	1250	48.50	33.20	14.30	20.45	39.00	35.40	7.50	5.45	3.62	2.70
YH2E60TB21S	JMET18DS2N1A	24.5	XAFD60J	2	1825	55.00	40.00		11.00	54.00	35.40	7.50	5.45	3.72	2.70
YH2E60TB21S	JMET18DS2N1A	24.5	XAHD60H	1	1225	49.00	34.00	14.30	20.55	39.00	35.60	7.50	5.50	3.60	2.68
YH2E60TB21S	JMET18DS2N1A	24.5	XAHD60H	2	1800	56.00	42.00		11.00	55.50	35.60	7.50	5.50	3.78	2.68
YH2E60TB21S	JMET18DS2N1A	24.5	XAHD60J	1	1100	48.00	32.20	14.30	20.55	38.50	34.40	7.50	5.60	3.46	2.66
YH2E60TB21S	JMET18DS2N1A	24.5	XAHD60J	2	1550	55.00	39.00		11.00	54.50	34.40	7.50	5.60	3.72	2.66
YH2E60TB21S	JMVT17CC2N1A	21.0	XAFC60H	1	1050	46.50	30.20	14.30	20.25	38.00	35.40	7.50	5.55	3.42	2.66
YH2E60TB21S	JMVT17CC2N1A	21.0	XAFC60H	2	1775	54.50	39.00		11.00	54.00	35.40	7.50	5.55	3.68	2.66
YH2E60TB21S	JMVT17CC2N1A	21.0	XAHC60H	1	1050	47.50	31.40	14.30	20.65	38.00	35.20	7.50	5.55	3.42	2.68
YH2E60TB21S	JMVT17CC2N1A	21.0	XAHC60H	2	1700	55.50	40.50		11.00	55.00	35.20	7.50	5.55	3.76	2.68
YH2E60TB21S	JMVT20DC2N1A	24.5	XAF/XAUD60H	1	1250	48.50	33.20	14.30	20.45	39.00	35.20	7.50	5.45	3.62	2.70
YH2E60TB21S	JMVT20DC2N1A	24.5	XAF/XAUD60H	2	1800	55.00	39.50		11.00	54.00	35.20	7.50	5.45	3.74	2.70
YH2E60TB21S	JMVT20DC2N1A	24.5	XAFD60J	1	1250	48.50	33.20	14.30	20.45	39.00	35.20	7.50	5.45	3.62	2.70
YH2E60TB21S	JMVT20DC2N1A	24.5	XAFD60J	2	1800	55.00	39.50		11.00	54.00	35.20	7.50	5.45	3.72	2.70
YH2E60TB21S	JMVT20DC2N1A	24.5	XAHD60H	1	1250	49.00	34.20	14.30	20.60	39.00	35.40	7.50	5.40	3.62	2.70
YH2E60TB21S	JMVT20DC2N1A	24.5	XAHD60H	2	1775	56.00	41.50		11.00	55.00	35.40	7.50	5.40	3.78	2.70

Table 4: System capacity - air handlers

Unit model	Air handler model	Width (in.)	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER 2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E60TB21S	JMVT20DC2N1A	24.5	XAHD60J	1	1150	48.50	33.00	14.30	20.60	38.50	35.00	7.50	5.60	3.52	2.68
YH2E60TB21S	JMVT20DC2N1A	24.5	XAHD60J	2	1675	55.50	40.50		11.00	55.00	35.00	7.50	5.60	3.76	2.68

Air handler capacity data notes

- Rated in accordance with DOE test procedures (Federal Register 12-27-79 and 3-18-88) and ANSI/AHRI Standard 210/240.
- The cooling MBH is based on 80°F entering air temperature, 50% relative humidity (RH), and rated airflow.
- The energy efficiency ratio (EER2) is the total cooling output in BTUs at 95°F outdoor ambient divided by the total electric power in watt-hours at those conditions.
- The heating MBH is based on AHRI standards of 70°F DB (Dry Bulb) entering indoor air, 72% RH (Relative Humidity) outdoor air with 25 ft of interconnecting piping and no supplemental electric heat operation. HSPF2 (Heating Seasonal Performance Factor) is the total heating output during a normal annual usage period for heating divided by the total electric power input during the same period. COP (Coefficient of Performance) equals Heating MBH output divided by (total kW input x 3.412).
- A cell with no value means not applicable.

Furnace capacity 1.5 ton

Table 5: Furnace capacity 1.5 ton

Unit model	Furnace model	Width	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E18SB21S	TL8E060A12UH11	14.5	XAF/XAUA24B	—	675	17.00	14.50	14.30	12.00	16.80	10.10	7.50	5.90	3.64	2.36
YH2E18SB21S	TL9E060B12UH11	17.5	XAF/XAUB30C	—	725	17.50	13.50	14.30	12.00	16.80	10.40	7.50	5.75	3.86	2.52
YH2E18SB21S	TL9E060B12UH11	17.5	XAFB24B	—	725	17.10	15.10	14.30	12.00	17.00	10.20	7.50	5.85	3.70	2.40
YH2E18SB21S	TL9E060B12UH11	17.5	XAHB30C	—	700	17.50	14.50	14.30	12.00	16.10	9.80	7.50	5.90	3.68	2.38
YH2E18SB21S	TM8E040A12MP11	14.5	XAF/XAUA24B	—	700	17.10	14.90	14.30	12.00	16.90	10.10	7.50	5.90	3.68	2.38
YH2E18SB21S	TM8E060A12MP11	14.5	XAF/XAUA24B	—	625	16.80	13.80	14.30	12.00	16.60	9.90	7.50	5.90	3.60	2.34
YH2E18SB21S	TM8E060A12MP11	14.5	XAHA24B	—	600	17.40	13.10	14.30	12.00	16.40	9.90	7.50	6.00	3.54	2.34
YH2E18SB21S	TM8E080B12MP11	17.5	XAF/XAUB30C	—	525	16.90	11.80	14.30	12.00	15.90	9.90	7.50	5.85	3.64	2.46
YH2E18SB21S	TM8E080B12MP11	17.5	XAFB24B	—	725	17.20	15.10	14.30	12.00	17.00	10.20	7.50	5.85	3.72	2.40
YH2E18SB21S	TM8E080B12MP11	17.5	XAHB30C	—	725	17.50	14.70	14.30	12.00	16.10	9.80	7.50	5.90	3.76	2.42
YH2E18SB21S	TM8E100B12MP11	17.5	XAF/XAUB30C	—	650	17.40	13.00	14.30	12.00	16.40	10.10	7.50	5.80	3.82	2.52
YH2E18SB21S	TM8E100B12MP11	17.5	XAFB24B	—	650	16.90	14.20	14.30	12.00	16.60	9.90	7.50	5.90	3.64	2.36
YH2E18SB21S	TM8E100B12MP11	17.5	XAHB24B	—	625	17.50	13.40	14.30	12.00	16.50	9.90	7.50	5.95	3.60	2.36
YH2E18SB21S	TM8E100B12MP11	17.5	XAHB30C	—	725	17.50	14.70	14.30	12.00	16.10	9.80	7.50	5.90	3.76	2.42
YH2E18SB21S	TM8V060A12MP12C	14.5	XAF/XAUA24B	—	650	16.90	14.20	14.30	12.00	16.70	10.00	7.50	5.95	3.62	2.36
YH2E18SB21S	TM8V060A12MP12C	14.5	XAHA24B	—	575	17.30	12.80	14.30	12.00	16.30	9.80	7.50	5.95	3.52	2.32
YH2E18SB21S	TM8V080B12MP12C	17.5	XAF/XAUB30C	—	675	17.40	13.20	14.30	12.00	16.60	10.20	7.50	5.80	3.82	2.50
YH2E18SB21S	TM8V080B12MP12C	17.5	XAFB24B	—	675	16.90	14.40	14.30	12.00	16.80	10.10	7.50	5.90	3.62	2.36
YH2E18SB21S	TM8V080B12MP12C	17.5	XAHB30C	—	725	17.50	14.70	14.30	12.00	16.20	9.90	7.50	5.90	3.70	2.40
YH2E18SB21S	TM8Y060A12MP11	14.5	XAF/XAUA24B	—	625	16.80	13.80	14.30	12.00	16.60	9.90	7.50	5.95	3.58	2.34
YH2E18SB21S	TM8Y060A12MP11	14.5	XAHA24B	—	550	17.20	12.50	14.30	12.00	16.30	9.70	7.50	6.00	3.48	2.30
YH2E18SB21S	TM8Y080B12MP11	17.5	XAF/XAUB30C	—	675	17.50	13.30	14.30	12.00	16.50	10.20	7.50	5.75	3.86	2.54
YH2E18SB21S	TM8Y080B12MP11	17.5	XAFB24B	—	650	16.90	14.20	14.30	12.00	16.60	9.90	7.50	5.90	3.64	2.36
YH2E18SB21S	TM8Y080B12MP11	17.5	XAHB24B	—	650	17.50	13.60	14.30	12.00	16.60	10.00	7.50	5.90	3.64	2.38
YH2E18SB21S	TM9E026A08MP12	14.5	XAF/XAUA24B	—	550	16.40	12.70	14.30	12.00	16.40	9.80	7.50	6.05	3.44	2.26
YH2E18SB21S	TM9E040A10MP12	14.5	XAF/XAUA24B	—	675	16.80	14.30	14.30	11.50	16.90	10.20	7.50	5.95	3.56	2.32
YH2E18SB21S	TM9E060A10MP12	14.5	XAF/XAUA24B	—	675	16.90	14.40	14.30	12.00	16.90	10.10	7.50	5.90	3.60	2.34
YH2E18SB21S	TM9E060B12MP12	17.5	XAF/XAUB30C	—	575	17.10	12.30	14.30	12.00	16.10	10.00	7.50	5.85	3.70	2.48
YH2E18SB21S	TM9E060B12MP12	17.5	XAFB24B	—	550	16.40	12.70	14.30	12.00	16.30	9.70	7.50	6.05	3.46	2.28

Table 5: Furnace capacity 1.5 ton

Unit model	Furnace model	Width	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E18SB21S	TM9E080B12MP12	17.5	XAF/XAUB30C	—	600	17.20	12.50	14.30	12.00	16.20	10.10	7.50	5.80	3.74	2.48
YH2E18SB21S	TM9V040A10MP12C	14.5	XAF/XAUA24B	—	650	16.70	14.00	14.30	11.50	16.80	10.10	7.50	6.00	3.54	2.32
YH2E18SB21S	TM9V060B12MP12C	17.5	XAF/XAUB30C	—	600	17.20	12.50	14.30	12.00	16.20	10.10	7.50	5.80	3.74	2.48
YH2E18SB21S	TM9V060B12MP12C	17.5	XAFB24B	—	675	16.90	14.40	14.30	12.00	16.80	10.10	7.50	5.90	3.64	2.36
YH2E18SB21S	TM9V060B12MP12C	17.5	XAHB30C	—	700	17.50	14.50	14.30	12.00	16.10	9.80	7.50	5.90	3.70	2.38
YH2E18SB21S	TM9V080B12MP12C	17.5	XAF/XAUB30C	—	625	17.30	12.80	14.30	12.00	16.30	10.10	7.50	5.80	3.80	2.50
YH2E18SB21S	TM9V080B12MP12C	17.5	XAFB24B	—	700	17.10	14.90	14.30	12.00	16.80	10.10	7.50	5.85	3.70	2.40
YH2E18SB21S	TM9V080B12MP12C	17.5	XAHB24B	—	625	17.50	13.40	14.30	12.00	16.50	9.90	7.50	5.95	3.60	2.36
YH2E18SB21S	TM9V080B12MP12C	17.5	XAHB30C	—	675	17.50	14.20	14.30	12.00	16.00	9.70	7.50	5.95	3.70	2.38
YH2E18SB21S	TM9Y040A10MP11	14.5	XAF/XAUA24B	—	575	16.40	12.90	14.30	11.50	16.50	9.90	7.50	6.05	3.44	2.26
YH2E18SB21S	TM9Y060B12MP11	17.5	XAF/XAUB30C	—	725	17.50	13.50	14.30	12.00	16.80	10.40	7.50	5.75	3.86	2.52
YH2E18SB21S	TM9Y060B12MP11	17.5	XAFB24B	—	725	17.10	15.10	14.30	12.00	17.00	10.20	7.50	5.85	3.70	2.40
YH2E18SB21S	TM9Y060B12MP11	17.5	XAHB30C	—	700	17.50	14.50	14.30	12.00	16.10	9.80	7.50	5.90	3.68	2.38
YH2E18SB21S	TM9Y080B12MP11	17.5	XAF/XAUB30C	—	525	16.90	11.80	14.30	12.00	15.90	9.90	7.50	5.85	3.64	2.46
YH2E18SB21S	TM9Y080B12MP11	17.5	XAFB24B	—	525	16.40	12.40	14.30	12.00	16.20	9.60	7.50	6.00	3.44	2.28
YH2E18SB21S	TMLE040A12MP11	14.5	XAF/XAUA24B	—	700	17.10	14.90	14.30	12.00	16.90	10.10	7.50	5.90	3.68	2.38
YH2E18SB21S	TMLE060A12MP11	14.5	XAF/XAUA24B	—	625	16.80	13.80	14.30	12.00	16.60	9.90	7.50	5.90	3.60	2.34
YH2E18SB21S	TMLE060A12MP11	14.5	XAHA24B	—	600	17.40	13.10	14.30	12.00	16.40	9.90	7.50	6.00	3.54	2.34
YH2E18SB21S	TMLE080B12MP11	17.5	XAF/XAUB30C	—	525	16.90	11.80	14.30	12.00	15.90	9.90	7.50	5.85	3.64	2.46
YH2E18SB21S	TMLE080B12MP11	17.5	XAFB24B	—	725	17.20	15.10	14.30	12.00	17.00	10.20	7.50	5.85	3.72	2.40
YH2E18SB21S	TMLE080B12MP11	17.5	XAHB30C	—	725	17.50	14.70	14.30	12.00	16.10	9.80	7.50	5.90	3.76	2.42
YH2E18SB21S	TMLE100B12MP11	17.5	XAF/XAUB30C	—	650	17.40	13.00	14.30	12.00	16.40	10.10	7.50	5.80	3.82	2.52
YH2E18SB21S	TMLE100B12MP11	17.5	XAFB24B	—	650	16.90	14.20	14.30	12.00	16.60	9.90	7.50	5.90	3.64	2.36
YH2E18SB21S	TMLE100B12MP11	17.5	XAHB24B	—	625	17.50	13.40	14.30	12.00	16.50	9.90	7.50	5.95	3.60	2.36
YH2E18SB21S	TMLE100B12MP11	17.5	XAHB30C	—	725	17.50	14.70	14.30	12.00	16.10	9.80	7.50	5.90	3.76	2.42
YH2E18SB21S	TMLV060A12MP12C	14.5	XAF/XAUA24B	—	650	16.90	14.20	14.30	12.00	16.70	10.00	7.50	5.95	3.62	2.36
YH2E18SB21S	TMLV060A12MP12C	14.5	XAHA24B	—	575	17.30	12.80	14.30	12.00	16.30	9.80	7.50	5.95	3.52	2.32
YH2E18SB21S	TP9C060B12MP13C	17.5	XAF/XAUB30C	—	600	17.20	12.50	14.30	12.00	16.20	10.10	7.50	5.80	3.74	2.48
YH2E18SB21S	TP9C060B12MP13C	17.5	XAFB24B	—	675	16.90	14.40	14.30	12.00	16.80	10.10	7.50	5.90	3.64	2.36
YH2E18SB21S	TP9C060B12MP13C	17.5	XAHB30C	—	700	17.50	14.50	14.30	12.00	16.10	9.80	7.50	5.90	3.70	2.38
YH2E18SB21S	TP9C080B12MP13C	17.5	XAF/XAUB30C	—	625	17.30	12.80	14.30	12.00	16.30	10.10	7.50	5.80	3.80	2.50
YH2E18SB21S	TP9C080B12MP13C	17.5	XAFB24B	—	700	17.10	14.90	14.30	12.00	16.80	10.10	7.50	5.85	3.70	2.40
YH2E18SB21S	TP9C080B12MP13C	17.5	XAHB24B	—	625	17.50	13.40	14.30	12.00	16.50	9.90	7.50	5.95	3.60	2.36
YH2E18SB21S	TP9C080B12MP13C	17.5	XAHB30C	—	675	17.50	14.20	14.30	12.00	16.00	9.70	7.50	5.95	3.70	2.38
YH2E18SB21S	TPLC060A12MP13C	14.5	XAF/XAUA24B	—	650	16.90	14.20	14.30	12.00	16.70	10.00	7.50	5.95	3.62	2.36
YH2E18SB21S	TPLC060A12MP13C	14.5	XAHA24B	—	575	17.30	12.80	14.30	12.00	16.30	9.80	7.50	5.95	3.52	2.32
YH2E18SB21S	TPLC080B12MP13C	17.5	XAF/XAUB30C	—	675	17.40	13.20	14.30	12.00	16.60	10.20	7.50	5.80	3.82	2.50
YH2E18SB21S	TPLC080B12MP13C	17.5	XAFB24B	—	675	16.90	14.40	14.30	12.00	16.80	10.10	7.50	5.90	3.62	2.36
YH2E18SB21S	TPLC080B12MP13C	17.5	XAHB30C	—	725	17.50	14.70	14.30	12.00	16.20	9.90	7.50	5.90	3.70	2.40
YH2E18SB21S	YP9C060B12MP13C	17.5	XAF/XAUB30C	—	600	17.20	12.50	14.30	12.00	16.20	10.10	7.50	5.80	3.74	2.48
YH2E18SB21S	YP9C060B12MP13C	17.5	XAFB24B	—	675	16.90	14.40	14.30	12.00	16.80	10.10	7.50	5.90	3.64	2.36
YH2E18SB21S	YP9C060B12MP13C	17.5	XAHB30C	—	700	17.50	14.50	14.30	12.00	16.10	9.80	7.50	5.90	3.70	2.38
YH2E18SB21S	YP9C080B12MP13C	17.5	XAF/XAUB30C	—	625	17.30	12.80	14.30	12.00	16.30	10.10	7.50	5.80	3.80	2.50
YH2E18SB21S	YP9C080B12MP13C	17.5	XAFB24B	—	700	17.10	14.90	14.30	12.00	16.80	10.10	7.50	5.85	3.70	2.40
YH2E18SB21S	YP9C080B12MP13C	17.5	XAHB24B	—	625	17.50	13.40	14.30	12.00	16.50	9.90	7.50	5.95	3.60	2.36
YH2E18SB21S	YP9C080B12MP13C	17.5	XAHB30C	—	675	17.50	14.20	14.30	12.00	16.00	9.70	7.50	5.95	3.70	2.38
YH2E18SB21S	YPLC060A12MP13C	14.5	XAF/XAUA24B	—	650	16.90	14.20	14.30	12.00	16.70	10.00	7.50	5.95	3.62	2.36
YH2E18SB21S	YPLC060A12MP13C	14.5	XAHA24B	—	575	17.30	12.80	14.30	12.00	16.30	9.80	7.50	5.95	3.52	2.32
YH2E18SB21S	YPLC080B12MP13C	17.5	XAF/XAUB30C	—	675	17.40	13.20	14.30	12.00	16.60	10.20	7.50	5.80	3.82	2.50
YH2E18SB21S	YPLC080B12MP13C	17.5	XAFB24B	—	675	16.90	14.40	14.30	12.00	16.80	10.10	7.50	5.90	3.62	2.36
YH2E18SB21S	YPLC080B12MP13C	17.5	XAHB30C	—	725	17.50	14.70	14.30	12.00	16.20	9.90	7.50	5.90	3.70	2.40

Furnace capacity 2 ton

Table 6: Furnace capacity 2 ton

Unit model	Furnace model	Width	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E24TB21S	TL9E060B12UH11	17.50	XAHB30C	1	775.00	22.80	19.10	14.30	20.40	16.60	14.60	7.50	6.05	3.46	2.42
YH2E24TB21S	TL9E060B12UH11	17.50	XAHB30C	2	900.00	23.60	19.60		11.00	23.00	14.60	7.50	6.05	3.52	2.42
YH2E24TB21S	TM8E080B12MP11	17.50	XAHB30C	1	650.00	21.80	17.00	14.30	21.10	16.10	14.40	7.50	6.00	3.32	2.44
YH2E24TB21S	TM8E080B12MP11	17.50	XAHB30C	2	875.00	23.60	19.40		11.00	22.60	14.40	7.50	6.00	3.54	2.44
YH2E24TB21S	TM8E100B12MP11	17.50	XAF/XAUB30C	1	675.00	21.40	15.50	14.30	20.75	16.10	14.70	7.50	6.00	3.40	2.44
YH2E24TB21S	TM8E100B12MP11	17.50	XAF/XAUB30C	2	950.00	23.60	18.10		11.00	23.20	14.70	7.50	6.00	3.64	2.44
YH2E24TB21S	TM8E100B12MP11	17.50	XAHB30C	1	650.00	22.00	17.20	14.30	21.35	16.00	14.60	7.50	6.05	3.34	2.46
YH2E24TB21S	TM8E100B12MP11	17.50	XAHB30C	2	925.00	23.60	19.90		11.00	22.80	14.60	7.50	6.05	3.60	2.46
YH2E24TB21S	TM8V080B12MP12C	17.50	XAHB30C	1	600.00	21.40	16.10	14.30	20.70	15.90	14.60	7.50	6.05	3.24	2.42
YH2E24TB21S	TM8V080B12MP12C	17.50	XAHB30C	2	900.00	23.60	19.60		11.00	23.00	14.60	7.50	6.05	3.50	2.42
YH2E24TB21S	TM8Y080B12MP11	17.50	XAHB30C	1	675.00	22.00	17.40	14.30	20.90	16.20	14.20	7.50	6.05	3.36	2.42
YH2E24TB21S	TM8Y080B12MP11	17.50	XAHB30C	2	800.00	23.60	18.60		11.00	22.40	14.20	7.50	6.05	3.48	2.42
YH2E24TB21S	TM9E060B12MP12	17.50	XAHB30C	1	675.00	22.00	17.40	14.30	20.85	16.20	14.80	7.50	6.05	3.34	2.42
YH2E24TB21S	TM9E060B12MP12	17.50	XAHB30C	2	950.00	23.60	20.20		11.00	23.20	14.80	7.50	6.05	3.54	2.42
YH2E24TB21S	TM9E080B12MP12	17.50	XAHB30C	1	700.00	22.20	17.80	14.30	20.95	16.30	14.50	7.50	6.05	3.40	2.44
YH2E24TB21S	TM9E080B12MP12	17.50	XAHB30C	2	900.00	23.60	19.60		11.00	22.80	14.50	7.50	6.05	3.56	2.44
YH2E24TB21S	TM9V060B12MP12C	17.50	XAHB30C	1	575.00	21.20	15.70	14.30	20.85	15.80	14.70	7.50	6.05	3.20	2.42
YH2E24TB21S	TM9V060B12MP12C	17.50	XAHB30C	2	925.00	23.60	19.90		11.00	23.00	14.70	7.50	6.05	3.54	2.42
YH2E24TB21S	TM9V080B12MP12C	17.50	XAHB30C	1	625.00	21.60	16.60	14.30	21.00	15.90	14.40	7.50	6.00	3.30	2.44
YH2E24TB21S	TM9V080B12MP12C	17.50	XAHB30C	2	875.00	23.60	19.40		11.00	22.60	14.40	7.50	6.00	3.54	2.44
YH2E24TB21S	TM9Y060B12MP11	17.50	XAHB30C	1	625.00	21.60	16.60	14.30	20.80	16.00	14.30	7.50	6.10	3.26	2.40
YH2E24TB21S	TM9Y060B12MP11	17.50	XAHB30C	2	800.00	23.60	18.60		11.00	22.40	14.30	7.50	6.10	3.44	2.40
YH2E24TB21S	TM9Y080B12MP11	17.50	XAHB30C	1	650.00	21.80	17.00	14.30	21.10	16.00	14.40	7.50	6.05	3.34	2.42
YH2E24TB21S	TM9Y080B12MP11	17.50	XAHB30C	2	850.00	23.60	19.10		11.00	22.60	14.40	7.50	6.05	3.52	2.42
YH2E24TB21S	TMLE080B12MP11	17.50	XAHB30C	1	650.00	21.80	17.00	14.30	21.10	16.10	14.40	7.50	6.00	3.32	2.44
YH2E24TB21S	TMLE080B12MP11	17.50	XAHB30C	2	875.00	23.60	19.40		11.00	22.60	14.40	7.50	6.00	3.54	2.44
YH2E24TB21S	TMLE100B12MP11	17.50	XAF/XAUB30C	1	675.00	21.40	15.50	14.30	20.75	16.10	14.70	7.50	6.00	3.40	2.44
YH2E24TB21S	TMLE100B12MP11	17.50	XAF/XAUB30C	2	950.00	23.60	18.10		11.00	23.20	14.70	7.50	6.00	3.64	2.44
YH2E24TB21S	TMLE100B12MP11	17.50	XAHB30C	1	650.00	22.00	17.20	14.30	21.35	16.00	14.60	7.50	6.05	3.34	2.46
YH2E24TB21S	TMLE100B12MP11	17.50	XAHB30C	2	925.00	23.60	19.90		11.00	22.80	14.60	7.50	6.05	3.60	2.46
YH2E24TB21S	TP9C060B12MP13C	17.50	XAHB30C	1	575.00	21.20	15.70	14.30	20.85	15.80	14.70	7.50	6.05	3.20	2.42
YH2E24TB21S	TP9C060B12MP13C	17.50	XAHB30C	2	925.00	23.60	19.90		11.00	23.00	14.70	7.50	6.05	3.54	2.42
YH2E24TB21S	TP9C080B12MP13C	17.50	XAHB30C	1	625.00	21.60	16.60	14.30	21.00	15.90	14.40	7.50	6.00	3.30	2.44
YH2E24TB21S	TP9C080B12MP13C	17.50	XAHB30C	2	875.00	23.60	19.40		11.00	22.60	14.40	7.50	6.00	3.54	2.44
YH2E24TB21S	TPLC080B12MP13C	17.50	XAHB30C	1	600.00	21.40	16.10	14.30	20.70	15.90	14.60	7.50	6.05	3.24	2.42
YH2E24TB21S	TPLC080B12MP13C	17.50	XAHB30C	2	900.00	23.60	19.60		11.00	23.00	14.60	7.50	6.05	3.50	2.42
YH2E24TB21S	YP9C060B12MP13C	17.50	XAHB30C	1	575.00	21.20	15.70	14.30	20.85	15.80	14.70	7.50	6.05	3.20	2.42
YH2E24TB21S	YP9C060B12MP13C	17.50	XAHB30C	2	925.00	23.60	19.90		11.00	23.00	14.70	7.50	6.05	3.54	2.42
YH2E24TB21S	YP9C080B12MP13C	17.50	XAHB30C	1	625.00	21.60	16.60	14.30	21.00	15.90	14.40	7.50	6.00	3.30	2.44
YH2E24TB21S	YP9C080B12MP13C	17.50	XAHB30C	2	875.00	23.60	19.40		11.00	22.60	14.40	7.50	6.00	3.54	2.44
YH2E24TB21S	YPLC080B12MP13C	17.50	XAHB30C	1	600.00	21.40	16.10	14.30	20.70	15.90	14.60	7.50	6.05	3.24	2.42
YH2E24TB21S	YPLC080B12MP13C	17.50	XAHB30C	2	900.00	23.60	19.60		11.00	23.00	14.60	7.50	6.05	3.50	2.42

Furnace capacity 2.5 ton

Table 7: Furnace capacity 2.5 ton

Unit model	Furnace model	Width	Coil Model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E30TB21S	TL8E060A12UH11	14.50	XAFA30D	1	650.00	26.00	17.60	14.30	20.40	20.00	17.60	7.50	6.00	3.52	2.36
YH2E30TB21S	TL8E060A12UH11	14.50	XAFA30D	2	1050.00	29.40	21.80		10.50	28.40	17.60	7.50	6.00	3.54	2.36
YH2E30TB21S	TL8E080C16UH11	21.00	XAFC36D	1	850.00	27.40	20.20	14.30	20.55	20.80	17.30	7.50	5.90	3.74	2.40
YH2E30TB21S	TL8E080C16UH11	21.00	XAFC36D	2	1075.00	29.40	22.00		11.00	28.20	17.30	7.50	5.90	3.64	2.40
YH2E30TB21S	TL8E100C20UH11	21.00	XAFC36D	1	900.00	27.60	20.60	14.30	20.55	21.00	17.10	7.50	5.90	3.80	2.44
YH2E30TB21S	TL8E100C20UH11	21.00	XAFC36D	2	1050.00	29.40	22.00		11.00	28.00	17.10	7.50	5.90	3.70	2.44
YH2E30TB21S	TL8E100C20UH11	21.00	XAHC36D	1	925.00	26.20	23.00	14.30	19.60	21.20	17.60	7.50	5.90	3.84	2.44
YH2E30TB21S	TL8E100C20UH11	21.00	XAHC36D	2	1200.00	29.40	27.00		10.50	27.00	17.60	7.50	5.90	3.52	2.44
YH2E30TB21S	TL9E080C16UH11	21.00	XAFC36D	1	850.00	27.40	20.20	14.30	20.65	20.80	17.40	7.50	5.90	3.76	2.42
YH2E30TB21S	TL9E080C16UH11	21.00	XAFC36D	2	1125.00	29.40	22.40		11.00	28.40	17.40	7.50	5.90	3.66	2.42
YH2E30TB21S	TM8E040A12MP11	14.50	XAFA30D	1	625.00	25.80	17.30	14.30	20.45	19.90	17.40	7.50	6.00	3.50	2.36
YH2E30TB21S	TM8E040A12MP11	14.50	XAFA30D	2	1025.00	29.40	21.60		11.00	28.20	17.40	7.50	6.00	3.56	2.36
YH2E30TB21S	TM8E060A12MP11	14.50	XAFA30D	1	700.00	26.40	18.30	14.30	20.40	20.20	17.60	7.50	6.00	3.56	2.36
YH2E30TB21S	TM8E060A12MP11	14.50	XAFA30D	2	1050.00	29.40	21.80		10.50	28.40	17.60	7.50	6.00	3.54	2.36
YH2E30TB21S	TM8E080C16MP11	21.00	XAFC36D	1	750.00	26.80	19.00	14.30	20.85	20.40	17.30	7.50	5.95	3.66	2.42
YH2E30TB21S	TM8E080C16MP11	21.00	XAFC36D	2	1075.00	29.40	22.00		11.00	28.20	17.30	7.50	5.95	3.66	2.42
YH2E30TB21S	TM8E080C16MP11	21.00	XAHC36D	1	750.00	25.40	20.40	14.30	19.75	20.40	17.30	7.50	6.00	3.66	2.40
YH2E30TB21S	TM8E080C16MP11	21.00	XAHC36D	2	1075.00	29.40	25.60		10.50	26.60	17.30	7.50	6.00	3.44	2.40
YH2E30TB21S	TM8E100C16MP11	21.00	XAFC36D	1	750.00	26.80	19.00	14.30	20.95	20.40	17.40	7.50	5.90	3.68	2.42
YH2E30TB21S	TM8E100C16MP11	21.00	XAFC36D	2	1125.00	29.40	22.40		11.00	28.40	17.40	7.50	5.90	3.68	2.42
YH2E30TB21S	TM8E100C16MP11	21.00	XAHC36D	1	725.00	25.20	19.90	14.30	19.75	20.20	17.40	7.50	6.00	3.62	2.40
YH2E30TB21S	TM8E100C16MP11	21.00	XAHC36D	2	1100.00	29.40	25.80		10.50	26.80	17.40	7.50	6.00	3.46	2.40
YH2E30TB21S	TM8E120C16MP11	21.00	XAFC36D	1	750.00	26.80	19.00	14.30	20.95	20.40	17.40	7.50	5.90	3.66	2.42
YH2E30TB21S	TM8E120C16MP11	21.00	XAFC36D	2	1125.00	29.40	22.40		11.00	28.40	17.40	7.50	5.90	3.68	2.42
YH2E30TB21S	TM8E120C16MP11	21.00	XAHC36D	1	750.00	25.40	20.40	14.30	19.85	20.40	17.40	7.50	6.00	3.66	2.42
YH2E30TB21S	TM8E120C16MP11	21.00	XAHC36D	2	1100.00	29.40	25.80		10.50	26.80	17.40	7.50	6.00	3.46	2.42
YH2E30TB21S	TM8V060A12MP12C	14.50	XAFA30D	1	725.00	26.40	18.40	14.30	20.20	20.40	17.60	7.50	6.00	3.60	2.36
YH2E30TB21S	TM8V060A12MP12C	14.50	XAFA30D	2	1075.00	29.40	22.00		10.50	28.40	17.60	7.50	6.00	3.56	2.36
YH2E30TB21S	TM8V080C16MP12C	21.00	XAFC36D	1	775.00	26.80	19.10	14.30	20.70	20.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	TM8V080C16MP12C	21.00	XAFC36D	2	1150.00	29.40	22.60		11.00	28.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	TM8V100C16MP12C	21.00	XAFC36D	1	775.00	26.80	19.10	14.30	20.70	20.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	TM8V100C16MP12C	21.00	XAFC36D	2	1150.00	29.40	22.60		11.00	28.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	TM8Y060A12MP11	14.50	XAFA30D	1	675.00	26.00	17.80	14.30	20.10	20.20	17.30	7.50	6.00	3.52	2.36
YH2E30TB21S	TM8Y060A12MP11	14.50	XAFA30D	2	950.00	29.40	21.20		11.00	28.00	17.30	7.50	6.00	3.52	2.36
YH2E30TB21S	TM8Y080C16MP11	21.00	XAFC36D	1	700.00	26.40	18.30	14.30	20.85	20.20	17.00	7.50	5.95	3.60	2.42
YH2E30TB21S	TM8Y080C16MP11	21.00	XAFC36D	2	975.00	29.40	21.40		11.00	27.80	17.00	7.50	5.95	3.64	2.42
YH2E30TB21S	TM8Y080C16MP11	21.00	XAHC36D	1	725.00	25.20	19.90	14.30	20.05	20.20	17.60	7.50	5.95	3.66	2.42
YH2E30TB21S	TM8Y080C16MP11	21.00	XAHC36D	2	1175.00	29.40	26.80		10.50	27.00	17.60	7.50	5.95	3.48	2.42
YH2E30TB21S	TM8Y100C16MP11	21.00	XAFC36D	1	700.00	26.40	18.30	14.30	20.85	20.20	17.00	7.50	5.95	3.60	2.42
YH2E30TB21S	TM8Y100C16MP11	21.00	XAFC36D	2	975.00	29.40	21.40		11.00	27.80	17.00	7.50	5.95	3.64	2.42
YH2E30TB21S	TM8Y100C16MP11	21.00	XAHC36D	1	725.00	25.20	19.90	14.30	20.05	20.20	17.60	7.50	5.95	3.66	2.42
YH2E30TB21S	TM8Y100C16MP11	21.00	XAHC36D	2	1175.00	29.40	26.80		10.50	27.00	17.60	7.50	5.95	3.48	2.42
YH2E30TB21S	TM8Y100C20MP11	21.00	XAFC36D	1	875.00	27.40	20.20	14.30	20.55	21.00	17.00	7.50	5.90	3.76	2.44
YH2E30TB21S	TM8Y100C20MP11	21.00	XAFC36D	2	1000.00	29.40	21.60		11.00	27.80	17.00	7.50	5.90	3.68	2.44
YH2E30TB21S	TM8Y100C20MP11	21.00	XAHC36D	1	900.00	26.20	22.80	14.30	19.60	21.00	17.50	7.50	5.95	3.82	2.44
YH2E30TB21S	TM8Y100C20MP11	21.00	XAHC36D	2	1150.00	29.40	26.40		10.50	26.80	17.50	7.50	5.95	3.50	2.44
YH2E30TB21S	TM8Y120C20MP11	21.00	XAFC36D	1	875.00	27.40	20.20	14.30	20.55	21.00	17.00	7.50	5.90	3.76	2.44
YH2E30TB21S	TM8Y120C20MP11	21.00	XAFC36D	2	1000.00	29.40	21.60		11.00	27.80	17.00	7.50	5.90	3.68	2.44
YH2E30TB21S	TM8Y120C20MP11	21.00	XAHC36D	1	900.00	26.20	22.80	14.30	19.60	21.00	17.50	7.50	5.95	3.82	2.44
YH2E30TB21S	TM8Y120C20MP11	21.00	XAHC36D	2	1150.00	29.40	26.40		10.50	26.80	17.50	7.50	5.95	3.50	2.44
YH2E30TB21S	TM9E080C16MP12	21.00	XAFC36D	1	700.00	26.40	18.30	14.30	20.75	20.20	17.40	7.50	5.95	3.60	2.40
YH2E30TB21S	TM9E080C16MP12	21.00	XAFC36D	2	1100.00	29.40	22.20		11.00	28.40	17.40	7.50	5.95	3.64	2.40
YH2E30TB21S	TM9E100C16MP12	21.00	XAFC36D	1	725.00	26.60	18.60	14.30	20.75	20.20	17.40	7.50	5.95	3.62	2.40
YH2E30TB21S	TM9E100C16MP12	21.00	XAFC36D	2	1100.00	29.40	22.20		11.00	28.40	17.40	7.50	5.95	3.66	2.40
YH2E30TB21S	TM9V080C16MP12C	21.00	XAFC36D	1	750.00	26.60	18.80	14.30	20.40	20.40	17.50	7.50	5.90	3.64	2.40
YH2E30TB21S	TM9V080C16MP12C	21.00	XAFC36D	2	1125.00	29.40	22.40		11.00	28.40	17.50	7.50	5.90	3.64	2.40
YH2E30TB21S	TM9V100C16MP12C	21.00	XAFC36D	1	750.00	26.60	18.80	14.30	20.60	20.40	17.30	7.50	5.90	3.66	2.42
YH2E30TB21S	TM9V100C16MP12C	21.00	XAFC36D	2	1100.00	29.40	22.20		11.00	28.20	17.30	7.50	5.90	3.68	2.42
YH2E30TB21S	TM9Y080C16MP11	21.00	XAFC36D	1	600.00	25.80	17.20	14.30	20.70	19.80	17.40	7.50	5.95	3.48	2.40
YH2E30TB21S	TM9Y080C16MP11	21.00	XAFC36D	2	1100.00	29.40	22.20		11.00	28.40	17.40	7.50	5.95	3.64	2.40

Table 7: Furnace capacity 2.5 ton

Unit model	Furnace model	Width	Coil Model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E30TB21S	TM9Y100C16MP11	21.00	XAFC36D	1	600.00	25.60	17.00	14.30	20.60	19.70	17.40	7.50	5.95	3.50	2.40
YH2E30TB21S	TM9Y100C16MP11	21.00	XAFC36D	2	1075.00	29.40	22.00		11.00	28.20	17.40	7.50	5.95	3.62	2.40
YH2E30TB21S	TMLE040A12MP11	14.50	XAFA30D	1	625.00	25.80	17.30	14.30	20.45	19.90	17.40	7.50	6.00	3.50	2.36
YH2E30TB21S	TMLE040A12MP11	14.50	XAFA30D	2	1025.00	29.40	21.60		11.00	28.20	17.40	7.50	6.00	3.56	2.36
YH2E30TB21S	TMLE060A12MP11	14.50	XAFA30D	1	700.00	26.40	18.30	14.30	20.40	20.20	17.60	7.50	6.00	3.56	2.36
YH2E30TB21S	TMLE060A12MP11	14.50	XAFA30D	2	1050.00	29.40	21.80		10.50	28.40	17.60	7.50	6.00	3.54	2.36
YH2E30TB21S	TMLE080C16MP11	21.00	XAFC36D	1	750.00	26.80	19.00	14.30	20.85	20.40	17.30	7.50	5.95	3.66	2.42
YH2E30TB21S	TMLE080C16MP11	21.00	XAFC36D	2	1075.00	29.40	22.00		11.00	28.20	17.30	7.50	5.95	3.66	2.42
YH2E30TB21S	TMLE080C16MP11	21.00	XAHC36D	1	750.00	25.40	20.40	14.30	19.75	20.40	17.30	7.50	6.00	3.66	2.40
YH2E30TB21S	TMLE080C16MP11	21.00	XAHC36D	2	1075.00	29.40	25.60		10.50	26.60	17.30	7.50	6.00	3.44	2.40
YH2E30TB21S	TMLE100C16MP11	21.00	XAFC36D	1	750.00	26.80	19.00	14.30	20.95	20.40	17.40	7.50	5.90	3.68	2.42
YH2E30TB21S	TMLE100C16MP11	21.00	XAFC36D	2	1125.00	29.40	22.40		11.00	28.40	17.40	7.50	5.90	3.68	2.42
YH2E30TB21S	TMLE100C16MP11	21.00	XAHC36D	1	725.00	25.20	19.90	14.30	19.75	20.20	17.40	7.50	6.00	3.62	2.40
YH2E30TB21S	TMLE100C16MP11	21.00	XAHC36D	2	1100.00	29.40	25.80		10.50	26.80	17.40	7.50	6.00	3.46	2.40
YH2E30TB21S	TMLE120C16MP11	21.00	XAFC36D	1	750.00	26.80	19.00	14.30	20.95	20.40	17.40	7.50	5.90	3.66	2.42
YH2E30TB21S	TMLE120C16MP11	21.00	XAFC36D	2	1125.00	29.40	22.40		11.00	28.40	17.40	7.50	5.90	3.68	2.42
YH2E30TB21S	TMLE120C16MP11	21.00	XAHC36D	1	750.00	25.40	20.40	14.30	19.85	20.40	17.40	7.50	6.00	3.66	2.42
YH2E30TB21S	TMLE120C16MP11	21.00	XAHC36D	2	1100.00	29.40	25.80		10.50	26.80	17.40	7.50	6.00	3.46	2.42
YH2E30TB21S	TMLV060A12MP12C	14.50	XAFA30D	1	725.00	26.40	18.40	14.30	20.20	20.40	17.60	7.50	6.00	3.60	2.36
YH2E30TB21S	TMLV060A12MP12C	14.50	XAFA30D	2	1075.00	29.40	22.00		10.50	28.40	17.60	7.50	6.00	3.56	2.36
YH2E30TB21S	TMLV100C16MP12C	21.00	XAFC36D	1	775.00	26.80	19.10	14.30	20.70	20.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	TMLV100C16MP12C	21.00	XAFC36D	2	1150.00	29.40	22.60		11.00	28.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	TP9C080C16MP13C	21.00	XAFC36D	1	750.00	26.60	18.80	14.30	20.40	20.40	17.50	7.50	5.90	3.64	2.40
YH2E30TB21S	TP9C080C16MP13C	21.00	XAFC36D	2	1125.00	29.40	22.40		11.00	28.40	17.50	7.50	5.90	3.64	2.40
YH2E30TB21S	TP9C100C16MP13C	21.00	XAFC36D	1	750.00	26.60	18.80	14.30	20.60	20.40	17.30	7.50	5.90	3.66	2.42
YH2E30TB21S	TP9C100C16MP13C	21.00	XAFC36D	2	1100.00	29.40	22.20		11.00	28.20	17.30	7.50	5.90	3.68	2.42
YH2E30TB21S	TPLC060A12MP13C	14.50	XAFA30D	1	725.00	26.40	18.40	14.30	20.20	20.40	17.60	7.50	6.00	3.60	2.36
YH2E30TB21S	TPLC060A12MP13C	14.50	XAFA30D	2	1075.00	29.40	22.00		10.50	28.40	17.60	7.50	6.00	3.56	2.36
YH2E30TB21S	TPLC080C16MP13C	21.00	XAFC36D	1	775.00	26.80	19.10	14.30	20.70	20.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	TPLC080C16MP13C	21.00	XAFC36D	2	1150.00	29.40	22.60		11.00	28.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	TPLC100C16MP13C	21.00	XAFC36D	1	775.00	26.80	19.10	14.30	20.70	20.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	TPLC100C16MP13C	21.00	XAFC36D	2	1150.00	29.40	22.60		11.00	28.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	YP9C080C16MP13C	21.00	XAFC36D	1	750.00	26.60	18.80	14.30	20.40	20.40	17.50	7.50	5.90	3.64	2.40
YH2E30TB21S	YP9C080C16MP13C	21.00	XAFC36D	2	1125.00	29.40	22.40		11.00	28.40	17.50	7.50	5.90	3.64	2.40
YH2E30TB21S	YP9C100C16MP13C	21.00	XAFC36D	1	750.00	26.60	18.80	14.30	20.60	20.40	17.30	7.50	5.90	3.66	2.42
YH2E30TB21S	YP9C100C16MP13C	21.00	XAFC36D	2	1100.00	29.40	22.20		11.00	28.20	17.30	7.50	5.90	3.68	2.42
YH2E30TB21S	YPLC060A12MP13C	14.50	XAFA30D	1	725.00	26.40	18.40	14.30	20.20	20.40	17.60	7.50	6.00	3.60	2.36
YH2E30TB21S	YPLC060A12MP13C	14.50	XAFA30D	2	1075.00	29.40	22.00		10.50	28.40	17.60	7.50	6.00	3.56	2.36
YH2E30TB21S	YPLC080C16MP13C	21.00	XAFC36D	1	775.00	26.80	19.10	14.30	20.70	20.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	YPLC080C16MP13C	21.00	XAFC36D	2	1150.00	29.40	22.60		11.00	28.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	YPLC100C16MP13C	21.00	XAFC36D	1	775.00	26.80	19.10	14.30	20.70	20.40	17.50	7.50	5.90	3.70	2.42
YH2E30TB21S	YPLC100C16MP13C	21.00	XAFC36D	2	1150.00	29.40	22.60		11.00	28.40	17.50	7.50	5.90	3.70	2.42

Furnace capacity 3 ton

Table 8: Furnace capacity 3 ton

Unit model	Furnace model	Width	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E36TB21S	TL8E100C20UH11	21.00	XAHC36D	1	975.00	30.60	23.00	14.30	19.65	25.20	21.20	7.50	6.00	3.54	2.32
YH2E36TB21S	TL8E100C20UH11	21.00	XAHC36D	2	1425.00	35.00	27.60		10.50	34.40	21.20	7.50	6.00	3.50	2.32
YH2E36TB21S	TM8Y080C16MP11	21.00	XAFC36D	1	750.00	29.80	20.00	14.30	20.15	24.40	22.80	7.50	6.05	3.36	2.44
YH2E36TB21S	TM8Y080C16MP11	21.00	XAFC36D	2	1375.00	35.00	26.40		10.50	33.20	22.80	7.50	6.05	3.28	2.44
YH2E36TB21S	TM8Y080C16MP11	21.00	XAHC36D	1	725.00	29.20	19.90	14.30	19.70	24.40	21.20	7.50	6.05	3.32	2.34
YH2E36TB21S	TM8Y080C16MP11	21.00	XAHC36D	2	1175.00	34.40	25.60		11.00	33.60	21.20	7.50	6.05	3.40	2.34
YH2E36TB21S	TM8Y100C16MP11	21.00	XAFC36D	1	750.00	29.80	20.00	14.30	20.15	24.40	22.80	7.50	6.05	3.36	2.44
YH2E36TB21S	TM8Y100C16MP11	21.00	XAFC36D	2	1375.00	35.00	26.40		10.50	33.20	22.80	7.50	6.05	3.28	2.44
YH2E36TB21S	TM8Y100C16MP11	21.00	XAHC36D	1	725.00	29.20	19.90	14.30	19.70	24.40	21.20	7.50	6.05	3.32	2.34
YH2E36TB21S	TM8Y100C16MP11	21.00	XAHC36D	2	1175.00	34.40	25.60		11.00	33.60	21.20	7.50	6.05	3.40	2.34

Furnace capacity 3.5 ton

Table 9: Furnace capacity 3.5 ton

Unit model	Furnace model	Width	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E42TB21S	TL8E100C20UH11	21.00	XAF/XAUC60G	1	1050.00	35.20	25.00	14.30	20.45	28.40	26.40	7.50	5.95	3.46	2.56
YH2E42TB21S	TL8E100C20UH11	21.00	XAF/XAUC60G	2	1500.00	40.50	30.60		11.00	40.00	26.40	7.50	5.95	3.56	2.56
YH2E42TB21S	TL8E100C20UH11	21.00	XAHC48F	1	1025.00	34.80	25.00	14.30	20.35	28.60	26.00	7.50	5.95	3.34	2.44
YH2E42TB21S	TL8E100C20UH11	21.00	XAHC48F	2	1475.00	40.50	30.40		11.00	42.00	26.00	7.50	5.95	3.54	2.44
YH2E42TB21S	TL8E100C20UH11	21.00	XAHC60G	1	1075.00	35.00	25.40	14.30	20.65	28.40	26.20	7.50	5.85	3.50	2.56
YH2E42TB21S	TL8E100C20UH11	21.00	XAHC60G	2	1500.00	41.00	30.80		11.00	41.00	26.20	7.50	5.85	3.64	2.56
YH2E42TB21S	TL8E100C20UH11	21.00	XAHC60G	1	1075.00	35.00	25.40	14.30	20.65	28.40	26.20	7.50	5.85	3.50	2.56
YH2E42TB21S	TL8E100C20UH11	21.00	XAHC60G	2	1500.00	41.00	30.80		11.00	41.00	26.20	7.50	5.85	3.64	2.56
YH2E42TB21S	TL9E100C20UH11	21.00	XAHC60G	1	1125.00	35.20	25.80	14.30	20.35	28.60	26.20	7.50	5.85	3.52	2.54
YH2E42TB21S	TL9E100C20UH11	21.00	XAHC60G	2	1475.00	40.50	30.20		11.00	41.00	26.20	7.50	5.85	3.60	2.54
YH2E42TB21S	TM8E080C16MP11	21.00	XAF/XAUC60G	1	850.00	34.00	23.00	14.30	20.45	27.60	26.60	7.50	5.95	3.30	2.52
YH2E42TB21S	TM8E080C16MP11	21.00	XAF/XAUC60G	2	1475.00	40.50	30.40		10.50	40.50	26.60	7.50	5.95	3.48	2.52
YH2E42TB21S	TM8E080C16MP11	21.00	XAHC48F	1	850.00	33.80	23.00	14.30	20.45	28.00	26.20	7.50	5.95	3.20	2.40
YH2E42TB21S	TM8E080C16MP11	21.00	XAHC48F	2	1450.00	40.50	30.20		10.50	42.00	26.20	7.50	5.95	3.48	2.40
YH2E42TB21S	TM8E080C16MP11	21.00	XAHC60G	1	875.00	33.60	23.00	14.30	20.50	27.60	26.40	7.50	5.85	3.32	2.52
YH2E42TB21S	TM8E080C16MP11	21.00	XAHC60G	2	1475.00	40.50	30.20		11.00	41.00	26.40	7.50	5.85	3.56	2.52
YH2E42TB21S	TM8E100C16MP11	21.00	XAF/XAUC60G	1	825.00	33.80	22.60	14.30	20.40	27.40	26.60	7.50	5.95	3.28	2.52
YH2E42TB21S	TM8E100C16MP11	21.00	XAF/XAUC60G	2	1475.00	40.50	30.40		10.50	40.50	26.60	7.50	5.95	3.50	2.52
YH2E42TB21S	TM8E100C16MP11	21.00	XAHC48F	1	825.00	33.80	22.80	14.30	20.45	28.00	26.20	7.50	5.95	3.16	2.40
YH2E42TB21S	TM8E100C16MP11	21.00	XAHC48F	2	1450.00	40.50	30.20		10.50	42.00	26.20	7.50	5.95	3.48	2.40
YH2E42TB21S	TM8E100C16MP11	21.00	XAHC60G	1	975.00	34.20	24.00	14.30	20.40	28.00	26.40	7.50	5.90	3.40	2.52
YH2E42TB21S	TM8E100C16MP11	21.00	XAHC60G	2	1475.00	40.50	30.20		11.00	41.00	26.40	7.50	5.90	3.56	2.52
YH2E42TB21S	TM8E120C16MP11	21.00	XAF/XAUC60G	1	825.00	33.80	22.60	14.30	20.40	27.40	26.40	7.50	5.95	3.26	2.52
YH2E42TB21S	TM8E120C16MP11	21.00	XAF/XAUC60G	2	1475.00	40.50	30.40		10.50	40.50	26.40	7.50	5.95	3.50	2.52
YH2E42TB21S	TM8E120C16MP11	21.00	XAHC48F	1	850.00	33.80	23.00	14.30	20.55	28.00	26.00	7.50	5.95	3.20	2.40
YH2E42TB21S	TM8E120C16MP11	21.00	XAHC48F	2	1450.00	40.50	30.20		11.00	42.00	26.00	7.50	5.95	3.48	2.40
YH2E42TB21S	TM8E120C16MP11	21.00	XAHC60G	1	875.00	33.60	23.00	14.30	20.55	27.60	26.40	7.50	5.85	3.32	2.52
YH2E42TB21S	TM8E120C16MP11	21.00	XAHC60G	2	1475.00	40.50	30.20		11.00	41.00	26.40	7.50	5.85	3.58	2.52
YH2E42TB21S	TM8V100C20MP12C	21.00	XAF/XAUC60G	1	975.00	34.60	24.20	14.30	20.25	28.00	26.20	7.50	5.90	3.40	2.54
YH2E42TB21S	TM8V100C20MP12C	21.00	XAF/XAUC60G	2	1425.00	40.50	30.20		11.00	40.00	26.20	7.50	5.90	3.52	2.54
YH2E42TB21S	TM8V100C20MP12C	21.00	XAHC48F	1	975.00	34.60	24.60	14.30	20.25	28.40	25.80	7.50	5.95	3.30	2.42
YH2E42TB21S	TM8V100C20MP12C	21.00	XAHC48F	2	1425.00	40.50	30.00		11.00	42.00	25.80	7.50	5.95	3.52	2.42
YH2E42TB21S	TM8V100C20MP12C	21.00	XAHC60G	1	1100.00	35.20	25.60	14.30	20.50	28.60	26.40	7.50	5.85	3.52	2.54
YH2E42TB21S	TM8V100C20MP12C	21.00	XAHC60G	2	1625.00	41.00	31.60		11.00	41.00	26.40	7.50	5.85	3.64	2.54
YH2E42TB21S	TM8V120C20MP12C	21.00	XAF/XAUC60G	1	975.00	34.60	24.20	14.30	20.25	28.00	26.20	7.50	5.90	3.40	2.54
YH2E42TB21S	TM8V120C20MP12C	21.00	XAF/XAUC60G	2	1425.00	40.50	30.20		11.00	40.00	26.20	7.50	5.90	3.52	2.54
YH2E42TB21S	TM8V120C20MP12C	21.00	XAHC48F	1	975.00	34.60	24.60	14.30	20.25	28.40	25.80	7.50	5.95	3.30	2.42
YH2E42TB21S	TM8V120C20MP12C	21.00	XAHC48F	2	1425.00	40.50	30.00		11.00	42.00	25.80	7.50	5.95	3.52	2.42
YH2E42TB21S	TM8V120C20MP12C	21.00	XAHC60G	1	1100.00	35.20	25.60	14.30	20.50	28.60	26.40	7.50	5.85	3.52	2.54
YH2E42TB21S	TM8V120C20MP12C	21.00	XAHC60G	2	1625.00	41.00	31.60		11.00	41.00	26.40	7.50	5.85	3.64	2.54
YH2E42TB21S	TM8Y080C16MP11	21.00	XAF/XAUC60G	1	775.00	33.40	22.00	14.30	20.45	27.20	26.40	7.50	6.00	3.24	2.52
YH2E42TB21S	TM8Y080C16MP11	21.00	XAF/XAUC60G	2	1425.00	40.00	29.60		11.00	40.00	26.40	7.50	6.00	3.48	2.52
YH2E42TB21S	TM8Y080C16MP11	21.00	XAHC48F	1	800.00	33.60	22.60	14.30	20.60	27.80	26.00	7.50	6.00	3.16	2.40
YH2E42TB21S	TM8Y080C16MP11	21.00	XAHC48F	2	1400.00	40.50	30.00		11.00	42.00	26.00	7.50	6.00	3.48	2.40
YH2E42TB21S	TM8Y080C16MP11	21.00	XAHC48F	1	800.00	33.60	22.60	14.30	20.60	27.80	26.00	7.50	6.00	3.16	2.40
YH2E42TB21S	TM8Y080C16MP11	21.00	XAHC48F	2	1400.00	40.50	30.00		11.00	42.00	26.00	7.50	6.00	3.48	2.40
YH2E42TB21S	TM8Y080C16MP11	21.00	XAHC60G	1	825.00	33.20	22.40	14.30	20.60	27.40	26.20	7.50	5.85	3.30	2.52
YH2E42TB21S	TM8Y080C16MP11	21.00	XAHC60G	2	1425.00	40.50	30.00		11.00	41.00	26.20	7.50	5.85	3.56	2.52
YH2E42TB21S	TM8Y100C16MP11	21.00	XAF/XAUC60G	1	775.00	33.40	22.00	14.30	20.45	27.20	26.40	7.50	6.00	3.24	2.52
YH2E42TB21S	TM8Y100C16MP11	21.00	XAF/XAUC60G	2	1425.00	40.00	29.60		11.00	40.00	26.40	7.50	6.00	3.48	2.52
YH2E42TB21S	TM8Y100C16MP11	21.00	XAHC48F	1	800.00	33.60	22.60	14.30	20.60	27.80	26.00	7.50	6.00	3.16	2.40
YH2E42TB21S	TM8Y100C16MP11	21.00	XAHC48F	2	1400.00	40.50	30.00		11.00	42.00	26.00	7.50	6.00	3.48	2.40
YH2E42TB21S	TM8Y100C16MP11	21.00	XAHC48F	1	800.00	33.60	22.60	14.30	20.60	27.80	26.00	7.50	6.00	3.16	2.40
YH2E42TB21S	TM8Y100C16MP11	21.00	XAHC48F	2	1400.00	40.50	30.00		11.00	42.00	26.00	7.50	6.00	3.48	2.40
YH2E42TB21S	TM8Y100C16MP11	21.00	XAHC60G	1	825.00	33.20	22.40	14.30	20.60	27.40	26.20	7.50	5.85	3.30	2.52
YH2E42TB21S	TM8Y100C16MP11	21.00	XAHC60G	2	1425.00	40.50	30.00		11.00	41.00	26.20	7.50	5.85	3.56	2.52
YH2E42TB21S	TM8Y100C20MP11	21.00	XAF/XAUC60G	1	1000.00	34.80	24.40	14.30	20.35	28.20	26.00	7.50	5.95	3.42	2.54
YH2E42TB21S	TM8Y100C20MP11	21.00	XAF/XAUC60G	2	1400.00	40.50	30.00		11.00	40.00	26.00	7.50	5.95	3.52	2.54
YH2E42TB21S	TM8Y100C20MP11	21.00	XAHC48F	1	1000.00	34.60	24.80	14.30	20.40	28.60	25.80	7.50	5.95	3.32	2.42
YH2E42TB21S	TM8Y100C20MP11	21.00	XAHC48F	2	1400.00	40.50	30.00		11.00	42.00	25.80	7.50	5.95	3.52	2.42

Table 9: Furnace capacity 3.5 ton

Unit model	Furnace model	Width	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E42TB21S	TM8Y100C20MP11	21.00	XAHC60G	1	1025.00	34.60	24.80	14.30	20.55	28.20	26.00	7.50	5.85	3.46	2.56
YH2E42TB21S	TM8Y100C20MP11	21.00	XAHC60G	2	1425.00	40.50	30.00		11.00	40.50	26.00	7.50	5.85	3.62	2.56
YH2E42TB21S	TM8Y100C20MP11	21.00	XAHC60G	1	1025.00	34.60	24.80	14.30	20.55	28.20	26.00	7.50	5.85	3.46	2.56
YH2E42TB21S	TM8Y100C20MP11	21.00	XAHC60G	2	1425.00	40.50	30.00		11.00	40.50	26.00	7.50	5.85	3.62	2.56
YH2E42TB21S	TM8Y120C20MP11	21.00	XAF/XAUC60G	1	1000.00	34.80	24.40	14.30	20.35	28.20	26.00	7.50	5.95	3.42	2.54
YH2E42TB21S	TM8Y120C20MP11	21.00	XAF/XAUC60G	2	1400.00	40.50	30.00		11.00	40.00	26.00	7.50	5.95	3.52	2.54
YH2E42TB21S	TM8Y120C20MP11	21.00	XAHC48F	1	1000.00	34.60	24.80	14.30	20.40	28.60	25.80	7.50	5.95	3.32	2.42
YH2E42TB21S	TM8Y120C20MP11	21.00	XAHC48F	2	1400.00	40.50	30.00		11.00	42.00	25.80	7.50	5.95	3.52	2.42
YH2E42TB21S	TM8Y120C20MP11	21.00	XAHC60G	1	1025.00	34.60	24.80	14.30	20.55	28.20	26.00	7.50	5.85	3.46	2.56
YH2E42TB21S	TM8Y120C20MP11	21.00	XAHC60G	2	1425.00	40.50	30.00		11.00	40.50	26.00	7.50	5.85	3.62	2.56
YH2E42TB21S	TM8Y120C20MP11	21.00	XAHC60G	1	1025.00	34.60	24.80	14.30	20.55	28.20	26.00	7.50	5.85	3.46	2.56
YH2E42TB21S	TM8Y120C20MP11	21.00	XAHC60G	2	1425.00	40.50	30.00		11.00	40.50	26.00	7.50	5.85	3.62	2.56
YH2E42TB21S	TM9E080C16MP12	21.00	XAHC48F	1	800.00	33.60	22.60	14.30	20.45	27.80	26.20	7.50	6.00	3.14	2.38
YH2E42TB21S	TM9E080C16MP12	21.00	XAHC48F	2	1425.00	40.50	30.00		11.00	42.00	26.20	7.50	6.00	3.44	2.38
YH2E42TB21S	TM9E100C16MP12	21.00	XAHC48F	1	825.00	33.80	22.80	14.30	20.45	28.00	26.40	7.50	6.00	3.16	2.38
YH2E42TB21S	TM9E100C16MP12	21.00	XAHC48F	2	1475.00	40.50	30.40		10.50	42.00	26.40	7.50	6.00	3.44	2.38
YH2E42TB21S	TM9E100C16MP12	21.00	XAHC60G	1	875.00	33.60	23.00	14.30	20.50	27.60	26.60	7.50	5.90	3.32	2.50
YH2E42TB21S	TM9E100C16MP12	21.00	XAHC60G	2	1500.00	40.50	30.40		10.50	41.00	26.60	7.50	5.90	3.54	2.50
YH2E42TB21S	TM9V120D20MP12C	24.50	XAF/XAUD60G	1	1000.00	34.80	24.40	14.30	20.35	28.00	26.60	7.50	5.90	3.44	2.58
YH2E42TB21S	TM9V120D20MP12C	24.50	XAF/XAUD60G	2	1650.00	41.00	32.00		11.00	40.50	26.60	7.50	5.90	3.62	2.58
YH2E42TB21S	TM9Y120D20MP11	24.50	XAF/XAUD60G	1	950.00	34.60	24.00	14.30	20.40	28.00	26.20	7.50	5.95	3.38	2.54
YH2E42TB21S	TM9Y120D20MP11	24.50	XAF/XAUD60G	2	1450.00	40.50	30.40		11.00	40.00	26.20	7.50	5.95	3.52	2.54
YH2E42TB21S	TM9Y120D20MP11	24.50	XAHD48F	1	925.00	34.20	23.80	14.30	20.30	28.40	26.00	7.50	6.00	3.24	2.42
YH2E42TB21S	TM9Y120D20MP11	24.50	XAHD48F	2	1450.00	40.50	30.20		11.00	42.00	26.00	7.50	6.00	3.52	2.42
YH2E42TB21S	TMLE080C16MP11	21.00	XAF/XAUC60G	1	850.00	34.00	23.00	14.30	20.45	27.60	26.60	7.50	5.95	3.30	2.52
YH2E42TB21S	TMLE080C16MP11	21.00	XAF/XAUC60G	2	1475.00	40.50	30.40		10.50	40.50	26.60	7.50	5.95	3.48	2.52
YH2E42TB21S	TMLE080C16MP11	21.00	XAHC48F	1	850.00	33.80	23.00	14.30	20.45	28.00	26.20	7.50	5.95	3.20	2.40
YH2E42TB21S	TMLE080C16MP11	21.00	XAHC48F	2	1450.00	40.50	30.20		10.50	42.00	26.20	7.50	5.95	3.48	2.40
YH2E42TB21S	TMLE080C16MP11	21.00	XAHC60G	1	875.00	33.60	23.00	14.30	20.50	27.60	26.40	7.50	5.85	3.32	2.52
YH2E42TB21S	TMLE080C16MP11	21.00	XAHC60G	2	1475.00	40.50	30.20		11.00	41.00	26.40	7.50	5.85	3.56	2.52
YH2E42TB21S	TMLE100C16MP11	21.00	XAF/XAUC60G	1	825.00	33.80	22.60	14.30	20.40	27.40	26.60	7.50	5.95	3.28	2.52
YH2E42TB21S	TMLE100C16MP11	21.00	XAF/XAUC60G	2	1475.00	40.50	30.40		10.50	40.50	26.60	7.50	5.95	3.50	2.52
YH2E42TB21S	TMLE100C16MP11	21.00	XAHC48F	1	825.00	33.80	22.80	14.30	20.45	28.00	26.20	7.50	5.95	3.16	2.40
YH2E42TB21S	TMLE100C16MP11	21.00	XAHC48F	2	1450.00	40.50	30.20		10.50	42.00	26.20	7.50	5.95	3.48	2.40
YH2E42TB21S	TMLE100C16MP11	21.00	XAHC60G	1	975.00	34.20	24.00	14.30	20.40	28.00	26.40	7.50	5.90	3.40	2.52
YH2E42TB21S	TMLE100C16MP11	21.00	XAHC60G	2	1475.00	40.50	30.20		11.00	41.00	26.40	7.50	5.90	3.56	2.52
YH2E42TB21S	TMLE120C16MP11	21.00	XAF/XAUC60G	1	825.00	33.80	22.60	14.30	20.40	27.40	26.40	7.50	5.95	3.26	2.52
YH2E42TB21S	TMLE120C16MP11	21.00	XAF/XAUC60G	2	1475.00	40.50	30.40		10.50	40.50	26.40	7.50	5.95	3.50	2.52
YH2E42TB21S	TMLE120C16MP11	21.00	XAHC48F	1	850.00	33.80	23.00	14.30	20.55	28.00	26.00	7.50	5.95	3.20	2.40
YH2E42TB21S	TMLE120C16MP11	21.00	XAHC48F	2	1450.00	40.50	30.20		11.00	42.00	26.00	7.50	5.95	3.48	2.40
YH2E42TB21S	TMLE120C16MP11	21.00	XAHC60G	1	875.00	33.60	23.00	14.30	20.55	27.60	26.40	7.50	5.85	3.32	2.52
YH2E42TB21S	TMLE120C16MP11	21.00	XAHC60G	2	1475.00	40.50	30.20		11.00	41.00	26.40	7.50	5.85	3.58	2.52
YH2E42TB21S	TMLV120C20MP12C	21.00	XAF/XAUC60G	1	975.00	34.60	24.20	14.30	20.25	28.00	26.20	7.50	5.90	3.40	2.54
YH2E42TB21S	TMLV120C20MP12C	21.00	XAF/XAUC60G	2	1425.00	40.50	30.20		11.00	40.00	26.20	7.50	5.90	3.52	2.54
YH2E42TB21S	TMLV120C20MP12C	21.00	XAHC48F	1	975.00	34.60	24.60	14.30	20.25	28.40	25.80	7.50	5.95	3.30	2.42
YH2E42TB21S	TMLV120C20MP12C	21.00	XAHC48F	2	1425.00	40.50	30.00		11.00	42.00	25.80	7.50	5.95	3.52	2.42
YH2E42TB21S	TMLV120C20MP12C	21.00	XAHC60G	1	1100.00	35.20	25.60	14.30	20.50	28.60	26.40	7.50	5.85	3.52	2.54
YH2E42TB21S	TMLV120C20MP12C	21.00	XAHC60G	2	1625.00	41.00	31.60		11.00	41.00	26.40	7.50	5.85	3.64	2.54
YH2E42TB21S	TP9C120D20MP13C	24.50	XAF/XAUD60G	1	1000.00	34.80	24.40	14.30	20.35	28.00	26.60	7.50	5.90	3.44	2.58
YH2E42TB21S	TP9C120D20MP13C	24.50	XAF/XAUD60G	2	1650.00	41.00	32.00		11.00	40.50	26.60	7.50	5.90	3.62	2.58
YH2E42TB21S	TPLC100C20MP13C	21.00	XAF/XAUC60G	1	975.00	34.60	24.20	14.30	20.25	28.00	26.20	7.50	5.90	3.40	2.54
YH2E42TB21S	TPLC100C20MP13C	21.00	XAF/XAUC60G	2	1425.00	40.50	30.20		11.00	40.00	26.20	7.50	5.90	3.52	2.54
YH2E42TB21S	TPLC100C20MP13C	21.00	XAHC48F	1	975.00	34.60	24.60	14.30	20.25	28.40	25.80	7.50	5.95	3.30	2.42
YH2E42TB21S	TPLC100C20MP13C	21.00	XAHC48F	2	1425.00	40.50	30.00		11.00	42.00	25.80	7.50	5.95	3.52	2.42
YH2E42TB21S	TPLC100C20MP13C	21.00	XAHC60G	1	1100.00	35.20	25.60	14.30	20.50	28.60	26.40	7.50	5.85	3.52	2.54
YH2E42TB21S	TPLC100C20MP13C	21.00	XAHC60G	2	1625.00	41.00	31.60		11.00	41.00	26.40	7.50	5.85	3.64	2.54
YH2E42TB21S	TPLC120C20MP13C	21.00	XAF/XAUC60G	1	975.00	34.60	24.20	14.30	20.25	28.00	26.20	7.50	5.90	3.40	2.54
YH2E42TB21S	TPLC120C20MP13C	21.00	XAF/XAUC60G	2	1425.00	40.50	30.20		11.00	40.00	26.20	7.50	5.90	3.52	2.54
YH2E42TB21S	TPLC120C20MP13C	21.00	XAHC48F	1	975.00	34.60	24.60	14.30	20.25	28.40	25.80	7.50	5.95	3.30	2.42
YH2E42TB21S	TPLC120C20MP13C	21.00	XAHC48F	2	1425.00	40.50	30.00		11.00	42.00	25.80	7.50	5.95	3.52	2.42
YH2E42TB21S	TPLC120C20MP13C	21.00	XAHC60G	1	1100.00	35.20	25.60	14.30	20.50	28.60	26.40	7.50	5.85	3.52	2.54
YH2E42TB21S	TPLC120C20MP13C	21.00	XAHC60G	2	1625.00	41.00	31.60		11.00	41.00	26.40	7.50	5.85	3.64	2.54

Table 9: Furnace capacity 3.5 ton

Unit model	Furnace model	Width	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E42TB21S	YP9C120D20MP13C	24.50	XAF/XAUD60G	1	1000.00	34.80	24.40	14.30	20.35	28.00	26.60	7.50	5.90	3.44	2.58
YH2E42TB21S	YP9C120D20MP13C	24.50	XAF/XAUD60G	2	1650.00	41.00	32.00		11.00	40.50	26.60	7.50	5.90	3.62	2.58
YH2E42TB21S	YPLC100C20MP13C	21.00	XAF/XAUC60G	1	975.00	34.60	24.20	14.30	20.25	28.00	26.20	7.50	5.90	3.40	2.54
YH2E42TB21S	YPLC100C20MP13C	21.00	XAF/XAUC60G	2	1425.00	40.50	30.20		11.00	40.00	26.20	7.50	5.90	3.52	2.54
YH2E42TB21S	YPLC100C20MP13C	21.00	XAHC48F	1	975.00	34.60	24.60	14.30	20.25	28.40	25.80	7.50	5.95	3.30	2.42
YH2E42TB21S	YPLC100C20MP13C	21.00	XAHC48F	2	1425.00	40.50	30.00		11.00	42.00	25.80	7.50	5.95	3.52	2.42
YH2E42TB21S	YPLC100C20MP13C	21.00	XAHC60G	1	1100.00	35.20	25.60	14.30	20.50	28.60	26.40	7.50	5.85	3.52	2.54
YH2E42TB21S	YPLC100C20MP13C	21.00	XAHC60G	2	1625.00	41.00	31.60		11.00	41.00	26.40	7.50	5.85	3.64	2.54
YH2E42TB21S	YPLC120C20MP13C	21.00	XAF/XAUC60G	1	975.00	34.60	24.20	14.30	20.25	28.00	26.20	7.50	5.90	3.40	2.54
YH2E42TB21S	YPLC120C20MP13C	21.00	XAF/XAUC60G	2	1425.00	40.50	30.20		11.00	40.00	26.20	7.50	5.90	3.52	2.54
YH2E42TB21S	YPLC120C20MP13C	21.00	XAHC48F	1	975.00	34.60	24.60	14.30	20.25	28.40	25.80	7.50	5.95	3.30	2.42
YH2E42TB21S	YPLC120C20MP13C	21.00	XAHC48F	2	1425.00	40.50	30.00		11.00	42.00	25.80	7.50	5.95	3.52	2.42
YH2E42TB21S	YPLC120C20MP13C	21.00	XAHC60G	1	1100.00	35.20	25.60	14.30	20.50	28.60	26.40	7.50	5.85	3.52	2.54
YH2E42TB21S	YPLC120C20MP13C	21.00	XAHC60G	2	1625.00	41.00	31.60		11.00	41.00	26.40	7.50	5.85	3.64	2.54

Furnace capacity 4 ton

Table 10: Furnace capacity 4 ton

Unit model	Furnace model	Width	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E48TB21S	TL8E080C16UH11	21.00	XAFC60H	1	950.00	40.50	27.20	14.30	19.80	32.20	30.00	7.50	5.95	3.48	2.60
YH2E48TB21S	TL8E080C16UH11	21.00	XAFC60H	2	1450.00	46.00	32.60		11.00	45.50	30.00	7.50	5.95	3.60	2.60
YH2E48TB21S	TL8E080C16UH11	21.00	XAHC60H	1	975.00	40.50	27.20	14.30	19.95	32.40	30.00	7.50	5.95	3.50	2.60
YH2E48TB21S	TL8E080C16UH11	21.00	XAHC60H	2	1450.00	46.00	32.60		11.00	45.50	30.00	7.50	5.95	3.60	2.60
YH2E48TB21S	TL8E100C20UH11	21.00	XAFC60H	1	1050.00	41.00	28.20	14.30	20.00	32.60	29.60	7.50	5.90	3.58	2.62
YH2E48TB21S	TL8E100C20UH11	21.00	XAFC60H	2	1500.00	46.50	33.20		11.00	45.50	29.60	7.50	5.90	3.66	2.62
YH2E48TB21S	TL8E100C20UH11	21.00	XAHC60H	1	1075.00	41.00	28.20	14.30	20.10	32.80	29.60	7.50	5.90	3.60	2.62
YH2E48TB21S	TL8E100C20UH11	21.00	XAHC60H	2	1500.00	46.50	33.40		11.00	45.50	29.60	7.50	5.90	3.66	2.62
YH2E48TB21S	TL9E080C16UH11	21.00	XAFC60H	1	900.00	40.00	26.40	14.30	19.75	32.00	30.20	7.50	6.00	3.42	2.56
YH2E48TB21S	TL9E080C16UH11	21.00	XAFC60H	2	1475.00	46.00	32.60		10.50	46.00	30.20	7.50	6.00	3.56	2.56
YH2E48TB21S	TL9E080C16UH11	21.00	XAHC60H	1	950.00	40.50	27.20	14.30	20.00	32.20	30.20	7.50	5.95	3.50	2.56
YH2E48TB21S	TL9E080C16UH11	21.00	XAHC60H	2	1500.00	46.00	33.00		10.50	46.00	30.20	7.50	5.95	3.58	2.56
YH2E48TB21S	TL9E100C20UH11	21.00	XAFC60H	1	1100.00	41.00	28.40	14.30	19.70	33.00	29.80	7.50	5.90	3.60	2.60
YH2E48TB21S	TL9E100C20UH11	21.00	XAFC60H	2	1475.00	46.50	33.20		11.00	45.50	29.80	7.50	5.90	3.64	2.60
YH2E48TB21S	TL9E100C20UH11	21.00	XAHC60H	1	1125.00	41.50	29.00	14.30	19.80	33.00	29.80	7.50	5.90	3.62	2.62
YH2E48TB21S	TL9E100C20UH11	21.00	XAHC60H	2	1500.00	46.50	33.20		11.00	45.50	29.80	7.50	5.90	3.64	2.62
YH2E48TB21S	TM8E080C16MP11	21.00	XAFC60H	1	1075.00	41.00	28.20	14.30	19.55	33.00	30.00	7.50	5.90	3.56	2.60
YH2E48TB21S	TM8E080C16MP11	21.00	XAFC60H	2	1475.00	46.00	32.80		11.00	45.50	30.00	7.50	5.90	3.60	2.60
YH2E48TB21S	TM8E080C16MP11	21.00	XAHC60H	1	900.00	40.00	26.40	14.30	20.25	32.00	29.80	7.50	5.95	3.46	2.60
YH2E48TB21S	TM8E080C16MP11	21.00	XAHC60H	2	1475.00	46.50	33.20		11.00	45.50	29.80	7.50	5.95	3.60	2.60
YH2E48TB21S	TM8E080C20MP11	21.00	XAFC60H	1	1275.00	42.00	30.20	14.30	19.75	33.80	30.40	7.50	5.95	3.76	2.54
YH2E48TB21S	TM8E080C20MP11	21.00	XAFC60H	2	1725.00	47.00	35.20		10.50	46.50	30.40	7.50	5.95	3.60	2.54
YH2E48TB21S	TM8E080C20MP11	21.00	XAHC60H	1	1275.00	42.00	30.20	14.30	19.80	33.80	30.40	7.50	5.95	3.76	2.54
YH2E48TB21S	TM8E080C20MP11	21.00	XAHC60H	2	1725.00	47.00	35.20		10.50	46.50	30.40	7.50	5.95	3.60	2.54
YH2E48TB21S	TM8E100C16MP11	21.00	XAFC60H	1	825.00	39.50	25.60	14.30	20.00	31.60	30.00	7.50	5.95	3.38	2.60
YH2E48TB21S	TM8E100C16MP11	21.00	XAFC60H	2	1475.00	46.50	33.20		11.00	45.50	30.00	7.50	5.95	3.60	2.60
YH2E48TB21S	TM8E100C16MP11	21.00	XAHC60H	1	1000.00	40.50	27.40	14.30	20.05	32.40	29.80	7.50	5.95	3.54	2.60
YH2E48TB21S	TM8E100C16MP11	21.00	XAHC60H	2	1475.00	46.50	33.20		11.00	45.50	29.80	7.50	5.95	3.62	2.60
YH2E48TB21S	TM8E100C20MP11	21.00	XAFC60H	1	1175.00	41.50	29.20	14.30	19.30	33.40	29.60	7.50	5.85	3.62	2.64
YH2E48TB21S	TM8E100C20MP11	21.00	XAFC60H	2	1400.00	46.50	32.60		11.00	45.00	29.60	7.50	5.85	3.64	2.64
YH2E48TB21S	TM8E100C20MP11	21.00	XAHC60H	1	1275.00	42.00	30.20	14.30	19.80	33.80	30.40	7.50	5.95	3.76	2.54
YH2E48TB21S	TM8E100C20MP11	21.00	XAHC60H	2	1725.00	47.00	35.20		10.50	46.50	30.40	7.50	5.95	3.62	2.54
YH2E48TB21S	TM8E120C16MP11	21.00	XAFC60H	1	850.00	40.00	26.00	14.30	20.05	31.80	29.80	7.50	5.95	3.42	2.60
YH2E48TB21S	TM8E120C16MP11	21.00	XAFC60H	2	1475.00	46.50	33.20		11.00	45.50	29.80	7.50	5.95	3.62	2.60
YH2E48TB21S	TM8E120C16MP11	21.00	XAHC60H	1	900.00	40.00	26.40	14.30	20.30	32.00	29.80	7.50	5.95	3.46	2.60
YH2E48TB21S	TM8E120C16MP11	21.00	XAHC60H	2	1500.00	46.50	33.20		11.00	45.50	29.80	7.50	5.95	3.62	2.60
YH2E48TB21S	TM8E120C20MP11	21.00	XAFC60H	1	1250.00	42.00	30.00	14.30	19.50	33.80	30.00	7.50	5.90	3.72	2.58
YH2E48TB21S	TM8E120C20MP11	21.00	XAFC60H	2	1650.00	47.00	34.60		11.00	46.00	30.00	7.50	5.90	3.66	2.58
YH2E48TB21S	TM8E120C20MP11	21.00	XAHC60H	1	1275.00	42.00	30.20	14.30	19.60	33.80	30.00	7.50	5.90	3.74	2.60
YH2E48TB21S	TM8E120C20MP11	21.00	XAHC60H	2	1650.00	47.00	34.60		11.00	46.00	30.00	7.50	5.90	3.66	2.60
YH2E48TB21S	TM8E130D20MP11	24.50	XAF/XAUD60H	1	1200.00	41.50	29.40	14.30	19.25	33.60	29.80	7.50	5.90	3.64	2.62
YH2E48TB21S	TM8E130D20MP11	24.50	XAF/XAUD60H	2	1500.00	46.50	33.20		11.00	45.50	29.80	7.50	5.90	3.66	2.62
YH2E48TB21S	TM8E130D20MP11	24.50	XAHD60H	1	1200.00	41.50	29.40	14.30	19.30	33.60	29.80	7.50	5.90	3.64	2.62
YH2E48TB21S	TM8E130D20MP11	24.50	XAHD60H	2	1500.00	46.50	33.20		11.00	45.50	29.80	7.50	5.90	3.64	2.62
YH2E48TB21S	TM8V080C16MP12C	21.00	XAFC60H	1	800.00	39.50	25.40	14.30	19.60	31.60	29.60	7.50	5.95	3.34	2.64
YH2E48TB21S	TM8V080C16MP12C	21.00	XAFC60H	2	1200.00	45.50	30.60		11.00	44.50	29.60	7.50	5.95	3.58	2.64
YH2E48TB21S	TM8V080C16MP12C	21.00	XAHC60H	1	900.00	40.00	26.40	14.30	19.95	32.00	29.80	7.50	5.95	3.46	2.62
YH2E48TB21S	TM8V080C16MP12C	21.00	XAHC60H	2	1425.00	46.00	32.40		11.00	45.00	29.80	7.50	5.95	3.62	2.62
YH2E48TB21S	TM8V100C16MP12C	21.00	XAFC60H	1	800.00	39.50	25.40	14.30	19.60	31.60	29.60	7.50	5.95	3.34	2.64
YH2E48TB21S	TM8V100C16MP12C	21.00	XAFC60H	2	1200.00	45.50	30.60		11.00	44.50	29.60	7.50	5.95	3.58	2.64
YH2E48TB21S	TM8V100C16MP12C	21.00	XAHC60H	1	900.00	40.00	26.40	14.30	19.95	32.00	29.80	7.50	5.95	3.46	2.62
YH2E48TB21S	TM8V100C16MP12C	21.00	XAHC60H	2	1425.00	46.00	32.40		11.00	45.00	29.80	7.50	5.95	3.62	2.62
YH2E48TB21S	TM8V100C20MP12C	21.00	XAFC60H	1	975.00	40.50	27.20	14.30	19.85	32.40	29.60	7.50	5.90	3.50	2.64
YH2E48TB21S	TM8V100C20MP12C	21.00	XAFC60H	2	1425.00	46.50	32.80		11.00	45.00	29.60	7.50	5.90	3.64	2.64
YH2E48TB21S	TM8V100C20MP12C	21.00	XAHC60H	1	975.00	40.50	27.20	14.30	20.00	32.20	29.60	7.50	5.90	3.52	2.64
YH2E48TB21S	TM8V100C20MP12C	21.00	XAHC60H	2	1425.00	46.50	32.80		11.00	45.00	29.60	7.50	5.90	3.66	2.64
YH2E48TB21S	TM8V120C20MP12C	21.00	XAFC60H	1	975.00	40.50	27.20	14.30	19.85	32.40	29.60	7.50	5.90	3.50	2.64
YH2E48TB21S	TM8V120C20MP12C	21.00	XAFC60H	2	1425.00	46.50	32.80		11.00	45.00	29.60	7.50	5.90	3.64	2.64
YH2E48TB21S	TM8V120C20MP12C	21.00	XAHC60H	1	975.00	40.50	27.20	14.30	20.00	32.20	29.60	7.50	5.90	3.52	2.64
YH2E48TB21S	TM8V120C20MP12C	21.00	XAHC60H	2	1425.00	46.50	32.80		11.00	45.00	29.60	7.50	5.90	3.66	2.64

Table 10: Furnace capacity 4 ton

Unit model	Furnace model	Width	Coil model	Stage	Rated CFM	NetCool	SensCool	SEER2	EER2	Net47	Net17	HSPF2 IV	HSPF2 V	Cop47	Cop17
YH2E48TB21S	TM8Y080C16MP11	21.00	XAFC60H	1	975.00	40.50	27.20	14.30	19.80	32.40	29.80	7.50	5.95	3.50	2.60
YH2E48TB21S	TM8Y080C16MP11	21.00	XAFC60H	2	1425.00	46.00	32.40		11.00	45.50	29.80	7.50	5.95	3.60	2.60
YH2E48TB21S	TM8Y080C16MP11	21.00	XAHC60H	1	1025.00	40.50	27.40	14.30	20.00	32.60	29.80	7.50	5.90	3.56	2.60
YH2E48TB21S	TM8Y080C16MP11	21.00	XAHC60H	2	1425.00	46.00	32.40		11.00	45.50	29.80	7.50	5.90	3.60	2.60
YH2E48TB21S	TM8Y100C16MP11	21.00	XAFC60H	1	975.00	40.50	27.20	14.30	19.80	32.40	29.80	7.50	5.95	3.50	2.60
YH2E48TB21S	TM8Y100C16MP11	21.00	XAFC60H	2	1425.00	46.00	32.40		11.00	45.50	29.80	7.50	5.95	3.60	2.60
YH2E48TB21S	TM8Y100C16MP11	21.00	XAHC60H	1	1025.00	40.50	27.40	14.30	20.00	32.60	29.80	7.50	5.90	3.56	2.60
YH2E48TB21S	TM8Y100C16MP11	21.00	XAHC60H	2	1425.00	46.00	32.40		11.00	45.50	29.80	7.50	5.90	3.60	2.60
YH2E48TB21S	TM8Y100C20MP11	21.00	XAFC60H	1	1000.00	40.50	27.40	14.30	19.90	32.40	29.60	7.50	5.90	3.52	2.64
YH2E48TB21S	TM8Y100C20MP11	21.00	XAFC60H	2	1400.00	46.50	32.60		11.00	45.00	29.60	7.50	5.90	3.64	2.64
YH2E48TB21S	TM8Y100C20MP11	21.00	XAHC60H	1	1000.00	40.50	27.40	14.30	19.90	32.40	29.40	7.50	5.90	3.52	2.66
YH2E48TB21S	TM8Y100C20MP11	21.00	XAHC60H	2	1250.00	46.00	31.40		11.00	44.50	29.40	7.50	5.90	3.64	2.66
YH2E48TB21S	TM8Y120C20MP11	21.00	XAFC60H	1	1000.00	40.50	27.40	14.30	19.90	32.40	29.60	7.50	5.90	3.52	2.64
YH2E48TB21S	TM8Y120C20MP11	21.00	XAFC60H	2	1400.00	46.50	32.60		11.00	45.00	29.60	7.50	5.90	3.64	2.64
YH2E48TB21S	TM8Y120C20MP11	21.00	XAHC60H	1	1000.00	40.50	27.40	14.30	19.90	32.40	29.40	7.50	5.90	3.52	2.66
YH2E48TB21S	TM8Y120C20MP11	21.00	XAHC60H	2	1250.00	46.00	31.40		11.00	44.50	29.40	7.50	5.90	3.64	2.66
YH2E48TB21S	TM9E080C16MP12	21.00	XAFC60H	1	800.00	39.50	25.40	14.30	20.00	31.60	30.00	7.50	6.00	3.36	2.58
YH2E48TB21S	TM9E080C16MP12	21.00	XAFC60H	2	1450.00	46.00	32.60		11.00	45.50	30.00	7.50	6.00	3.56	2.58
YH2E48TB21S	TM9E080C16MP12	21.00	XAHC60H	1	950.00	40.50	27.20	14.30	19.90	32.20	30.00	7.50	5.95	3.48	2.56
YH2E48TB21S	TM9E080C16MP12	21.00	XAHC60H	2	1450.00	46.00	32.40		11.00	45.50	30.00	7.50	5.95	3.56	2.56
YH2E48TB21S	TM9E080C20MP12	21.00	XAFC60H	1	1225.00	42.00	30.00	14.30	19.65	33.60	30.20	7.50	5.90	3.70	2.56
YH2E48TB21S	TM9E080C20MP12	21.00	XAFC60H	2	1750.00	47.00	35.40		11.00	46.50	30.20	7.50	5.90	3.64	2.56
YH2E48TB21S	TM9E080C20MP12	21.00	XAHC60H	1	1225.00	42.00	30.00	14.30	19.70	33.60	30.00	7.50	5.90	3.70	2.58
YH2E48TB21S	TM9E080C20MP12	21.00	XAHC60H	2	1650.00	47.00	34.60		11.00	46.00	30.00	7.50	5.90	3.66	2.58
YH2E48TB21S	TM9E100C16MP12	21.00	XAFC60H	1	825.00	39.50	25.60	14.30	20.00	31.60	30.20	7.50	6.00	3.38	2.56
YH2E48TB21S	TM9E100C16MP12	21.00	XAFC60H	2	1500.00	46.00	33.00		10.50	46.00	30.20	7.50	6.00	3.58	2.56
YH2E48TB21S	TM9E100C16MP12	21.00	XAHC60H	1	975.00	40.50	27.20	14.30	19.90	32.40	30.00	7.50	5.95	3.50	2.56
YH2E48TB21S	TM9E100C16MP12	21.00	XAHC60H	2	1500.00	46.00	33.00		11.00	46.00	30.00	7.50	5.95	3.58	2.56
YH2E48TB21S	TM9E100C20MP12	21.00	XAFC60H	1	1175.00	41.50	29.20	14.30	19.55	33.40	30.00	7.50	5.90	3.66	2.60
YH2E48TB21S	TM9E100C20MP12	21.00	XAFC60H	2	1600.00	46.50	34.00		11.00	46.00	30.00	7.50	5.90	3.64	2.60
YH2E48TB21S	TM9E100C20MP12	21.00	XAHC60H	1	1200.00	41.50	29.40	14.30	19.65	33.40	30.00	7.50	5.90	3.68	2.60
YH2E48TB21S	TM9E100C20MP12	21.00	XAHC60H	2	1600.00	46.50	34.00		11.00	46.00	30.00	7.50	5.90	3.64	2.60
YH2E48TB21S	TM9E120D20MP12	24.50	XAF/XAUD60H	1	1225.00	41.50	29.40	14.30	19.45	33.60	30.40	7.50	5.95	3.68	2.54
YH2E48TB21S	TM9E120D20MP12	24.50	XAF/XAUD60H	2	1650.00	46.50	34.20		10.50	46.50	30.40	7.50	5.95	3.58	2.54
YH2E48TB21S	TM9E120D20MP12	24.50	XAHD60H	1	1225.00	41.50	29.40	14.30	19.45	33.60	30.40	7.50	5.95	3.68	2.54
YH2E48TB21S	TM9E120D20MP12	24.50	XAHD60H	2	1625.00	46.50	34.20		10.50	46.50	30.40	7.50	5.95	3.58	2.54
YH2E48TB21S	TM9V080C16MP12C	21.00	XAFC60H	1	950.00	40.00	26.60	14.30	19.45	32.40	30.00	7.50	5.95	3.46	2.56
YH2E48TB21S	TM9V080C16MP12C	21.00	XAFC60H	2	1475.00	46.00	32.60		10.50	45.50	30.00	7.50	5.95	3.56	2.56
YH2E48TB21S	TM9V080C16MP12C	21.00	XAHC60H	1	950.00	40.00	26.60	14.30	19.65	32.20	30.00	7.50	5.95	3.48	2.58
YH2E48TB21S	TM9V080C16MP12C	21.00	XAHC60H	2	1475.00	46.00	32.60		10.50	45.50	30.00	7.50	5.95	3.58	2.58
YH2E48TB21S	TM9V100C16MP12C	21.00	XAFC60H	1	1125.00	41.00	28.40	14.30	19.45	33.20	30.20	7.50	5.95	3.62	2.56
YH2E48TB21S	TM9V100C16MP12C	21.00	XAFC60H	2	1650.00	46.50	34.20		10.50	46.50	30.20	7.50	5.95	3.62	2.56
YH2E48TB21S	TM9V100C16MP12C	21.00	XAHC60H	1	975.00	40.50	27.20	14.30	19.85	32.40	29.80	7.50	5.90	3.52	2.62
YH2E48TB21S	TM9V100C16MP12C	21.00	XAHC60H	2	1475.00	46.50	33.20		11.00	45.50	29.80	7.50	5.90	3.64	2.62
YH2E48TB21S	TM9V100C20MP12C	21.00	XAFC60H	1	975.00	40.50	27.20	14.30	19.65	32.40	30.20	7.50	5.95	3.50	2.56
YH2E48TB21S	TM9V100C20MP12C	21.00	XAFC60H	2	1600.00	46.50	33.80		10.50	46.00	30.20	7.50	5.95	3.62	2.56
YH2E48TB21S	TM9V100C20MP12C	21.00	XAHC60H	1	1050.00	41.00	28.20	14.30	19.80	32.60	30.20	7.50	5.95	3.58	2.56
YH2E48TB21S	TM9V100C20MP12C	21.00	XAHC60H	2	1650.00	46.50	34.20		10.50	46.50	30.20	7.50	5.95	3.62	2.56
YH2E48TB21S	TM9V120D20MP12C	24.50	XAF/XAUD60H	1	925.00	40.00	26.60	14.30	19.75	32.20	29.60	7.50	5.90	3.46	2.64
YH2E48TB21S	TM9V120D20MP12C	24.50	XAF/XAUD60H	2	1475.00	46.50	33.20		11.00	45.00	29.60	7.50	5.90	3.66	2.64
YH2E48TB21S	TM9V120D20MP12C	24.50	XAHD60H	1	925.00	40.00	26.60	14.30	19.85	32.20	29.60	7.50	5.90	3.46	2.64
YH2E48TB21S	TM9V120D20MP12C	24.50	XAHD60H	2	1475.00	46.50	33.20		11.00	45.00	29.60	7.50	5.90	3.66	2.64
YH2E48TB21S	TM9Y080C16MP11	21.00	XAFC60H	1	950.00	40.00	26.60	14.30	19.40	32.40	29.80	7.50	5.95	3.44	2.60
YH2E48TB21S	TM9Y080C16MP11	21.00	XAFC60H	2	1275.00	45.50	31.00		11.00	45.00	29.80	7.50	5.95	3.54	2.60
YH2E48TB21S	TM9Y080C16MP11	21.00	XAHC60H	1	975.00	40.50	27.20	14.30	19.55	32.40	29.80	7.50	5.95	3.48	2.60
YH2E48TB21S	TM9Y080C16MP11	21.00	XAHC60H	2	1300.00	45.50	31.20		11.00	45.00	29.80	7.50	5.95	3.56	2.60
YH2E48TB21S	TM9Y100C16MP11	21.00	XAFC60H	1	950.00	40.00	26.60	14.30	19.50	32.40	29.80	7.50	5.95	3.46	2.60
YH2E48TB21S	TM9Y100C16MP11	21.00	XAFC60H	2	1275.00	45.50	31.00		11.00	45.00	29.80	7.50	5.95	3.56	2.60
YH2E48TB21S	TM9Y100C16MP11	21.00	XAHC60H	1	975.00	40.50	27.20	14.30	19.65	32.40	29.80	7.50	5.95	3.48	2.62
YH2E48TB21S	TM9Y100C16MP11	21.00	XAHC60H	2	1300.00	46.00	31.60		11.00	45.00	29.80	7.50	5.95	3.58	2.62
YH2E48TB21S	TM9Y100C20MP11	21.00	XAFC60H	1	1175.00	41.50	29.20	14.30	19.30	33.40	30.40	7.50	5.95	3.64	2.54
YH2E48TB21S	TM9Y100C20MP11	21.00	XAFC60H	2	1575.00	46.50	33.80		10.50	46.00	30.40	7.50	5.95	3.56	2.54